

Est.  
1841

YORK  
ST JOHN  
UNIVERSITY

Watson, Dean R., Hill, Andrew P. ORCID:  
<https://orcid.org/0000-0001-6370-8901>, Madigan, Daniel J. ORCID:  
<https://orcid.org/0000-0002-9937-1818> and Donachie, Tracy  
ORCID: <https://orcid.org/0000-0001-5697-2974> (2023)  
Effectiveness of an Online Acceptance and Commitment Therapy-  
Based Programme in Reducing Perfectionism in Female Soccer  
Players. In: European College of Sport Science, 7 July 2023, Paris.  
(Unpublished)

Downloaded from: <http://ray.yorks.ac.uk/id/eprint/8158/>

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repository Policy Statement](#)


# RaY

Research at the University of York St John

For more information please contact RaY at [ray@yorks.ac.uk](mailto:ray@yorks.ac.uk)

# Effectiveness of an Online Acceptance and Commitment Therapy-Based Programme in Reducing Perfectionism in Female Soccer Players

Watson, D. R., Hill, A. P., Madigan, D. J., & Donachie, T. C.



# Outline




What is  
perfectionism?



Introduction



Method



Results



Practical  
implications

# Trait Perfectionism

Trait perfectionism is a personality characteristic that includes setting unrealistically high standards of performance and tendencies for overly critical evaluations of one's behavior

## The Dimensions of Perfectionism

Randy O. Frost,<sup>1</sup> Patricia Marten, Cathleen Lahart,  
and Robin Rosenblate

Smith College


*Perfectionism is a major diagnostic criterion for one DSM-III diagnosis, and it has been hypothesized to play a major role in a wide variety of psychopathologies. Yet there is no precise definition of, and there is a paucity of research on, this construct. Based on what has been theorized about perfectionism, a multidimensional measure was developed and several hypotheses regarding the nature of perfectionism were tested in four separate studies. The major dimension of this measure was excessive concern over making mistakes. Five other dimensions were identified, including high personal standards, the perception of high parental expectations, the perception of high parental criticism, the doubting of the quality of one's actions, and a preference for order and organization. Perfectionism and certain of its subscales were correlated with a wide variety of psychopathological symptoms. There was also an association between perfectionism and procrastination. Several subscales of the Multidimensional Perfectionism Scale (MPS), personal standards and organization, were associated with positive achievement striving and work habits. The MPS was highly correlated with one of the existing measures of perfectionism. Two other existing measures were only moderately correlated with the MPS and with each other. Future studies of perfectionism should take into account the multidimensional nature of the construct.*

**KEY WORDS:** perfectionism; perfectionistic thinking; personal standards; self-evaluation.

In 1983 Asher Pacht devoted his APA Distinguished Professional Contribution Award address to the topic of perfectionism (Pacht, 1984). In it he argued that perfectionism is a widespread and extremely debilitating problem. He linked it

<sup>1</sup>Address all correspondence to Randy O. Frost, Department of Psychology, Smith College, Northampton, Massachusetts 01063.

<b>Perfectionistic Concerns (PC)</b>	<b>Perfectionistic Strivings (PS)</b>	<b>Measure</b>
<b>Socially-Prescribed Perfectionism (SPP)</b>	<b>Self-Oriented Perfectionism (SOP)</b>	<b>Performance Perfectionism Scale-Sport (PPS-S; Hill et al., 2016)</b>
<b>Concerns Over Mistakes (CM)</b>	<b>Personal Standards (PES)</b>	<b>Sport Multidimensional Perfectionism Scale-2 (SMPS-2; Gotwals &amp; Dunn, 2009)</b>
<b>Negative Reactions to Imperfection (NRI)</b>	<b>Striving For Perfection (SP)</b>	<b>Multidimensional Inventory of Perfectionism in Sport (MIPS; Stoeber et al., 2004)</b>





# Perfectionism Cognitions

Perfectionism cognitions are automatic ruminative thoughts and images involving the need to be perfect

Article

## Not All Perfectionism Cognitions Are Multidimensional: Evidence for the Perfectionism Cognitions Inventory-10

Journal of Psychoeducational Assessment  
2020, Vol. 38(1) 15–25  
© The Author(s) 2019  
Article reuse guidelines:  
sagepub.com/journals-permissions  
DOI: 10.1177/0734282919881075  
journals.sagepub.com/home/jpa  
SAGE

Andrew P. Hill<sup>1</sup> and Tracy Donachie<sup>1</sup>

### Abstract

The measurement of perfectionistic cognitions has recently caused disagreement among researchers. Flett, Hewitt, Blankstein, and Gray proposed that perfectionistic cognitions are unidimensional. However, after re-examining the factor structure of the instrument used to measure perfectionistic automatic thoughts (Perfectionism Cognitions Inventory [PCI]), Stoeber, Kobori, and Tanno argued that perfectionistic cognitions are multidimensional. Researchers are now faced with a dilemma: Should they adopt a multidimensional approach derived from the analysis of the underpinning structure of the instrument or should theory take precedence and the instrument be revised? In considering these two alternatives, in this instance, we advocate the latter strategy. In accord, in the current study, we assess the factor structure of the PCI with the intention of creating a unidimensional version of the instrument. In doing so, we provide evidence to support the use of a new shorter version of the PCI. Unlike the original PCI, the Perfectionism Cognitions Inventory-10 (PCI-10) has a unidimensional structure that replicates across independent samples. The PCI-10 and the original PCI are also highly correlated. Based on this evidence, we propose that the PCI-10 provides a short, psychometrically sound, instrument to measure perfectionistic cognitions in the unidimensional manner it was intended.

### Keywords

questionnaire, survey, psychometrics

Perfectionism has typically been studied as a personality trait. However, perfectionism can also be studied in terms of individual differences in the frequency with which people experience perfectionistic cognitions. Perfectionistic cognitions are automatic ruminative thoughts and images involving the need to be perfect (Flett, Hewitt, Blankstein, & Gray, 1998). As described by Flett et al., perfectionistic cognitions can be understood in context of theories of rumination and as a form of end-state thinking. That is, they are a set of thoughts that occur following failure to reach important goals and when attention shifts toward the self and personal discrepancies (Martin & Tesser, 1989). As such, perfectionistic cognitions are expected to be common among those who

<sup>1</sup>York St John University, UK

### Corresponding Author:

Andrew P. Hill, School of Sport, York St John University, Lord Mayor's Walk, York YO31 7EX, UK.  
Email: a.hill@yorksj.ac.uk





**T1 Title: Effectiveness of an online Acceptance and Commitment Therapy-based sport psychology programme for managing trait perfectionism, perfectionistic thoughts, and emotions in athletes**

T2 Contributors, Affiliations, and Persistent IDs (recommend ORCID iD)

Dean Watson - York St John University, UK - <https://orcid.org/0000-0002-6188-7472>

Andrew Hill - York St John University, UK - <https://orcid.org/0000-0001-6370-8901>

Daniel Madigan - York St John University, UK - <https://orcid.org/0000-0002-9937-1818>

Tracy Donachie - Newcastle University, UK - <https://orcid.org/0000-0001-5697-2974>

T3 Date of Preregistration

14/10/2021 12:09:55

# Introduction

01

Research suggests that athletes who are perfectionistic are more vulnerable to a range of difficulties (Hill et al., 2018).

02

Little is known about what the most effective way is to reduce perfectionism in sport.

03

Outside of sport, Acceptance & Commitment Therapy (ACT) is shown to be an effective way at reducing perfectionism (Ong et al., 2019).

# Aims



TO TEST THE EFFECTIVENESS OF  
ACT FOR PERFECTIONISM IN  
SPORT



TO UNDERSTAND THE BENEFITS  
AND ADVANTAGES OF AN ONLINE  
INTERVENTION FOR  
PERFECTIONISTIC ATHLETES

# Method



81 female footballers ( $M$   
age =  
24.28 years,  $SD = 6.77$ ,  
range 18-44 years)



Eight weeks of self-  
guided access, working  
at their own speed



Eight modules +  
homework tasks



Two check in points

# Instruments

## **Trait Perfectionism:**

- Sport Multidimensional Perfectionism Scale – 2 (SMPS–2) (Gotwals & Dunn, 2009)
- Multidimensional Inventory of Perfectionism in Sport (MIPS) (Stoeber et al., 2004)
- Performance Perfectionism Scale for Sport (PPS–S) (Hill et al., 2016)


## **Perfectionism Cognitions:**

- Perfectionism Cognitions Inventory – 10 (PCI–10; Hill & Donachie, 2019)

## **Pre-Competition Emotions:**

- Sport Emotion Questionnaire (SEQ; Jones et al., 2012)

# Consort Diagram



Module	ACT	Perfectionism	Aim
1	Introduction	Stigma	Reduce stigma and provide overview of ACT
2	Being Present	Concerns Over Mistakes	Staying focused in competition/training
3	Mindfulness	Fear of Failure	To be able to control the body and mind
4	Acceptance	Self-Criticism	Accept mistakes and reduce self-criticism
5	Defusion	Doubt	To disconnect thoughts
6	Values	Managing Expectations	Leading a values led life
7	Self	Negative Reactions	Increase awareness of our selves
8	Commitment	Healthy Striving	Setting realistic and healthy goals


# Results – Highlights




1. Group effects for athletes participating in the ACT-based intervention group for all dimensions of perfectionism, except SOP.



2. Time effects for SOP, SPP, and perfectionism cognitions for those athletes in the ACT-based intervention group.



3. Interaction effects (group x time) for all dimensions of perfectionism except SPP for those athletes in the ACT-based intervention group.



4. Mean differences between the intervention group and the control group at T2 for all dimensions of perfectionism.



# Results – Adherence



Number of hours athletes spent on the modules was significantly correlated with reductions in their SOP, perfectionism cognitions, and anxiety over time.



Number of modules the athletes completed was also significantly correlated with reductions in their SP, NRI, perfectionism cognitions, and anger over time.

# Practical Implications



We recommend using ACT as a type of intervention when working to reduce perfectionism in athletes.



We cautiously advocate for practitioners to consider using online interventions as part of their work.



We encourage practitioners to use self-help style, or minimally guided, self-paced interventions to support perfectionistic athletes.



**Thank You**



**Any Questions**