Pires, D A, Isoard-Gautheur, S, Madigan, Daniel J. ORCID: https://orcid.org/0000-0002-9937-1818, Smith, A L and Gustafsson, H (2024) Five unsolved issues concerning burnout in athletes: An expert perspective. Sports Psychiatry - Journal of Sports and Exercise Psychiatry.

Downloaded from: http://ray.yorksj.ac.uk/id/eprint/9577/

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version: https://doi.org/10.1024/2674-0052/a000074

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. Institutional Repository Policy Statement

RaY

Research at the University of York St John

For more information please contact RaY at ray@yorksj.ac.uk



Five unsolved issues concerning burnout in athletes: An expert perspective

Daniel Alvarez Pires¹, Sandrine Isoard-Gautheur², Daniel J. Madigan³, Alan L. Smith⁴, and Henrik Gustafsson^{5,6}

Abstract: Introduction: Concern about mental health is an increasingly relevant topic in high-performance sport. In this regard, because burnout can be harmful to both the health and performance of athletes, it is of particular importance. Although a great deal of time and effort has been dedicated to the study of athlete burnout, there are still issues that require further work. Therefore, in the present paper, we aim to highlight what, in our perspective, are the most important unsolved issues regarding burnout in athletes. Methods: We brought together expert athlete burnout scholars to offer their perspectives on five unresolved issues in this research area. Results: We describe the following five issues that require further research attention: (i) burnout as a syndrome, (ii) the negative consequences of burnout, (iii) the role of recovery in burnout, (iv) the importance of the social environment, and (v) developing effective interventions to reduce/prevent burnout. Conclusion: Our commentary provides suggestions for future research to help solve these problems, advance our understanding of athlete burnout, and ultimately safeguard the mental health of athletes.

Keywords: competitive sports, mental health, social environment, recovery, psychological interventions

Introduction

Safeguarding the mental health of athletes is an important responsibility of sport professionals. Given recent trends, athlete burnout is a particular source of concern in competitive sport [1, 2]. Many models exist to explain the development of burnout in sport. To aid research and understanding in this area, these perspectives have been combined in an integrated model [3]. This model includes major antecedents (e.g., stressful social relationships and lack of recovery), early signs (e.g., motivation and performance decrement), entrapment (e.g., unidimensional athlete identity, high investments, and social constraints), vulnerability factors (e.g., personality, coping, and environment), key dimensions, and maladaptive consequences of athlete burnout [3]. The integrated model also suggests that withdrawal from sports may be one of the consequences of burnout in athletes together with potential health issues including impaired immune function and long-term performance impairment. The adverse outcomes, including poor

health [4], underscore the critical need for disseminating knowledge regarding athlete burnout. This is essential not only for prevention but also for facilitating recovery and mitigating the consequences of athlete burnout.

Given this context, an important concern is how common burnout is in athletes. Among collegiate athletes, for example, only a small portion (2%) may experience elevated levels of burnout dimensions during the early collegiate season, with this proportion increasing to 8% in the late season [5]. In a young elite athlete sample, 12% reported clinically relevant burnout symptoms [6]. Setting aside the specific threshold for assessing elevated or clinically relevant burnout, which is not consistently defined across studies, a cross-temporal meta-analysis highlighted that burnout symptoms in athletes have increased over the last two decades [7]. This is noteworthy considering that athletes who have dropped out of sport will not be included in these samples [8]. Either burnout is becoming a more salient feature of the sport experience, more athletes are continuing their participation (i.e., not dropping out) in

¹Human Movement Sciences Graduate Program, School of Physical Education, Universidade Federal do Pará, Castanhal, Brazil

²Sport and Social Environment Laboratory, Université Grenoble Alpes, France

³School of Science, Technology, and Health, York St John University, United Kingdom

⁴Emma Eccles Jones College of Education and Human Services, Utah State University, Logan, USA

⁵Faculty of Arts and Social Sciences, Department of Educational Studies, Karlstad University, Sweden

⁶Department of Sport and Social Science, Norwegian School of Sport Sciences, Oslo, Norway

the face of this maladaptive state, or researchers are in some way better at detecting the burnout phenomenon in athletes. Regardless of the reason for this observed increase in burnout symptoms, this is clearly of concern, and it is important to further investigate burnout in athletes.

Method

Due to the detrimental consequences of burnout and the potentially increasing number of afflicted athletes, we have convened a panel of five researchers from different countries and backgrounds, each with extensive experience in the study of athlete burnout, to provide an expert perspective on key unresolved issues in athlete burnout research. Together, we have pooled our insights to address issues in athlete burnout research that need deeper consideration, and to provide suggestions for how to advance understanding of athlete burnout. Despite recent advances in the field of burnout research in sport [9], we have identified five major issues that we believe warrant priority examination: (i) burnout as a syndrome, (ii) the negative consequences of burnout, (iii) the role of recovery in burnout, (iv) the importance of the social environment, and (v) developing effective interventions.

Issue 1: Burnout as a multidimensional syndrome

Raedeke and Smith [10] proposed defining athlete burnout as a syndrome comprising three dimensions: (a) physical and emotional exhaustion, which corresponds to feelings of physical and emotional fatigue related to the demands of training and competition; (b) reduced sense of accomplishment, which is characterized by feelings of inefficacy in practice and the tendency to negatively evaluate oneself in terms of sports performance and achievement; and (c) sport devaluation, referring to a lack of interest in sports and performance, and negative, detached attitudes towards the sport. This definition is compelling because it is multidimensional, capturing three key symptoms of burnout, and can serve as a basis for scale development. Indeed, based on this definition, Raedeke and Smith [10] developed the Athlete Burnout Questionnaire (ABQ), which measures athlete burnout with respect to these three dimensions. The ABQ has been extensively used and considered the gold standard for burnout research and fundamentally valuable for the development of research in athlete burnout [11].

Despite the importance and successful validation of the ABQ some concerns have been raised regarding the relationship among burnout dimensions and how these dimensions develop over time. This is the same concerns as found in job burnout literature, including critic concerning theoretical grounding as well as how the dimensions are related. Since the conceptualization of ABQ is developed from occupational research, the same critic is relevant in athlete burnout research, thus whether burnout is a syndrome or not. In examining the three dimensions of athlete burnout, various researchers have reported interdimension correlations that collectively suggest a complex and nuanced relationship among these dimensions, challenging the notion of them necessarily forming a unified syndrome. For example, on one end of the spectrum, Isoard-Gautheur et al. [12] reported the broadest range of correlations, from r = .15 to r = .57, indicating the potential for both weak and moderate associations between the dimensions. This is contrasted by Madigan et al. [13], who noted a more narrow and consistent range of r = .51to r = .55, suggesting a steady moderate correlation. In the middle ground, several studies found moderate to strong correlations. These studies support the idea of moderate to strong correlations but also underscore the variability within these relationships. This diversity in findings underscores the importance of considering the dimensions in themselves as well as collectively in understanding and addressing athlete burnout. It also underscores the importance of considering the samples of athletes who are surveyed, as the coherence among dimensions may be tied to matters such as intensity of training associated with a sport, timing of season, or inclusion criteria in selecting athlete participants.

Moreover, several researchers have raised concerns about the subscales of the ABQ. Lonsdale and colleagues [14, 15] and Quested and Duda [16] particularly highlighted that the scale of physical and emotional exhaustion might need reconsideration. According to some authors (e.g., [17]), it seems important to assess three sub-dimensions of exhaustion - namely, physical fatigue, emotional exhaustion, and cognitive weariness - each corresponding to the three energy resources (i.e., physical, emotional, and cognitive) that an individual possesses and invests in their activities. A research question to be considered is if an athlete experiencing burnout will experientially distinguish subdimensions of exhaustion or just simply be generally exhausted. Furthermore, some studies have questioned the dimension of sport devaluation [17, 18]. For example, Lonsdale and Hodge [18] concluded that the subscales of a-motivation and devaluation were not clearly distinct within a structural equation model. While "lack of interest" characterizes both sport devaluation and a-motivation, sport devaluation (but not a-motivation) additionally includes a negative attitude towards the sport. Thus, there is likely some conceptual overlap while the constructs are not mutually exclusive.

In light of these concerns, Isoard-Gautheur et al. [19] proposed a new scale for measuring athlete burnout - the Athlete BurnOut-Scale (ABO-S) - which measures three dimensions: (a) a feeling of failure, corresponding to a sense of inefficacy and a tendency to negatively evaluate oneself in terms of performance and sports achievements; (b) a feeling of physical exhaustion, corresponding to a sense of physical fatigue related to the demands of training and competition; and (c) negative feelings towards the sport, representing a combination of negative and detached attitudes towards sports, and a lack of emotional energy. This new scale holds potential for further development in the conceptualization and measurement of athlete burnout. However, although showing promising validation, it needs to be tested in further research.

Outside the sports environment, Bianchi and Schonfeld [20] and Bianchi et al. [21] stated that burnout is a depressive condition since the average correlations of burnout and depression with job-related variables were almost identical. The findings of a multicenter study involving 14 samples of different professionals from six countries highlighted that exhaustion, burnout's main dimension according to some burnout scholars, is more associated with depressive symptoms than with the other two dimensions of burnout. This evidence sheds light on a possible theoretical and conceptual overlap between burnout and depression [21]. Bianchi and Sowden [22] propose a paradigm shift from burnout to occupational depression. According to the authors, burnout is not new or unique, but depressive in nature. In athlete burnout, the research is scarcer. One early study [23] found support for satisfactory discriminant and convergent validity regarding ABQ and depression. In a more recent study, the relationship between burnout and depression in young athletes was tested and resulted in the diathesis-stress model [24]. According to the model, depression is the outcome caused by dysfunctional attitudes and resignation (diathesis) and the lack of recovery (stress component). On the other hand, burnout is the outcome caused by the same diatheses as depression, in addition to chronic stress (stress component). Thus, the model sheds light on the similarity regarding the psychological predictors of burnout and depression in young athletes.

A recent meta-analysis conducted by Glandorf et al. [4] revealed that both total and dimensional measures of athlete burnout exhibit a positive correlation with depression, although the effect sizes vary, ranging from small to medium (r = -.03 to .59). These findings are particularly significant as they suggest that while there is a relationship between burnout and depression, the two are not

entirely overlapping constructs. This is reinforced by early measurement work in sport showing these constructs to be distinct [23], and aligns with the broader dimensional conception of burnout – an experience that is more than simply exhaustion.

In summary, there is a need to further study the dimensions of burnout in athletes. It could be argued that you need to measure all three dimensions in order to truly capture the burnout experience; this is how burnout is most often conceptualized. The definition is important as if the sub dimensions are measured independently without considering the relationship with the other dimensions, there is risk of misinterpreting individual symptoms. For example overrating athletes who are physically tired from hard training or athletes feeling low sense of accomplishment due to poor performances, but not suffering from exhaustion. Longitudinal examination is especially important because it is not clear how these dimensions develop over time and in relation to each other [25]. Furthermore, the degree of conceptual overlap of burnout with other constructs such as a-motivation, self-efficacy and depression need further investigation. An important consideration is that most research has been conducted in athletes with no or very mild symptoms of burnout. This makes it difficult to interpret the meaning of the associations among burnout dimensions as well as between the dimensions and other constructs. Therefore, as stated earlier, future research is needed that examines athletes who present with high burnout perceptions [26].

Issue 2: Negative consequences of burnout

A growing body of work has sought to examine the possible consequences of burnout for athletes [26]. This literature was recently summarized in a systematic review of 54 studies. This review showed that athlete burnout was associated with both increases in negative mental health outcomes (e.g., depression, anxiety, insomnia, worry, and body image dissatisfaction) and decreases in positive mental health outcomes (e.g., satisfaction and vitality). What was less clear, however, were the possible physical health and physiological consequences for athletes [4].

Outside of sport, the physical health consequences of burnout have been explored extensively. There are well established links with outcomes such as coronary heart disease, type 2 diabetes, and headaches [27]. In sport, it is likely the search is more difficult given the inherent "healthy" nature of participants (i.e., physically active) and the variety of physical consequences of sport itself (e.g., physiological adaptation). As a consequence, research designs

that simultaneously account for such confounding factors while exploring physical outcomes over time are necessary.

Beyond physical health, there are a couple of other outcomes that have surprisingly little research to support the link with burnout. In this regard, one of the literature's most frequently discussed consequences of burnout is dropout [28]. A previous study demonstrated that high levels of burnout in handball athletes can be discriminant for the emergence of behavioral consequences over time, especially dropout [8]. These findings confirm the cognitive-affective [29] and the integrated [3] models, which assume dropout as an outcome of burnout in sports. Given this scenario, the use of burnout prevention and control policies in sports becomes essential.

In addition to dropout, reduced performance appears to be a consequence of burnout [3]. Although it is difficult to establish methodological designs that prove performance impairment as an outcome of burnout, a previous study observed that the players with the lower burnout profile had 2.86 times (on average) more chance to achieve higher performance (i.e., playing at the national or professional level) in comparison to their peers with the higher burnout profile [8]. Again, though, more research with rigorous designs and clear performance outcomes are necessary to advance our understanding of what can be considered the most important outcome in sport.

Issue 3: The role of recovery in burnout

The third relevant and contemporary topic for understanding burnout is associated with recovery. The role of recovery in athlete burnout has not yet been fully considered. The demands of the sporting context presuppose the need for recovery as a process of restoring depleted resources [30, 31, 32]. In addition to physical recovery, psychological and social aspects are also linked to this process [33]. Thus, when recovery strategies are not adequate, the stressors caused by excessive demands accumulate throughout the sporting trajectory, becoming chronic and, finally, can result in burnout [34]. Therefore, we need to know more about recovery and its role in burnout.

Insufficient recovery stands out as a precursor to burnout syndrome [34]. Even if this need resembles a context of simple resolution, this process can be considered paradoxical. This paradox arises particularly when athletes, feeling increasingly fatigued and in greater need of rest, find themselves less able to engage in recovery processes. This phenomenon, known in the organizational psychology field as the "recovery paradox," suggests that the likelihood of engaging in effective recovery diminishes precisely

when the demand for it intensifies, due to the heightened presence of stressors [35].

Ignoring early signs of training maladaptation and a chronic lack of recovery are important contributors to burnout. One case study featured a young athlete who experienced excessive training with insufficient recovery. This combination resulted in a loss of motivation, a drop in performance, and burnout [36].

The elevated physical, cognitive, and emotional demands placed on athletes increase the need for recovery to preserve their health and well-being, as well as to restore sporting capabilities and performance [37, 38]. The cognitive-affective model of athletic burnout [29] defines it as a reaction to chronic stress, therefore, the possibility of experiencing an effective recovery may be useful for reducing burnout symptoms.

Considering the importance of recovery as a psychophysiological need, it is possible to identify some processes that promote it [34]. One of the most highlighted recovery processes addresses sleep quality, due to its capability of facilitating post-exercise recovery and reducing fatigue [37]. Sleep-related physiological processes are responsible for restoring physical, cognitive, and emotional resources to face demands [39]. Thus, adequate and quality sleep is the recovery strategy most used by athletes [37, 39].

Analyzing the sleeping habits of athletes makes it possible to improve recovery aspects in a sports environment [40]. In this regard, investigations that consider the quality and performance of sleep in athletes can support strategic changes in these individuals' daily routines and sleep hygiene [39, 40]. Furthermore, insufficient sleep is considered a risk factor for predicting burnout in technology work settings, as sleep deprivation appears to make people more susceptible to stressful stimuli and events [41]. In the sporting context, burnout predicts sleep quality, but the opposite was not observed [6, 39].

Beyond sleep quality, from the perspective of a full recovery, mental disconnection from sport after competition has been considered. Thus, mental detachment refers to athletes' sense of being away from the cognitive and emotional demands of sport. Although it is appropriate for athletes to distance themselves from the sport during the rest period between training and competitions, this action may not be frequent, as athletes generally ruminate on issues related to the previous competition [42]. This condition can result in an "underrecovery trap", an outcome in which physical fatigue makes it impossible to fully develop physical and mental recovery [43].

To avoid this paradox, it is necessary to establish strategies for self-regulation of post-performance energy states and the worry associated with sport [34]. Relaxation techniques such as breathing, meditation, and hypnosis may

reduce physical fatigue and promote full physical and mental recovery [43].

Issue 4: The importance of the social environment

Though training-related and individual psychological factors tend to be of primary interest in examinations of athlete burnout, there is a long-standing recognition that social contextual factors are linked to the burnout phenomenon (e.g., [44, 45, 46]). For example, burnout is associated with negative interactions and feelings of pressure from others [45, 46]. Teammate relationship constructs such as corumination, peer rejection, and loneliness also associate with athlete burnout perceptions [47]. Teammates may further contribute to athlete burnout perceptions through the motivational climate they reinforce, with greater intra-team conflict and lower improvement, relatedness support, and effort climate perceptions in athletes associating with higher burnout perceptions [48]. Relatedly, their prosocial and antisocial behaviors can dampen and amplify athlete burnout perceptions, respectively [49]. The cohesiveness of a sport team can be important, with lower social and task cohesion associated with greater athlete burnout perceptions [50]. Altogether, there is an array of social behaviors and social perceptions that undermine athlete motivation and contribute to athlete burnout perceptions.

In light of the interpersonal demands inherent to sport involvement, the provision of social support by coaches, parents, teammates and others in sport can be important to safeguarding psychological health and preventing athlete burnout. Early efforts to examine this construct in athlete burnout research showed perceptions of social support to be inversely related to athlete burnout perceptions [51, 52]. A meta-analysis examining the association of social constructs and athlete burnout found social support to be among the predominant social constructs represented in this literature, showing a low-to-moderate inverse association with athlete burnout symptoms [53]. Importantly, more work is needed to understand when such support is most needed, welcomed, and effective. Recent work, for example, shows that the inverse association of social support and athlete burnout is stronger when athletes have greater social identification in their sport [54]. Other work shows that athletes who more strongly identify with their team are more likely to be among those falling within a supportive communicators profile, a profile of athletes characterized by lower burnout perceptions than those categorized as less effective communicators [55].

In considering pathways to deepen our understanding of how the social environment is tied to athlete burnout, finding ways to capture the complexity and nuances of the sport social context will be critical. Considering sport as an integrated system, with a set of interdependent elements tied to the individual athlete, their interpersonal relationships, and the context that surrounds them is essential to deeper understanding of athlete experiences [56]. This naturally poses an array of research challenges, as we cannot reasonably capture every feature of the sport social context and process the information in a digestible way. Nonetheless, we can work to address how subsets of these features are connected in shaping athlete burnout symptoms. A recent effort, for example, shows that athlete perceptions of parent-, coach-, and peer-initiated mastery motivational climate inversely associate with burnout perceptions, and that peer-initiated mastery motivational climate mediates the association of coach-initiated mastery motivational climate with athlete burnout [57]. Another highlights the importance of considering both positive and negative social constructs simultaneously as related to athlete burnout [58]. One of the challenging questions that needs to be addressed moving forward in athlete burnout research is how athletes reconcile conflicting social inputs - that is, both adaptive and maladaptive messaging and interactions - from specific social agents and across social agents. Are these inputs amalgamated in shaping an athlete's burnout perceptions? Alternatively, do they rely on certain inputs and ignore others? If so, what social inputs are privileged and what explains that process? These are fascinating research questions and learning their answers may offer helpful guidance in generating strategies for the prevention of athlete burnout.

The research to date has largely been oriented toward athlete experiences within the sport context, but the intensified communication environment associated with social media warrants consideration in athlete burnout research. This environment lends itself to greater opportunity for social comparison, which has implications for perceptions of physical competence and body image, and can be particularly challenging to navigate for adolescents [59]. Social media not only amplifies social comparison potential within one's sport team, but also opens the door to ready comparisons with competitors and others beyond one's direct sphere of social interaction. The degree to which this can impact mental health, and burnout in particular, is not yet known because the influence of athlete social media use on athlete well-being is in its infancy [60]. Moving forward, researchers seeking to address how the social context ties to athlete burnout may benefit from considering the virtual social domain as well as interactions within the sport context itself.

There is much opportunity to expand our understanding of social contributions to athlete burnout. Others have highlighted the importance of considering both positive and negative social interactions within sport contexts, the broad array of social agents within sport, athlete fit with their broader organizational context – which ties to how social relationships are structured and navigated, and developmental considerations in how social relationships are prioritized and understood [1, 59]. Sport is an inherently social context, requiring us to attend to social dynamics when seeking to understand athlete burnout and how to meaningfully address it through prevention and intervention.

Issue 5: Developing effective interventions

Finally, considering the potential risks of burnout to athletes' performance and health, it remains essential to understand more about the most effective interventions in sports settings. This is the area, however, with by far the least empirical support. For example, a recent review of interventions in sport [61] found only five studies that had used psychological interventions to prevent or reduce burnout in athletes. In addition, it was identified that the majority of these studies were at a moderate-to-high risk of bias due to several methodological issues (e.g., group allocation).

For these reasons, recent recommendations for intervention have been based on reviews of literature outside of sport [62]. This is because a much larger body of work exists in occupational domains. Reviewing 13 meta-analyses of rigorously designed randomized controlled trials, Madigan et al. [59] made suggestions based on the use of Cognitive Behavioral Therapy (CBT) interventions as well as organizational interventions that target the motivational climate (such as autonomy support). This evidence base can certainly form the basis for guidance in sport. However, we are in urgent need of developing our own sport-specific, rigorously designed and tested set of interventions. To do so, we need to convince stakeholders of the relevance of burnout to their sport and athletes and build collaborative networks that provide the infrastructure to conduct multi-site randomized controlled trials.

Conclusions and a way forward

In this brief expert commentary, we have summarized five important issues and have proposed several ways to move forward to improve our understanding of athlete burnout. Although research in this area has been successful and the number of publications has been steadily on the rise, with contemporary studies including more advanced designs and better theoretical grounding, there is a need for further advancement of knowledge [9].

When outlining possible ways to advance athlete burnout research we note common threads among the five issues presented in this paper. First, there is a need to investigate athletes that are experiencing symptoms that are of greater severity. Differentiating between athletes who are suffering from mild to more severe symptoms is fundamental to developing deeper understanding of the issues presented in this paper. The nature of athlete burnout and its negative consequences will be placed in clearer relief, contributing factors can be better understood, and intervention efforts can be more thoughtfully constructed. Importantly, the ABQ was conceptualized and developed as a measure of athlete burnout perceptions rather than a clinical instrument. Further work is needed with this measure to establish clinically meaningful cut-offs for athlete burnout (see [63]). Differentiating levels of burnout will be crucial in the progression of research on athlete burnout, and this work should be pursued with attention to various subpopulations of athletes, developmental levels of athletes, and unique contextual demands tied to certain sports or levels of sport.

Furthermore, improving research design is a critical direction for advancing the athlete burnout knowledge base. Though the number of longitudinal studies has increased recently, the bulk of research on athlete burnout remains cross-sectional. Deliberate attention to pursuing longitudinal research designs will advance understanding of burnout as a syndrome, how social contexts evolve to increase or decrease risk for burnout, and what intervention approaches are effective and sustainable. There is particular value to longitudinal designs that focus on within-person change. This provides an opportunity to understand how burnout develops over time, evolves differently among individuals, and uniquely ties to determinants and consequences (see [64]). Investigating both between-person and individual change over time can help us, for example, understand the dynamic links between the social environment, recovery and burnout. Finally, conducting multi-site randomized controlled trials to test interventions and effects is of great value and will be important for optimizing prevention and recovery from burnout. Success with these trials will require continued advancement in conceptualization, measurement, and understanding of the dynamics of athlete burnout.

The five issues described here are not exclusive for the research that needs to be done in order to help athletes to thrive in their sport. Rather, they are examples of how this research area can develop in the near future and inspire efforts to provide coaches, sport managers, sport psychologists and other stakeholders in competitive sport with guidelines to improve performance, health, and wellbeing of highly motivated athletes.

References

- 1. Smith AL, Pacewicz CE, Raedeke TD. Athlete burnout in competitive Sport. In: Horn TS, Smith AL, editors. Advances in sport and exercise psychology. 4th ed. Champaign-IL: Human Kinetics; 2019. p. 409–22.
- Woods S, Dunne S, Gallagher P, McNicholl A. A systematic review of the factors associated with athlete burnout in team sports. Int Rev Sport Exerc Psychol. 2022. https://doi.org/ 10.1080/1750984X.2022.2148225
- 3. Gustafsson H, Kenttä G, Hassmén P. Athlete burnout: An integrated model and future research directions. Int Rev Sport Exerc Psychol. 2011;4(1):3–24.
- Glandorf HL, Coffee P, Madigan DJ. Team identification and athlete burnout: Testing longitudinal serial mediation via perceived support and stress. Psychol Sport Exerc. 2022;63:102292.
- Mellano KT, Horn TS, Mann M. Examining links between coaching behaviors and collegiate athletes' burnout levels using a longitudinal approach. Psychol Sport Exerc. 2022;61:102189.
- Gerber M, Best S, Meerstetter F, Walter M, Ludyga S, Brand S, et al. Effects of stress and mental toughness on burnout and depressive symptoms: A prospective study with young elite athletes. J Sci Med Sport. 2018;21(12):1200-5.
- Madigan DJ, Olsson LF, Hill AP, Curran T. Athlete burnout symptoms are increasing: A cross-temporal meta-analysis of average levels from 1997 to 2019. J Sport Exerc Psychol. 2022:44(3):153-68.
- 8. Isoard-Gautheur S, Guillet-Descas E, Gustafsson H. Athlete burnout and the risk of dropout among young elite handball players. Sport Psychol. 2016;30(2):123-30.
- 9. DeFreese JD, Madigan DJ, Gustafsson H. Eras of burnout research: What does the past tell us about the future of burnout in sport? J Clin Sport Psychol. 2023;17(4):365-75.
- Raedeke TD, Smith AL. development and preliminary validation of an athlete burnout measure. J Sport Exerc Psychol 2001;23:281–306.
- Eklund RC, DeFreese JD. Athlete burnout. In: Tenenbaum G, Eklund RC, editors. Handbook of sport psychology. Wiley; 2020. p. 1220–40.
- Isoard-Gautheur S, Guillet-Descas E, Lemyre PN. A prospective study of the influence of perceived coaching style on burnout propensity in high level young athletes: Using a self-determination theory perspective. Sport Psychol. 2012;26(2): 282–98.
- 13. Madigan DJ, Nicholls AR. Mental toughness and burnout in junior athletes: A longitudinal investigation. Psychol Sport Exerc. 2017;32:138–42.
- Lonsdale C, Hodge K, Rose E. Athlete burnout in elite sport: A self-determination perspective. J Sports Sci. 2009;27(8): 785-95.
- Lonsdale C, Ken H, Jackson SA. Athlete engagement: II.
 Developmental and initial validation of the Athlete Engagement Questionnaire. Int J Sport Psychol. 2007;38(4):471–92.
- 16. Quested E, Duda JL. Exploring the social-environmental determinants of well- and ill-being in dancers: A test of basic needs theory. J Sport Exerc Psychol. 2010;32(1):39–60.
- Shirom A. Job-related burnout: A review. In: Tetrik L, Fisher G, Ford M, Quick J, editors. Handbook of occupational health psychology. Washington: American Psychological Association; 2003. p. 245–64.

- 18. Lonsdale C, Hodge K. Temporal ordering of motivational quality and athlete burnout in elite sport. Med Sci Sports Exerc. 2011;43(5):913-21.
- Isoard-Gautheur S, Martinent G, Guillet-Descas E, Trouilloud D, Cece V, Mette A. Development and evaluation of the psychometric properties of a new measure of athlete burnout: The Athlete Burnout Scale. Int J Stress Manag. 2018;25(S1):108–23.
- Bianchi R, Schonfeld IS. Burnout-depression overlap: Nomological network examination and factor-analytic approach. Scand J Psychol. 2018;59(5):532-9.
- 21. Bianchi R, Verkuilen J, Schonfeld IS, Hakanen JJ, Jansson-Fröjmark M, Manzano-García G, et al. Is burnout a depressive condition? A 14-sample meta-analytic and bifactor analytic study. Clin Psychol Sci. 2021;9(4):579–97.
- 22. Bianchi R, Sowden JF. A paradigm shift from burnout to occupational depression. J Affect Disord. 2022;303:230-2.
- 23. Cresswell SL, Eklund RC. The convergent and discriminant validity of burnout measures in sport: A multi-trait/multi-method analysis. J Sports Sci. 2006;24(2):209–20.
- Nixdorf I, Beckmann J, Nixdorf R. Psychological predictors for depression and burnout among German junior elite athletes. Front Psychol. 2020;11:601.
- 25. Lundkvist E, Gustafsson H, Davis PA, Holmström S, Lemyre N, Ivarsson A. The temporal relations across burnout dimensions in athletes. Scand J Med Sci Sports. 2018;28:1215–26.
- 26. Gustafsson H, DeFreese JD, Madigan DJ. Athlete burnout: review and recommendations. Curr Opin Psychology. 2017;16:109–13.
- 27. Salvagioni DAJ, Melanda FN, Mesas AE, González AD, Gabani FL, Andrade SM de. Physical, psychological and occupational consequences of job burnout: A systematic review of prospective studies. PLoS One. 2017;12(10):e0185781.
- Olusoga P, Kenttä G. Desperate to Quit: A narrative analysis of burnout and recovery in high-performance sports coaching. Sport Psychol. 2017;31(3):237–48.
- 29. Smith RE. Toward a cognitive-affective model of athletic burnout. J Sport Psychol. 1986;8(1):36-50.
- Fan F, Chen J, Chen Y, Li B, Guo L, Shi Y, et al. How relationshipmaintenance strategies influence athlete burnout: Mediating roles of coach-athlete relationship and basic psychological needs satisfaction. Front Psychol. 2023;13:1104143.
- 31. Gerber M, Lang C, Brand S, Gygax B, Ludyga S, Müller C, et al. Perceived recovery and stress states as predictors of depressive, burnout, and insomnia symptoms among adolescent elite athletes. Sports Psychiatry. 2023;2(1):13–22.
- 32. Seehusen CN, Howell DR, Potter MN, Walker GA, Provance AJ. Athlete burnout is associated with perceived likelihood of future injury among healthy adolescent athletes. Clin Pediatr (Phila). 2023;62(10):1269–76.
- 33. Kellmann M, Bertollo M, Bosquet L, Brink M, Coutts AJ, Duffield R, et al. Recovery and performance in sport: Consensus statement. Int J Sports Physiol Perform. 2018;13(2): 240-5.
- 34. Almén N, Lisspers J, Öst LG, Sundin Ö. Behavioral stress recovery management intervention for people with high levels of perceived stress: A randomized controlled trial. Int J Stress Manag. 2020;27(2):183–94.
- 35. Sonnentag S. The recovery paradox: Portraying the complex interplay between job stressors, lack of recovery, and poor well-being. Res Organ Behav. 2018;38:169–85.
- 36. Gustafsson H, Kenttä G, Hassmén P, Lundqvist C. Prevalence of Burnout in Competitive Adolescent Athletes. Sport Psychol. 2007;21(1):21–37.
- 37. Doherty R, Madigan SM, Nevill A, Warrington G, Ellis JG. The sleep and recovery practices of athletes. Nutrients. 2021; 13(4):1330.

- 38. Balk YA, de Jonge J, Oerlemans WGM, Geurts SAE. Testing the triple-match principle among Dutch elite athletes: A day-level study on sport demands, detachment and recovery. Psychol Sport Exerc. 2017;33:7–17.
- 39. Li C, Ivarsson A, Stenling A, Wu Y. The dynamic interplay between burnout and sleep among elite blind soccer players. Psychol Sport Exerc. 2018;37:164-9.
- Facundo LA, Brant VM, Guerreiro RC, Andrade H de A, Louzada FM, Silva A, et al. Sleep regularity in athletes: Comparing sex, competitive level and sport type. Chronobiol Int. 2022;39(10):1381–8.
- 41. Söderström M, Jeding K, Ekstedt M, Perski A, Åkerstedt T. Insufficient sleep predicts clinical burnout. J Occup Health Psychol. 2012;17(2):175–83.
- 42. Balk YA, Tamminen KA, Eccles DW. Too tired to switch off? How post training physical fatigue impairs mental recovery through increased worry. Sport Exerc Perform Psychol. 2021;10(4):489–503.
- 43. Balk Y, de Jonge J. Underrecovery trap: When physical fatigue impairs the physical and mental recovery process. Sport Exerc Perform Psychol. 2021;10(1):88–101.
- 44. Goodger K, Gorely T, Lavallee D, Harwood C. Burnout in sport: A systematic review. Sport Psychol. 2007;21(2):127-151.
- 45. Gould D, Tuffey S, Udry E, Loehr J. Burnout in competitive junior tennis players: II. Qualitative analysis. Sport Psychol. 1996;10(4):341–66.
- 46. Udry E, Gould D, Bridges D, Tuffey S. People helping people? Examining the social ties of athletes coping with burnout and injury stress. J Sport Exerc Psychol. 1997;19(4):368–95.
- 47. Pacewicz CE, Smith AL. Teammate relationships, loneliness, and the motivational and well-being experiences of adolescent athletes. J Clin Sport Psychol. 2022;16(1):3-22.
- Smith AL, Gustafsson H, Hassmén P. Peer motivational climate and burnout perceptions of adolescent athletes. Psychol Sport Exerc. 2010;11(6):453-60.
- Al-Yaaribi A, Kavussanu M. Teammate prosocial and antisocial behaviors predict task cohesion and burnout: The mediating role of affect. J Sport Exerc Psychol. 2017;39(3): 199-208
- 50. Pacewicz CE, Smith AL, Raedeke TD. Group cohesion and relatedness as predictors of self-determined motivation and burnout in adolescent female athletes. Psychol Sport Exerc. 2020;50:101709.
- 51. Cresswell S, Eklund R. The athlete burnout syndrome: possible early signs. J Sci Med Sport. 2004;7(4):481-7.
- 52. Raedeke TD, Smith AL. Coping resources and athlete burnout: An examination of stress mediated and moderation hypotheses. J Sport Exerc Psychol. 2004;26(4):525–41.
- 53. Pacewicz CE, Mellano KT, Smith AL. A meta-analytic review of the relationship between social constructs and athlete burnout. Psychol Sport and Exerc. 2019;43:155–64.
- 54. Murray RM, Hartley C, Coffee P. Only my group will do: Evidence that social support protects athletes from burnout when they identify with those who provide it. Psychol Sport Exerc. 2023;69:102508.
- Pacewicz CE, Smith AL. Communication profiles and sport experiences of collegiate track and field athletes. Psychol Sport Exerc. 2023;68:102450.

- 56. Dorsch TE, Smith AL, Blazo JA, Coakley J, Côté J, Wagstaff CRD, et al. Toward an integrated understanding of the youth sport system. Res Q Exerc Sport. 2022;93(1):105-19.
- 57. Habeeb CM, Barbee J, Raedeke TD. Association of parent, coach, and peer motivational climate with high school athlete burnout and engagement: Comparing mediation and moderation models. Psychol Sport Exerc. 2023;68:102471.
- 58. DeFreese JD, Smith AL. Athlete social support, negative social interactions, and psychological health across a competitive sport season. J Sport Exerc Psychol. 2014;36(6):619–30.
- 59. Madigan DJ, Gustafsson H, Hill AP, Mellano KT, Pacewicz CE, Raedeke TD, et al. Perspectives on the future of burnout in sport. J Clin Sport Psychol. 2022;16(1):75–88.
- 60. Merrill S, Faustin M. Likes and hashtags: Influence of athlete social media use. Sports Psychiatry. 2023;2(4):153-6.
- 61. Wilczyńska D, Qi W, Jaenes JC, Alarcón D, Arenilla MJ, Lipowski M. Burnout and mental interventions among youth athletes: A systematic review and meta-analysis of the studies. Int J Environ Res Public Health. 2022;19(17):10662.
- 62. Anclair M, Lappalainen R, Muotka J, Hiltunen AJ. Cognitive behavioural therapy and mindfulness for stress and burnout: a waiting list controlled pilot study comparing treatments for parents of children with chronic conditions. Scand J Caring Sci. 2018;32(1):389–96.
- Raedeke TD, Smith AL. The Athlete Burnout Questionnaire Manual. Morgantown, WV: Fitness Information Technology; 2009.
- 64. Stenling A, Ivarsson A, Lindwall M. The only constant is change: analysing and understanding change in sport and exercise psychology research. Int Rev Sport Exerc Psychol. 2017;10(1):230-51.

History

Received February 6, 2024 Accepted February 22, 2024 Published online March 6, 2024

Conflict of interest

The authors declare no conflict of interest.

ORCID

Daniel Alvarez Pires

https://orcid.org/0000-0003-2163-5606 Sandrine Isoard-Gautheur

https://orcid.org/0000-0003-1019-3371 Alan L. Smith

https://orcid.org/0000-0003-2267-7293 Henrik Gustafsson

nttps://orcid.org/0000-0002-4495-6819

Henrik Gustafsson

Faculty of Arts and Social Sciences Karlstad University Universitetsgatan 2 651 88 Karlstad Sweden henrik.gustafsson@kau.se