

Est.  
1841

YORK  
ST JOHN  
UNIVERSITY

Salter, Jamie, Weston, Matthew and Hood, Peter (2017) Relationships of internal and external training load in elite-level adolescent soccer. In: The Future of Football Medicine - Isokinetic, 13th - 15th May 2017, Camp Nou, Barcelona.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/2539/>

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repository Policy Statement](#)

# RaY

Research at the University of York St John

For more information please contact RaY at [ray@yorks.ac.uk](mailto:ray@yorks.ac.uk)

XXVI International Conference  
on Sports Rehabilitation and Traumatology

# The Future of Football Medicine

Camp Nou, Barcelona • 13<sup>th</sup> -15<sup>th</sup> May, 2017



**ISOKINETIC  
MEDICAL  
GROUP**



Hosted by:



**FCBARCELONA**

## Relationships of internal and external training load in elite-level adolescent soccer

*Jamie Salter, Dr Matthew Weston and Peter Hood*



[j.salter@yorksj.ac.uk](mailto:j.salter@yorksj.ac.uk)



[@jay\\_salter](https://twitter.com/jay_salter)



**ISOKINETIC**



# Background...

GPS research is dominated by locomotor focussed metrics such as total distance and high intensity running - may be affected by tactical approach



Tri-axial accelerometer-derived data is based on instantaneous rate of change in acceleration in each of the three vectors and infers extent of mechanical loading



Combining external load metrics with internal variables such as RPE has been well researched and verified as a method of calculating the physiological dose-response between individuals




**Aim: To observe the magnitude of associations between internal and external training load amongst elite-level adolescent soccer players**

(Barrett *et al*, 2014; Buchheit and Simpson, 2017; Castillo *et al*, 2016; Halson, 2014; Malone *et al*, 2017; Vanrenterghem *et al*, 2017)

# Experimental Approach...

## Participants



n = 34  
Male Elite Academy  
Football Players

Age 13.84 yrs  
Weight 55.1 kg  
Height 166.9 cm

## External Load



3 x unaltered training sessions within a two-week period delivered by technical age-group coaches

Catapult S4 (GPS 10Hz & 100Hz accelerometer) to observe High Speed Running & PlayerLoad

Individualised speed thresholds were calculated on Mendez-Villaneuva et al (2012) to consider slower relative speeds for maturing players

## Internal Load



Borg CR10 Scale (1982)<sup>12</sup>





- 0 Nothing at all
- 0.5 Extremely weak (just noticeable)
- 1 Very weak
- 2 Weak (light)
- 3 Moderate
- 4 Somewhat strong
- 5 Strong (heavy)
- 6
- 7 Very strong
- 8
- 9
- 10 Extremely strong (almost max)

Habitually used sRPE (CR10) within 15 mins post session

sRPE x Duration (mins) provided Training Load (RPE Load) (AU) (Foster, 1996)

Between subjects correlations were calculated to determine relationships using standardised correlation (Pearson r) thresholds (Cohen, 1988)

# Findings...



# Take Away Messages...

Strongest relationships exist between RPE Load and Tri-axial accelerometer-derived data

*Suggests the more energetically demanding, rapid changes in speed are more indicative of how young footballers perceive training intensity than HSR*

1

Relatively small relationships between internal and external variables outline the importance of combining approaches where possible

*Basing training load monitoring on accessible surrogate of external GPS data may provide poor indication of dose-response experienced*

2

Further work is needed to establish solid relationships between internal and external load in adolescent footballers

Evidence suggests that RPE based data is a suitable method to routinely monitor load, however relationships with external load metrics is currently weak

3

Castillo et al, 2016; Halson, 2014; Malone et al, 2017; Robertson et al. 2016



# Thank You for listening

*‘Gracias por escuchar’*

# References

Barrett, S., Midgley, A.W., Towlson, C., Garrett, A., Portas, M. and Lovell, R. (2013). Within-match PlayerLoad™ patterns during a simulated soccer match: Potential implications for unit positioning and fatigue management. *Int J Sports Physiol Perform*, **11**, 135-140.

Buchheit, M. and Simpson, M. (2017). Player-tracking technology: Half-full or half-empty glass? *Int J Sports Physiol Perform*, **12**, 2-35.

Castillo, D., Weston, M., McLaren, S., Camara, J. and Yanci, J. (2016). Relationships between internal and external load indicators soccer match officials. *Int J Sports Physiol Perform*, published ahead of print.

Cohen, J.W. (1988). *Statistical power analysis for behavioural sciences (Second Edition)*. Hillsdale, USA; Lawrence Erlbaum Associates.

Coutts, A.J. and Duffield, R. Validity and reliability of GPS devices for measuring movement demands of team sports. *J Sci Med Sport*, **13**, 133-135.

Foster, C., Daines, E., Hector, L., Snyder, A.C., and Welsh, R. (1996). Athletic performance in relation to training load. *Wis Med J*, **95**, 370-4.

Halson, S. (2014). Monitoring training load to understand fatigue in athletes. *Sports Med*, **44**, 139-147.

Malone, J., Lovell, R., Varley, MC. And Coutts, AJ. (2017). Unpacking the BlackBox: Applications and Considerations for using GPS devices in sport. *Int J Sports Physiol Perform*, **12**, 18-26.

Robertson, S., Bartlett, J. and Gastin, P.B. (2016). Red, Amber or Green? Athlete monitoring in team sport: The need for decision support systems. *Int J Sports Physiol Perform*, published ahead of print.

Mendez-Villaneuva, A., Buchheit, M., Simpson, B. and Bourdon, P.C. (2012). Match-play Intensity Distribution in Youth Soccer. *Int J Sports Med*, **34**, 101-110.

Vanrenterghem, J., Nedergaard, N.J., Robinson, M.A. and Drust, B. (2017). Training Load Monitoring in Team Sports: A novel framework separating physiological and biomechanical load-adaptation pathways. *Sports Medicine*, published online.