

Gledhill, Adam, Forsdyke, Dale ORCID
logoORCID: <https://orcid.org/0000-0003-4283-4356>, Goom, Tom
and Podlog, Leslie (2021) Educate, involve, and collaborate: Three
strategies for clinicians to empower athletes during return to sport.
British Journal of Sports Medicine.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/5558/>

The version presented here may differ from the published version or version of record. If
you intend to cite from the work you are advised to consult the publisher's version:

<http://dx.doi.org/10.1136/bjsports-2021-104268>

Research at York St John (RaY) is an institutional repository. It supports the principles of
open access by making the research outputs of the University available in digital form.
Copyright of the items stored in RaY reside with the authors and/or other copyright
owners. Users may access full text items free of charge, and may download a copy for
private study or non-commercial research. For further reuse terms, see licence terms
governing individual outputs. [Institutional Repository Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at ray@yorks.ac.uk

Educate, involve, and collaborate: Three strategies for clinicians to empower athletes during return to sport

Corresponding and lead author: Dr Adam Gledhill

School of Sport, Carnegie Faculty, Leeds Beckett University, Leeds, UK, LS6 3QS

Email: adam.gledhill@leedsbeckett.ac.uk

Twitter: @gleds13

Dale Forsdyke

School of Sport, York St John University, Lord Mayors Walk, York, UK, YO31 7EX

Email: d.forsdyke@yorks.ac.uk

Twitter: @forsdyke_dale

Tom Goom

The Physio Rooms, Brighton Health & Racquets Club, Village Way, Falmer, BN1 9SG

Email: tomgoom@gmail.com

Twitter: @tomgoom

Leslie Podlog

Department of Health and Kinesiology, University of Utah

Email: les.podlog@utah.edu

YouTube Mettle Minds Podcast:

https://www.youtube.com/playlist?list=PL_OSfGvEdXrJE6m4kkglcAPDNJ4yzN3eq

Word count: 905

Contributorship statement

All authors contributed to the scoping meetings for the ideas within this editorial and to the final writing of the manuscript.

1 Competing interests

2 Dr Adam Gledhill is an Associate Editor with British Journal of Sports Medicine

3 Acknowledgements

4 N/A

5 Funding information

6 N/A

7 Ethical approval information

8 N/A

9 Data sharing statement

10 N/A

11 Empowering injured athletes is a critical concept within sport and exercise medicine to

12 optimise patient experiences and return-to-sport (RTS) outcomes.^{1,2} Unfortunately, scant

13 attention has been given to how clinicians can facilitate a sense of athlete empowerment

14 during rehabilitation and RTS.

15 Drawing on existing empowerment literature, we consider empowerment to be an individual

16 and social process whereby athletes are provided with the means to become more self-aware

17 and health literate, which can in turn, facilitate greater self-management, freedom, and

18 control over decisions and actions affecting the course of injury rehabilitation.^{2,3} We contend

19 an empowered injured athlete is one who volitionally engages in their rehabilitation and

20 experiences a sense of personal control over RTS decisions; perceives themselves to be

21 competent or capable of achieving rehabilitation milestones; and experiences a sense of

22 connection to others (e.g., rehabilitation providers, coaches, teammates, family). Given these

23 three features of empowerment, we base our recommendations for enhancing empowerment

24 through a framework addressing its components: the Basic Psychological Needs Theory

25 (BPNT).⁴

Basic Psychological Needs Theory

The BPNT is an empirically tested sub-theory of the larger Self-Determination Theory, that articulates the relevance of autonomy, competence, and relatedness.⁴ Deci and Ryan suggest that environmental support for individuals' basic psychological needs contributes to self-determined motivation, well-being and adaptive behavioural outcomes.⁵ There is value and need to develop supportive contexts which foster greater self-determined motivation, emotional well-being, effective psychological processing of the injury event, and personal growth following traumatic injury.⁶

Informed by BPNT and recognising the value of an empowered athlete in facilitating rehabilitation adherence and clinical/RTS outcomes⁵, we offer three strategies designed to support clinicians in facilitating athlete empowerment: education; involvement in rehabilitation processes; and autonomy-supportive, collaborative communication (Figure 1). The strategies offered were selected based on theory and research demonstrating their efficacy and ability to support the basic psychological needs outlined in BPNT^{4,5,6-8}.

Strategy 1: Educate the athlete about the injury and RTS protocols

Educating athletes about their injury will empower them to complete the rehabilitation by building a knowledge base, develop a sense of personal control over and investment in the recovery process, and facilitate adherence with treatment tasks (see Supplement: Injury Education Guidelines). In so doing, athletes will be more likely to perceive themselves as key stakeholders in their rehabilitation and RTS efforts.⁵

One example of a benefit of injury education is helping the athlete understand the possibility of treatment plateaus throughout the rehabilitation period. This knowledge could help the athlete understand that rehabilitation progress is not always linear, mitigate

frustrations during plateau periods or setbacks, and maintain motivation to engage in appropriate/recommended treatment exercises.

Strategy 2: Involve athletes in rehabilitation and RTS decisions

Involving injured athletes in the rehabilitation and RTS decision-making process facilitates perceptions of volitional engagement in rehabilitation and greater rehabilitation adherence.^{7,8} Such involvement also provides athletes with an opportunity to share their thoughts and perspectives about recovery and allows clinicians the chance to show that they recognise the athlete's perspectives.^{1,7} Demonstrating that one cares about the athlete's perspectives and viewpoints, can positively influence an athlete's motivation to engage in recommended exercises, enhance the athlete's ownership of the experience, and increase their confidence upon RTS.^{7,8} These benefits have all been shown to influence the quality of rehabilitation outcomes (clinical and performance).⁷ Example strategies for facilitating athlete involvement include: inviting athlete input regarding relevant functional progressions and rehabilitation milestones, ensuring athlete involvement in establishing RTS criteria, and articulating ways in which an athlete can productively contribute to RTS-decisions in conjunction with key stakeholders. Additionally, helping athletes see the connection between their rehabilitation behaviours (e.g., use of coping skills, adherence) and their rehabilitation outcomes can elicit greater athlete involvement and engagement in their rehabilitation.⁶

Strategy 3: Adopt collaborative, non-controlling forms of communication and interaction

Clinicians may unintentionally adopt controlling language and behaviours that can undermine athletes' perceptions that they are volitional in their rehabilitation efforts.⁸ Phrases such as 'you need to...', 'you must...' can make the athlete feel disempowered and undermine psychological satisfaction within the injury rehabilitation context. Equally, repeatedly highlighting areas of physical deficiency or slow progress can inadvertently undermine

1 athlete motivation to engage in rehabilitation regimens or lead to poor decision-making on
2 the part of the athlete (e.g., trying to expedite rehabilitation progressions).

3 We offer several suggestions to help clinicians avoid using problematic controlling
4 language and replace this with more autonomy-supportive and collaborative (i.e., relatedness-
5 building) solutions. First, clinicians can openly invite questions from athletes regarding topics
6 that may require further clarification (e.g., criteria for injury progress; benefits of particular
7 techniques). Second, clinicians can draw on principles of participatory learning by
8 embedding andragogical (adult learner-focused) or pedagogical (teaching and learning-
9 focused) activities into their practice (e.g., creating shared aims, shared decision-making,
10 session conferences, and injury homework). Such activities may foster discussion, feedback
11 and self-awareness. Third, clinicians can create a psychologically safe environment in which
12 athletes are encouraged to discuss the clinician's suggestions and any barriers to actioning
13 these suggestions that the patient anticipates. This environment can allow the clinician and
14 patient to co-create solutions to perceived barriers. Towards this end, clinicians can use terms
15 such as "we" rather than "you" to create the feeling that rehabilitation is a collaborative
16 endeavour.

18 **Conclusion**

19 In the spirit of multidisciplinary collaboration, we have drawn on our collective experiences
20 in sports therapy, physiotherapy, and sport psychology, to offer strategies that clinicians can
21 adopt to empower athletes during rehabilitation and RTS. If clinicians want to empower
22 athletes to effectively engage with rehabilitation and RTS regimens, we encourage them to
23 educate, involve, and collaborate.

25 **References**

1 Arden C, Glasgow P, Schneiders G *et al* 2016 Consensus statement on return to sport from
the First World Congress in Sports Physical Therapy, Bern *Br J Sports Med* 2016;50:853-864

2 Tengland PA Empowerment: A conceptual discussion. *Health Care Analysis* 2008; 16, 77 –
96.

3 Kayser L Karnoe A Duminski E *et al* A new understanding of health related empowerment
in the context of an active and healthy ageing. *BMC Health Services* 2019; 19: 242

4 Deci EL, Ryan RM The “what” and “why” of goal pursuits: Human needs and the self-
determination of behaviour. *Psychol Inq* 2000; 11: 227–268.

5 Gledhill A, Forsdyke D, Goom T. 'I'm asking you to believe-not in my ability to create
change, but in yours': four strategies to enhance patients' rehabilitation adherence. *Br J Sports*
Med. 2020 Nov 3;bjsports-2020-102245. doi: 10.1136/bjsports-2020-102245. Epub ahead of
print.

6 Podlog L, Eklund RC Psychosocial considerations of return to sport following Injury. In
Johnson, U. & Ivarsson, A (Eds) 2020. Psychological Bases of Sports Injury (4th Ed). Fitness
Information Technology: Morgantown, WV.

7 Forsdyke D, Smith A, Jones M *et al* Psychosocial factors associated with outcomes of
sports injury rehabilitation in competitive athletes: A mixed-studies systematic review. *Br J*
Sports Med 2016;50: 537-544

8 Chan DKC, Lonsdale, C, Ho PY, *et al* Patient motivation and adherence to post-surgery
rehabilitation exercise recommendations: The influence of physiotherapists' autonomy
supportive behaviours. *Arch Phys Med Rehab* 2009; 90: 1977-1982