Olsson, Luke ORCID logoORCID:

https://orcid.org/0000-0002-4705-6437, Grugan, Michael ORCID logoORCID: https://orcid.org/0000-0003-3770-942X, Martin, J. N. and Madigan, Daniel J. ORCID logoORCID: https://orcid.org/0000-0002-9937-1818 (2021) Perfectionism and Burnout in Athletes: The Mediating Role of Perceived Stress. Journal of Clinical Sport Psychology, 16 (1). pp. 55-74.

Downloaded from: https://ray.yorksj.ac.uk/id/eprint/5572/


The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version: https://doi.org/10.1123/jcsp.2021-0030

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. Institutional Repository Policy Statement

# RaY

Research at the University of York St John

For more information please contact RaY at ray@yorksi.ac.uk



Perfectionism and Burnout in Athletes:

The Mediating Role of Perceived Stress

Luke F. Olsson<sup>1,2</sup>, Michael C. Grugan<sup>1</sup>, Joseph N. Martin<sup>1</sup>, & Daniel J. Madigan<sup>1</sup>

<sup>1</sup>York St John University, UK

<sup>2</sup>University of Essex, UK

# **Author Note**

Correspondence concerning this article should be addressed to Luke Olsson, School of Sport, Rehabilitation, and Exercise Sciences, University of Essex, Wivenhoe Park, Colchester, UK, CO4 3SQ, E-mail: lo21051@essex.ac.uk

#### **Abstract**

Perfectionism is a consistent predictor of athlete burnout. Researchers have therefore sought to examine the psychological mechanisms that may explain this relationship. In the present study, guided by Smith's (1986) cognitive affective stress model, we extend existing research by examining whether perceived stress is one such explanatory factor. A sample of 256 adult athletes completed measures of perfectionism (perfectionistic strivings and perfectionistic concerns), perceived stress, and burnout. Correlational analyses indicated that perfectionistic concerns was positively related to burnout, while perfectionistic strivings was either negatively related or unrelated to burnout. Tests of bias-corrected bootstrapped indirect effects showed that perceived stress mediated the positive relationship between perfectionistic concerns and burnout. This finding was evident when examining total burnout and all three burnout symptoms. It appears that athletes high in perfectionistic concerns are likely to experience heightened levels of stress in sport which may in turn render them more vulnerable to burnout.

Keywords: perfectionism, stress, burnout, mental health, exhaustion

#### Introduction

Athletes are required to cope with numerous personal, social, and performance demands in sport (Sarkar & Fletcher, 2014). However, when they are unable to cope with these demands, athletes will experience stress (Nicholls et al., 2016). While a singular experience of stress may not be problematic in itself, the experience of chronic stress can lead to detrimental outcomes for athletes such as burnout (Smith, 1986). In acknowledging the negative consequences of burnout for athletes, many researchers have sought to determine what may underpin its development in sport (e.g., Larson et al., 2019). In this regard, the personality trait of perfectionism has been shown to be a particularly prominent developmental factor (Hill & Curran, 2016). In the present study, our aim is to extend previous research by examining whether stress helps to explain why perfectionism is linked to burnout in athletes.

# **Athlete Burnout**

Athlete burnout is a multidimensional psychosocial syndrome that consists of three symptoms (Raedeke & Smith, 2001). These symptoms are emotional and physical exhaustion (perceived depletion of emotional and physical resources resulting from sport participation), reduced sense of athletic accomplishment (negative evaluation of one's sporting abilities and achievements), and sport devaluation (the development of a cynical attitude towards sports participation). It is possible that a significant proportion of athletes regularly experience moderate levels of burnout symptoms (Gustafsson et al., 2007). These athletes will therefore be at risk of the consequences of burnout. These consequences can include reduced performance, motivational disturbances, and more serious mental health issues such as depression (see Goodger et al., 2007; Kamimura, et al., 2020).

Several theoretical models have been proposed to explain the development of athlete burnout (see Gustafsson et al., 2017). In the present study, we focus on Smith's (1986) cognitive

affective stress model. This model proposes that burnout develops as a response to chronic stress. More specifically, the model posits that stress is experienced when athletes appraise an imbalance between the demands of a situation and their ability and resources to cope with that situation. If perpetuated over time, an imbalance between the perceived demands of sport and an athlete's resources to manage such challenges will result in chronic stress and ultimately burnout development. Importantly for the present study, the model posits that the central appraisal processes underpinning the development of athlete burnout are influenced by individual differences in personality. Therefore, certain personality characteristics may leave athletes at an increased risk of stress and eventual burnout.

Smith's (1986) model has received considerable research attention and support in sport. For instance, perceptions of stress have consistently been shown to positively predict burnout in athletes. This has been demonstrated in both cross-sectional (e.g., Gustafsson & Skoog, 2012) and longitudinal research (e.g., DeFreese & Smith, 2014). Researchers have also considered Smith's (1986) assertion that personality can influence the development of stress and burnout. Several personality characteristics such as Type D, conscientiousness, and neuroticism have been found to predict burnout in athletes via stress (e.g., Dunker et al., 2020; Polman et al., 2010). One personality trait that is considered to render athletes especially vulnerable to burnout because of a heighted vulnerability to stress is perfectionism (Crocker at al., 2014).

#### Perfectionism

Perfectionism is a personality trait which entails excessively high standards accompanied by overly critical evaluations (Frost et al., 1990). Over the last three decades, perfectionism has been conceptualised and measured in several ways. Some researchers suggest that perfectionism constitutes a variety of primarily intrapersonal dimensions (e.g., Frost et al., 1990), whereas others suggest that the characteristic contains both intra- and interpersonal dimensions (e.g.,

Hewitt & Flett, 1991). Importantly, however, factor-analytical evidence suggests that the various measures and associated perfectionism dimensions can be integrated into a higher-order model of perfectionism (also known as the two-factor model; see Stoeber & Madigan, 2016). The higher-order model consists of two broad dimensions of perfectionism labelled perfectionistic strivings and perfectionistic concerns (Stoeber & Otto, 2006). Perfectionistic strivings are characterised by aspects of perfectionism associated with striving for perfection and the setting of high personal standards. In contrast, perfectionistic concerns are characterised by concerns over making mistakes, negative reactions to imperfection, socially prescribed pressures, and discrepancies between one's expectations and performance (Gotwals et al., 2012).

A large amount of research has examined the consequences of perfectionism for athletes' thoughts, feelings, and behaviours in sport (see Hill et al., 2018). One line of enquiry that has received considerable attention is the perfectionism-burnout relationship. This began 13 years ago when researchers provided initial empirical evidence linking perfectionism and athlete burnout (e.g., Hill et al., 2008; Lemyre et al., 2008). Since this time, many more empirical studies have been conducted. These findings were recently summarised in a meta-analysis. Specifically, across 17 studies, Hill and Curran (2016) found that perfectionistic strivings had a small negative relationship with athlete burnout. By contrast, perfectionistic concerns had a medium-to-large positive relationship with burnout. This same pattern of relationships has also been found over time (Madigan et al., 2015, 2016a, 2016b). Overall, then, the evidence suggests that perfectionism, and perfectionistic concerns in particular, is a pertinent characteristic linked to burnout in athletes.

#### Perfectionism, Stress, and Burnout

Researchers have examined several psychological mechanisms that may help explain why perfectionism renders athletes vulnerable to burnout. These studies have included factors such as

motivation (Appleton & Hill, 2012), need satisfaction (Jowett et al., 2016), and coping strategies (Hill, Hall, & Appleton, 2010). Many researchers have also suggested that stress may in fact underpin the perfectionism-athlete burnout relationship (e.g., Hill et al., 2010). From a theoretical perspective, perfectionism may lead to stress because of a tendency to create, maintain, magnify, and even anticipate stressful events. This is because highly perfectionistic athletes pursue goals that are irrational and unrealistic, engage in ineffective coping strategies, experience self-defeating thoughts, and worry about the future (Hewitt & Flett, 2002). As such, perfectionism may engender stress in athletes and leave them vulnerable to psychological difficulties (Flett & Hewitt, 2005).

In line with theoretical assertions, there is some initial evidence in sport for the relevance of stress for highly perfectionistic athletes. For example, while perfectionistic strivings has been shown to be negatively related to perfectionistic stress triggers (e.g., pessimism and self-compassion), perfectionistic concerns has been found to be positively related to stress triggers (e.g., rumination and pre-competition worry: Dunn et al., 2020; Lizmore et al., 2017). In context of athlete burnout, only one study has examined the relationships between perfectionism, stress, and burnout (Garinger et al., 2018). These authors showed that perfectionistic concerns was positively related to stress, and that, in line with Smith's (1986) model, stress was positively related to burnout. In contrast, while perfectionistic strivings was inversely related to burnout directly, it shared a non-significant relationship with stress. Together, these findings provide initial support for both the notion that perfectionistic concerns may give rise to elevated stress and that elevated stress may result in an increased likelihood of experiencing burnout.

In the present study, we seek to build on the work of Garinger et al. (2018) in two key ways. First, while Garinger et al. measured perfectionism, stress, and burnout, they did not provide an explicit test of whether stress mediated the relationship between perfectionism and

burnout. To do so, an examination of indirect effects is necessary (Hayes, 2009). Second, Garinger et al. did not examine possible differential relationships between perfectionism, stress, and the three symptoms of burnout. Instead, they examined only a composite burnout score. Burnout researchers argue that a composite burnout score should not be the exclusive focus of research because burnout is a multidimensional syndrome (Eklund & Defreese, 2020). Moreover, modelling burnout as a total score may mask underlying differences pertaining to each individual symptom (Raedeke & Smith, 2004). This is especially noteworthy given evidence that burnout symptoms may not develop uniformly and have different antecedents (Defreese & Smith, 2020).

In the context of the present study, we suggest that differential mediation effects may exist. In particular, we note that theoretical and accompanying empirical work outside of sport suggests that exhaustion is more strongly linked to stress than the other burnout dimensions (Leiter & Maslach, 1988; Lee & Ashforth, 1993). Within sport research, a different pattern of findings has emerged previously also. In particular, researchers have found that stress shares a stronger relationship with reduced accomplishment than the other dimensions (e.g., Gustafsson & Skoog, 2012). In addition, perfectionistic concerns has also been found to predict some athlete burnout symptoms but not others and may be most important for reduced accomplishment and emotional and physical exhaustion (e.g., Gotwals, 2011). Collectively, this research suggests that athlete perfectionism, and in particular perfectionistic concerns, may be a greater vulnerability factor for exhaustion and reduced accomplishment than sport devaluation (e.g., Lemyre et al., 2008). Despite this, researchers have yet to investigate whether perfectionism dimensions provide differential effects across the three burnout symptoms via stress.

# **The Present Study**

To address these limitations, in the present study, we provide tests of the size and significance of indirect effects of perfectionism on burnout via stress, and do so for a composite

score and all three burnout symptoms. In this manner, we aimed to provide the first explicit examination of whether stress mediates the perfectionism-athlete burnout relationship. We expected that stress would show larger mediation effects for perfectionistic concerns and that these would be positive, while the indirect effects for perfectionistic strivings would be small and negative (see Figure 1). When considering the three dimensions simultaneously, we expected that perfectionistic concerns would share a positive indirect effect with all three burnout symptoms via stress, with the stronger effects attributed to emotional and physical exhaustion and a reduced sense of accomplishment compared to sport devaluation (see Figure 2).

#### Method

# **Participants**

A sample of 256 athletes (125 males; 129 females; two participants did not report gender;  $M_{\text{age}} = 21.26 \text{ years}$ , SD = 4.73) was recruited for the present study. Athletes competed across various individual (n = 207; e.g., athletics, golf, and weightlifting) and team sports (n = 49; e.g., soccer, netball, and hockey) and at various levels of competition: university (n = 10), club (n = 44), county (n = 35), national (n = 97), international (n = 67), and unclassified (n = 3). On average, athletes had been competing in their sport for 8.38 years (SD = 4.56).

# **Procedure**

The study was approved by an institutional research ethics committee. All athletes were recruited while participating at training or competitions in the UK, where they were provided with information outlining the purpose and procedures of the research. Upon gaining informed consent, athletes were asked to complete a questionnaire which captured participant characteristics and measures of the variables of interest.

#### Measures

**Perfectionism.** To measure perfectionism, we used two subscales from the Multidimensional Inventory of Perfectionism in Sport (MIPS; Stoeber et al., 2007). For perfectionistic strivings, we used the subscale capturing striving for perfection (SP: 5 items, e.g. "I strive to be as perfect as possible"). For perfectionistic concerns, we used the subscale capturing negative reactions to imperfection (NRI: 5 items, e.g., "If something does not go perfectly, I am dissatisfied with the whole competition"). Athletes were instructed to indicate how they usually felt during sport. Athletes were instructed to respond to items using a 5-point Likert scale (1 = never to 5 = always). Madigan (2016) provided evidence for the factorial validity and internal consistency of the measure. Previous studies have also shown that both subscales are valid and reliable indicators of perfectionistic strivings and perfectionistic concerns (see Stoeber & Madigan, 2016). In the present sample, both dimensions demonstrated good internal consistency (SP  $\alpha = .82$  and NRI  $\alpha = .77$ ).

Perceived Stress. To measure athlete perceived stress, we used the Perceived Stress Scale (PSS; Cohen et al., 1983). The PSS is a unidimensional scale measuring self-appraised stress within the last month and consists of 10 items (e.g., "In the last month, how often have you been angered because of things that were outside your control"). In-line with previous research, we captured stress in context of sport (e.g., Raedeke & Smith, 2004). We did so by altering the stem ("The questions in this scale ask you about your feelings and thoughts in sport during the last month"). Athletes were instructed to respond using a 5-point Likert scale ranging from (0 = never to 4 = very often). Previous research in sport has found the scale to provide acceptable factorial validity and internal consistency (e.g., Gustafsson & Skoog, 2012). The present study also found good internal consistency ( $\alpha = .85$ ).

**Burnout**. To measure burnout, we used the Athlete Burnout Questionnaire (ABQ: Raedeke & Smith, 2001). The ABQ is a 15-item measure with three 5-item subscales capturing

reduced sense of accomplishment (RSA; e.g., "I am not performing up to my ability in sport."), emotional and physical exhaustion (EPE; e.g., "I am exhausted by the mental and physical demands of sport.") and sport devaluation (SD; e.g., "The effort spent in my sport would be better spent doing other things."). The three subscales can be examined individually or combined to provide a measure of total burnout (e.g., Lemyre et al., 2008). Athletes were instructed to respond to items using a 5-point Likert scale ranging from (1 = almost never to 5 = almost always).

Previous evidence supports the factorial validity and internal consistency of this instrument (e.g., Gerber et al., 2018). The present sample displayed good internal consistency (RSA  $\alpha$  = .77, EPE  $\alpha$  = .92, SD  $\alpha$  = .84, and total burnout  $\alpha$  = .85).

#### **Data Screening**

Data were screened following the protocol outlined by Tabachnick and Fidell (2014) using IBM Statistics SPSS 25.0. The missing value analysis indicated that there were 245 complete cases and 11 cases with at least one item non-response. Cases with item non-response that exceeded the 5% threshold were removed from any further analyses (n = 3). The remaining cases with missing data were missing one item only. Little's missing completely at random (MCAR) test revealed that the remaining missing data could be characterised as MCAR ( $\chi$ 2= 222.43, df = 238, p = .76). In terms of scale reliability estimates, all variables were found to be above the acceptable level (Cronbach's alpha > .70; Nunnally & Bernstein, 1994). As the amount of missing data was low and the scales adopted have demonstrated acceptable internal consistency, the remaining missing values were replaced using the mean of non-missing items from relevant subscales (Graham et al., 2003).

Subscales were then computed and screened for univariate and multivariate outliers. Standardized *Z*-scores greater than +/- 3.29 (p < .001, two-tailed) served as the indicator for univariate outliers, whereas a Mahalanobis distance greater than  $\chi 2$  (6) = 22.46 (p = < .001) was

used as the criteria to identify multivariate outliers. These assessments did not result in any further cases being removed from the study (final N = 253;  $M_{age} = 21.25$ ; SD = 4.76). The skewness and kurtosis values indicated that all variables could be considered approximately univariate normal (absolute skewness values = .05 to .44; absolute kurtosis values = .23 to .78). Mardia's normalised coefficient for multivariate kurtosis was 1.11, indicating that the data used to test the hypothesised models satisfies the assumption of multivariate normality (Byrne, 2016).

# **Analytical Strategy**

To analyse the data, we first computed descriptive statistics and bivariate correlations for all variables. The next stage involved testing each hypothesised model using structural equation modelling with latent variables<sup>1</sup>. This was carried out in Mplus 8.2 (Muthén & Muthén, 1998-2018). The first model focussed on the relationships between perfectionism, perceived stress, and total burnout (see Figure 1). The two exogenous perfectionism variables were modelled using item-level indicators (perfectionistic strivings, n = 5; perfectionistic concerns, n = 5), the mediating perceived stress variable was modelled using random parcels of paired items (n = 5), and the endogenous total burnout variable was modelled using subscale-level indicators (n = 3). The second model focussed on the relationships between perfectionism, perceived stress, and the

<sup>&</sup>lt;sup>1</sup> To determine whether any of the demographic variables need to be controlled for, we ran a series of Box's M tests. These tests provide an examination of whether variance-covariance matrices differ depending on demographic factors. These tests revealed no significant differences across all measured variables for gender (p = .44), level of competition (p = .42), and sport type (p = .12). In addition, age was not significantly correlated with any of the study variables. These findings suggest that it is not necessary to control for these factors within our analyses.

three burnout symptoms (see Figure 2). In this model, the two exogenous perfectionism variables and the mediating perceived stress variable were modelled using the same approach as the previous model, while the endogenous burnout symptom variables were modelled using item level indicators (reduced sense of accomplishment, n = 5; emotional and physical exhaustion, n = 5; sport devaluation, n = 5).

We used the following fit indices to evaluate the overall model fit of each structural equation model: chi-square statistic ( $\chi$ 2), comparative fit index (CFI), root mean square error of approximation (RMSEA), and standardised root-mean-square residual (SRMR). To aid our evaluation of each model, we used Marsh, Hau, and Wen's (2004) guidelines for acceptable ( $\chi$ 2/df  $\leq$  3, CFI  $\geq$  .90, SRMR  $\leq$  .10, RMSEA  $\leq$  .10) and good model fit ( $\chi$ 2/df  $\leq$  2, CFI  $\geq$  .95, SRMR  $\leq$  .06, RMSEA  $\leq$  .06)<sup>2</sup>.

Finally, to test mediation, we examined indirect effects in the hypothesised models using bias-corrected bootstrapping with 5,000 iterations. Indirect effects were deemed significant if their bootstrapped 95% confidence interval (95% CI) excluded zero (Hayes, 2009). In line with Preacher and Kelly (2011), the effect size of each specific indirect was evaluated based on Cohen's (1988) descriptors for small (.01), medium (.09), and large (.25) squared correlation coefficients. The lower and upper limit of each corresponding 95% CI were also considered when making effect size evaluations.

#### Results

# **Descriptive Statistics and Bivariate Correlations**

<sup>&</sup>lt;sup>2</sup> Since the structural models include paths between all exogenous and endogenous variables, it is equivalent to the measurement model.

Descriptive statistics, bivariate correlations, and internal consistency estimates are reported in Table 1. The correlations show that perfectionistic strivings and perfectionistic concerns shared a strong positive relationship. We also found that perfectionism shared divergent relationships with perceived stress and athlete burnout. Specifically, perfectionistic concerns shared small-to-medium significant positive relationships with perceived stress, athlete total burnout, and two out of three burnout symptoms (reduced sense of accomplishment and emotional and physical exhaustion). However, the relationship with sport devaluation was non-significant. By contrast, perfectionistic strivings was unrelated to perceived stress and shared either non-significant (total burnout, reduced sense of accomplishment, and emotional and physical exhaustion) or small negative (sport devaluation) relationships with the athlete burnout variables. Notably, perceived stress shared a positive relationship with all athlete burnout variables.

# **Structural Equation Modelling**

The two structural equation models provided good fit to the data (see Table 2). In these models, perfectionism accounted for 21% of the variance in perceived stress. A combination of perfectionism and perceived stress accounted for between 12% and 39% of the variance in burnout, with the highest percentage applying to total burnout (39%). For the three symptoms, the highest variance explained was for reduced sense of accomplishment (24%), followed by sport devaluation (13%), and then emotional and physical exhaustion (12%). Parameter estimates can be found in Table 3. In terms of direct effects, perfectionistic strivings was negatively related to total burnout, reduced sense of accomplishment, and sport devaluation, but unrelated to emotional and physical exhaustion. Perfectionistic concerns was unrelated to total burnout and the three burnout symptoms. Perfectionistic concerns was, however, positively related to

perceived stress. By contrast, perfectionistic strivings was unrelated to perceived stress. Finally, perceived stress was positively related to total burnout and each of the burnout symptoms.

# **Indirect Effects.**

**Total Burnout.** Assessment of the bootstrapped indirect effects indicated that perfectionistic strivings shared a non-significant indirect effect with total burnout via perceived stress (indirect effect = -.06; 95% CI = -.18 to .04). Perfectionistic concerns shared a medium-to-large significant indirect effect with total burnout via perceived stress (indirect effect = .27; 95% CI = .16 to .45).

**Burnout Symptoms.** Perfectionistic strivings shared a non-significant indirect effect with reduced sense of accomplishment via perceived stress (indirect effect = -.04; 95% CI = -.13 to .03). Perfectionistic concerns demonstrated a medium-to-large indirect effects with reduced sense of athletic accomplishment via perceived stress (indirect effect = .19; 95% CI = .10 to .32). Perfectionistic strivings shared a non-significant indirect effect with emotional and physical exhaustion via perceived stress (indirect effect = -.03; 95% CI = -.12 to .02). Perfectionistic concerns demonstrated a medium-to-large significant indirect effect with emotional and physical exhaustion via perceived stress (indirect effect = .14; 95% CI = .06 to .27). Perfectionistic strivings shared a non-significant indirect effect with sport devaluation via perceived stress (indirect effect = -.04; 95% CI = -.12 to .02). Perfectionistic concerns shared a medium-to-large significant positive indirect effects with sport devaluation via perceived stress (indirect effect = .17; 95% CI = .09 to .30).

#### **Discussion**

The present study aimed to examine whether stress mediates the relationship between perfectionism and burnout in athletes. To achieve this, we tested the size and significance of indirect effects and examined a composite burnout score as well as all three burnout symptoms.

In line with our hypotheses, we found that perfectionistic concerns showed a medium- to largesized positive indirect effect on total burnout and each symptom of athlete burnout via perceived stress. In addition, we found that perfectionistic strivings showed small negative, but nonsignificant, indirect effects with total burnout and each of the burnout symptoms via stress.

# **Perfectionism and Burnout**

Perfectionism has long been tied to burnout. This is not surprising given that seeking perfection is linked to mental health difficulties and poor psychological adjustment (see Hill et al., 2018). In terms of the bivariate correlations, our findings are largely consistent with meta-analytical evidence pertaining to the perfectionism–burnout relationship. Specifically, we found that perfectionistic concerns is the dimension that best accounts for this relationship in athletes. Perfectionistic concerns typically encapsulate the perception of external demands along with an extreme preoccupation with, and negative reaction to, performance mistakes. It is these tendencies that appear to be strongly and consistently related to burnout in athletes (Hill & Curran, 2016). Our findings therefore reiterate the necessity for perfectionistic concerns, and in particular negative reactions to imperfection, to be high on the list of personal factors considered to explain burnout development in sport.

# The Mediating Role of Stress

Building on the work of Garinger et al. (2018), we provide clear evidence that stress is likely key in explaining why perfectionism may lead to higher levels of burnout. In this regard, and in line with Smith's (1986) model, stress accounted for the indirect relationship between perfectionistic concerns and burnout. Based on theory, perfectionistic concerns are thought to engender stress because the dimension imbues a tendency to generate stressful events (Flett, Hewitt, & Nepon, 2020). Moreover, the self-defeating thoughts that accompany perfectionistic concerns may also help to explain why this relationship exists (e.g., Dunn et al., 2020; Lizmore et

al., 2017). This is because an athlete who fixates on mistakes, no matter how small, will not only experience stress during and after competition, but also view upcoming performances as excessively demanding, threatening, and stressful. Subsequently, it seems apparent that stress is the fuel for perfectionistic concerns—based burnout.

It would appear that stress is less important in the perfectionistic strivings—burnout relationship. In fact, we found no evidence for any indirect effects through this pathway. It is therefore possible that other mechanisms explain the potential for a negative relationship between these variables. In this regard, previous studies have found that autonomous motivation may be a key mechanism in this relationship (e.g., Madigan et al., 2016a). This is not to say, however, that stress in unimportant. According to Flett and Hewitt (2005), the facets of perfectionism captured by perfectionistic strivings underpin a vulnerability to stress. That is, in certain circumstances, such as when perfectionistic standards are not met (e.g., following perceived or objective failure), perfectionistic strivings result in heightened perceptions of stress. Given that we did not manipulate success and failure in the present study, future work is necessary to determine whether this is indeed the case, and if so, which circumstances are most important. Recent research in context of performance may provide a guide for this work (e.g., Lizmore et al., 2019).

Burnout is a multidimensional syndrome and therefore should be examined as such (Eklund & DeFreese, 2020). In the present study, we followed this recommendation and anticipated differential mediation effects depending on which burnout symptom was examined. However, based on the size and similarity of confidence intervals for significant effects, this was not the case. It appears that stress has a similar explanatory role for all burnout symptoms (e.g., Defreese & Smith, 2014). While at odds with some theoretical explanations outside of sport (e.g., Leiter & Maslach, 1988), it is in line with sport-specific models of burnout which do not differentiate between symptoms (e.g., Smith, 1986). Because personality is thought to frame the

appraisal process, and subsequent experiences of stress, our findings suggest that perfectionistic concerns will result in increases in all burnout symptoms via stress.

# **Applied Implications**

The findings have a number of implications for practice. First and foremost, reducing perfectionism, and in particular perfectionistic concerns, could mean that athletes become less vulnerable to burnout. Previous research (within and outside of sport) has shown that strategies attached to cognitive behavioral therapy are effective in this regard (e.g., Donachie & Hill, 2020; Rozenthal et al., 2017; Shafran et al., 2017). Beyond a cognitive behavioral approach, initial evidence suggests that athlete perfectionistic concerns can be lowered through mindfulness and self-compassion interventions (De Petrillo et al., 2009; Mosewich et al., 2013). The effectiveness of mindfulness has also been echoed in students (James & Rimes, 2018), with the caveat that it could be difficult for perfectionistic individuals to implement (Flett et al., 2020). In the context of the present study, the development of a mindfulness state could allow athletes to become more present minded and less ruminative following a mistake, which could avoid triggering or perpetuating stress, and ultimately reduce the risk of burnout.

There is also a need to consider interventions that reduce stress directly. One such approach is stress resistance training (SRT; Sallen et al., 2018). Such training focuses on identifying stressors, developing coping strategies, and planning solutions for anticipated problems. When packaged together, the training has been found to reduce chronic stress, stress reactivity, and stress symptoms. Furthermore, there is evidence that undertaking training for emotional and problem focused coping can be effective (Reeves et al., 2011). Based on the present findings, in both cases, there is a need for similar interventions that specifically target perfectionistic athletes.

While addressing the antecedents of burnout could provide effective prevention, under certain circumstances, there could be a need for targeting and reducing athlete burnout directly.

However, there is a dearth of evidence pertaining to burnout intervention outside of sport (Ahola, Toppinen-Tanner, & Seppänen, 2017). Likewise, intervention research in sport is in its infancy, with initial evidence suggesting that the use of mindful recovery, self-regulation, or gratitude could be effective for burnt-out athletes (see Madigan, 2021). To this end, advocate the need for burnout researchers to provide well-designed interventions that tackle the three burnout symptoms as a matter of urgency.

# Limitations and Future research

The present study has several limitations. First, the present findings were based on crosssectional data. It was therefore not possible to test any temporal relationships between the variables. Future work should examine our model longitudinally to confirm the theoretical ordering of variables. Second, we examined the independent effects of perfectionistic strivings and perfectionistic concerns on athlete burnout via perceived stress. This approach neglects the within-person combinations of perfectionistic strivings and perfectionistic concerns in athletes (see Hill et al., 2019). Subsequently, future research may want to adopt a person-oriented approach to examining the relationships between perfectionism, stress, and athlete burnout (e.g., Pacewicz et al., 2018). Third, the study examined perfectionism using a single subscale for both perfectionistic strivings and perfectionistic concerns. This is noteworthy as researchers have highlighted that each higher-order dimension may be best measured using multiple subscales (e.g., Stoeber & Madigan, 2016). While these underlying dimensions typically share similar relationships with important outcome variables (i.e., demonstrate evidence of functional homogeneity), the individual subscales represent unique aspects of perfectionistic strivings or perfectionistic concerns. Therefore, it may be important for future research to examine whether any meaningful differences between perfectionism, stress, and burnout are found when using different measures of perfectionistic strivings and perfectionistic concerns. Notably, we suggest

that such research should consider the interpersonal dimensions captured within Hewitt and Flett's conceptualisation of perfectionism (e.g., Hill et al., 2020). In particular, researchers should examine the extent to which socially prescribed (perception that others expect demand perfection from them) and other-oriented perfectionism (demanding perfection from others) can influence burnout symptoms via stress.

#### Conclusion

Guided by Smith's (1986) cognitive affective model, in present study we aimed to examine whether stress mediated the relationship between perfectionism and burnout in athletes. We found that this was indeed the case for perfectionistic concerns. It appears that athletes high in perfectionistic concerns are likely to experience heightened levels of stress in sport which may in turn render them more vulnerable to burnout.

#### References

- Ahola, K., Toppinen-Tanner, S., & Seppänen, J. (2017). Interventions to alleviate burnout symptoms and to support return to work among employees with burnout: Systematic review and meta-analysis. *Burnout Research*, 4, 1-11. https://doi.org/10.1016/j.burn.2017.02.001
- Appleton, P. R., & Hill, A. P. (2012). Perfectionism and athlete burnout in junior elite athletes:

  The mediating role of motivation regulations. *Journal of Clinical Sport Psychology*, 6(2),
  129-145. https://doi.org/10.1123/jcsp.6.2.129
- Byrne B. M. (2016). Structural equation modeling with AMOS: basic concepts, applications, and programming. Mahwah, NJ: Lawrence Erlbaum Associations Inc
- Cohen, J. (1988). Statistical power analysis for the behavioral sciences, 2nd ed. Hillsdale, NJ: Erlbaum
- Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, 385-396. https://doi.org/10.2307/2136404
- Crocker, P. R., Gaudreau, P., Mosewich, A. D., & Kljajic, K. (2014). Perfectionism and the stress process in intercollegiate athletes: Examining the 2× 2 model of perfectionism in sport competition. *International Journal of Sport Psychology*, 45(4), 325-348. doi: 10.7352/IJSP 2014.45.325
- De Petrillo, L. A., Kaufman, K. A., Glass, C. R., & Arnkoff, D. B. (2009). Mindfulness for long-distance runners: An open trial using Mindful Sport Performance Enhancement (MSPE). *Journal of Clinical Sport Psychology*, *3*(4), 357-376. https://doi.org/10.1123/jcsp.3.4.357

- DeFreese, J. D., & Smith, A. L. (2014). Athlete social support, negative social interactions, and psychological health across a competitive sport season. *Journal of Sport and Exercise Psychology*, *36*(6), 619-630. https://doi.org/10.1123/jsep.2014-0040
- DeFreese, J. D., & Smith, A. L. (2020). A person-centered exploration of athlete burnout across a competitive season. *Journal of Clinical Sport Psychology*, *15*(2), 89-104. https://doi.org/10.1123/jcsp.2019-0084
- Donachie, T. C., & Hill, A. P. (2020). Helping soccer players help themselves: Effectiveness of a psychoeducational book in reducing perfectionism. *Journal of Applied Sport Psychology*, 1-21. https://doi.org/10.1080/10413200.2020.1819472
- Dunker, F., Freund, P. A., & Engels, E. S. (2020). Does perceived stress affect the relationship between personality and sports enjoyment?. *European Journal of Health Psychology*. 27, 45-54. https://doi.org/10.1027/2512-8442/a000048
- Dunn, J. G., Gotwals, J. K., Dunn, J. C., & Lizmore, M. R. (2020). Perfectionism, precompetitive worry, and optimism in high-performance youth athletes. *International Journal of Sport and Exercise Psychology*, *18*(6), 749-763. https://doi.org/10.1080/1612197X.2019.1577900
- Eklund, R. C., & DeFreese, J. D. (2020). Athlete burnout. In G. Tenenbaum & R. C. Eklund (Eds.), *Handbook of sport psychology* (pp. 1220–1240). New York, NY: John Wiley & Sons. https://doi.org/10.1002/9781119568124.ch60
- Flett, G. L., & Hewitt, P. L. (2005). The perils of perfectionism in sports and exercise. *Current Directions in Psychological Science*, 14, 14-18. https://doi.org/10.1111/j.0963-7214.2005.00326.x
- Flett, G. L., Hewitt, P. L., & Nepon, T. (2020). The self-generated stress scale: Development, Psychometric features, and associations with perfectionism, self-criticism, and

- PERFECTIONISM, STRESS, AND BURNOUT

  distress. *Journal of Psychoeducational Assessment*, 38(1), 69-83.

  https://doi.org/10.1177/0734282919879542
- Flett, G. L., Nepon, T., Hewitt, P. L., & Rose, A. L. (2020). Why perfectionism is antithetical to mindfulness: A conceptual and empirical analysis and consideration of treatment implications. *International Journal of Mental Health and Addiction*. Advance online publication. https://doi.org/10.1007/s11469-020-00252-w.
- Frost, R. O., Marten, P., Lahart, C., & Rosenblate, R. (1990). The dimensions of perfectionism. *Cognitive Therapy and Research*, *14*(5), 449-468. https://doi.org/10.1007/BF01172967
- Garinger, L. M., Chow, G. M., & Luzzeri, M. (2018). The effect of perceived stress and specialization on the relationship between perfectionism and burnout in collegiate athletes. *Anxiety, Stress, & Coping*, *31*(6), 714-727. https://doi.org/10.1080/10615806.2018.1521514
- Gerber, M., Gustafsson, H., Seelig, H., Kellmann, M., Ludyga, S., Flora, C., et al. (2018).

  Usefulness of the Athlete Burnout Questionnaire (ABQ) as a screening tool for the detection of clinically relevant burnout symptoms among young elite athletes. *Psychology of Sport and Exercise*. 39, 104–113. https://doi.org/10.1016/j.psychsport.2018.08.005
- Goodger, K., Gorely, T., Lavallee, D., & Harwood, C. (2007). Burnout in sport: A systematic review. *The Sport Psychologist*, 21(2), 127-151. https://doi.org/10.1123/tsp.21.2.127
- Gotwals, J. K. (2011). Perfectionism and burnout within intercollegiate sport: A person-oriented approach. *The Sport Psychologist*, 25(4), 489-510. https://doi.org/10.1123/tsp.25.4.489
- Gotwals, J. K., Stoeber, J., Dunn, J. G., & Stoll, O. (2012). Are perfectionistic strivings in sport adaptive? A systematic review of confirmatory, contradictory, and mixed evidence.

  Canadian Psychology, 53, 263-279. https://doi.org/10.1037/a0030288

- Graham, J. W., Cumsille, P. E., & Elek-Fisk, E. (2003). Methods for handling missing data. In J. A. Schinka, & W. F. Velicer (Eds.), *Handbook of psychology: Research methods in psychology* (Vol. 2, pp. 87–114). New York, NY: Wiley.
- Gustafsson, H., & Skoog, T. (2012). The mediational role of perceived stress in the relation between optimism and burnout in competitive athletes. *Anxiety, Stress & Coping*, 25(2), 183-199. https://doi.org/10.1080/10615806.2011.594045
- Gustafsson, H., DeFreese, J. D., & Madigan, D. J. (2017). Athlete burnout: Review and recommendations. *Current Opinion in Psychology*, *16*, 109-113. https://doi.org/10.1016/j.copsyc.2017.05.002
- Gustafsson, H., Kenttä, G., Hassmén, P., & Lundqvist, C. (2007). Prevalence of burnout in competitive adolescent athletes. *The Sport Psychologist*, 21(1), 21-37. https://doi.org/10.1123/tsp.21.1.21
- Hayes, A. F. (2009). Beyond Baron and Kenny: Statistical mediation analysis in the new millennium. *Communication Monographs*, 76(4), 408-420. https://doi.org/10.1080/03637750903310360
- Hewitt, P. L., & Flett, G. L. (1991). Perfectionism in the self and social contexts: conceptualization, assessment, and association with psychopathology. *Journal of Personality and Social Psychology*, 60(3), 456. https://doi.org/10.1037/0022-3514.60.3.456
- Hewitt, P.L., Flett, G. L. (2002). Perfectionism and stress processes in psychopathology. In Flett,
  G.L., Hewitt, P.L.(Eds.), *Perfectionism: Theory, research, and treatment* (pp.255–284). Washington, DC: American Psychological Association.
  https://doi.org/10.1037/10458-011

- Hill, A. P, Mallinson-Howard, S. H., & Jowett, G. E. (2018). Multidimensional perfectionism in sport: A meta-analytical review. *Sport, Exercise, and Performance Psychology*, 7, 235-270. https://doi.org/10.1037/spy0000125
- Hill, A. P., & Curran, T. (2016). Multidimensional perfectionism and burnout: A metaanalysis. *Personality and Social Psychology Review*, 20(3), 269-288. https://doi.org/10.1177/1088868315596286
- Hill, A. P., Hall, H. K., & Appleton, P. R. (2010). Perfectionism and athlete burnout in junior elite athletes: The mediating role of coping tendencies. *Anxiety, Stress, & Coping*, 23(4), 415-430. https://doi.org/10.1080/10615800903330966
- Hill, A. P., Hall, H. K., Appleton, P. R., & Kozub, S. A. (2008). Perfectionism and burnout in junior elite soccer players: The mediating influence of unconditional selfacceptance. *Psychology of Sport and Exercise*, 9(5), 630-644. https://doi.org/10.1016/j.psychsport.2007.09.004
- Hill, A. P., Madigan, D. J., & Jowett, G. E. (2020). Perfectionism and athlete engagement: A multi-sample test of the 2× 2 model of perfectionism. *Psychology of Sport and Exercise*, 48, 101664. https://doi.org/10.1016/j.psychsport.2020.101664
- Hill, A. P., Mallinson-Howard, S. H., Madigan, D. J. & Jowett, G. E. (2019). Perfectionism in sport, dance, and exercise: An extended review and reanalysis. In G. Tenenbaum & R. C Eklund (Eds.), *Handbook of Sport Psychology* (4th Edition). New York: Wiley. https://doi.org/10.1002/9781119568124.ch7
- James, K., & Rimes, K. A. (2018). Mindfulness-based cognitive therapy versus pure cognitive behavioural self-help for perfectionism: A pilot randomised study. *Mindfulness*, 9(3), 801-814. https://doi.org/10.1007/s12671-017-0817-8

- Jowett, G. E., Hill, A. P., Hall, H. K., & Curran, T. (2016). Perfectionism, burnout and engagement in youth sport: The mediating role of basic psychological needs. *Psychology of Sport and Exercise*, 24, 18-26. https://doi.org/10.1016/j.psychsport.2016.01.001
- Kamimura, A., Kawata, Y., Raedeke, T. D., & Hirosawa, M. (2020). Association of Athlete Burnout with Depression Among Japanese University Athletes. *Juntendo Medical Journal*, JMJ19-OA24. https://doi.org/10.14789/jmj.2020.66.JMJ19-OA24
- Larson, H. K., Young, B. W., McHugh, T. L. F., & Rodgers, W. M. (2019). Markers of early specialization and their relationships with burnout and dropout in swimming. *Journal of Sport and Exercise Psychology*, 41(1), 46-54. https://doi.org/10.1123/jsep.2018-0305
- Lee, R. T., & Ashforth, B. E. (1993). A longitudinal study of burnout among supervisors and managers: Comparisons between the Leiter and Maslach (1988) and Golembiewski et al.(1986) models. *Organizational Behavior and Human Decision Processes*, *54*(3), 369-398. https://doi.org/10.1006/obhd.1993.1016
- Leiter, M. P., & Maslach, C. (1988). The impact of interpersonal environment on burnout and organizational commitment. *Journal of Organizational Behavior*, 9(4), 297-308. https://doi.org/10.1002/job.4030090402
- Lemyre, P. N., Hall, H. K., & Roberts, G. C. (2008). A social cognitive approach to burnout in elite athletes. *Scandinavian Journal of Medicine & Science in Sports*, *18*(2), 221-234. https://doi.org/10.1111/j.1600-0838.2007.00671.x
- Lizmore, M. R., Dunn, J. G., & Dunn, J. C. (2017). Perfectionistic strivings, perfectionistic concerns, and reactions to poor personal performances among intercollegiate athletes. *Psychology of Sport and Exercise*, *33*, 75-84. https://doi.org/10.1016/j.psychsport.2017.07.010

- Lizmore, M. R., Dunn, J. G., Dunn, J. C., & Hill, A. P. (2019). Perfectionism and performance following failure in a competitive golf-putting task. *Psychology of Sport and Exercise*, *45*, 101582. https://doi.org/10.1016/j.psychsport.2019.101582
- Madigan, D. J. (2016). Confirmatory factor analysis of the Multidimensional Inventory of Perfectionism in Sport. *Psychology of Sport and Exercise*, 26, 48-51. https://doi.org/10.1016/j.psychsport.2016.06.003
- Madigan, D. J. (2021). Diagnosing problems, prescribing solutions, and advancing athlete burnout research. In Z. Zenko & L. Jones (Eds.), *Exercise and Sport Psychology: Open Educational Resource Repository*. https://doi.org/10.51224/B1028
- Madigan, D. J., Stoeber, J., & Passfield, L. (2015). Perfectionism and burnout in junior athletes:

  A three-month longitudinal study. *Journal of Sport and Exercise Psychology*, *37*, 305-315. https://doi.org/10.1123/jsep.2014-0266
- Madigan, D. J., Stoeber, J., & Passfield, L. (2016a). Motivation mediates the perfectionism—burnout relationship: A three-wave longitudinal study with junior athletes. *Journal of Sport and Exercise Psychology*, *38*(4), 341-354. https://doi.org/10.1123/jsep.2015-0238
- Madigan, D. J., Stoeber, J., & Passfield, L. (2016b). Perfectionism and changes in athlete burnout over three months: Interactive effects of personal standards and evaluative concerns perfectionism. *Psychology of Sport and Exercise*, 26, 32-39. https://doi.org/10.1016/j.psychsport.2016.05.010
- Marsh, H. W., Hau, K. T., & Wen, Z. L. (2004). In search of golden rules: Comment on approaches to setting cutoff values for fit indexes and dangers in overgeneralising Hu & Bentler (1999) findings. *Structural Equation Modeling*, 11, 320-341. https://doi.org/10.1207/s15328007sem1103\_2

- Mosewich, A. D., Crocker, P. R., Kowalski, K. C., & DeLongis, A. (2013). Applying self-compassion in sport: An intervention with women athletes. *Journal of Sport and Exercise Psychology*, *35*(5), 514-524. https://doi.org/10.1123/jsep.35.5.514
- Muthén, L. K., & Muthén, B. O. (2005). *Mplus: Statistical analysis with latent variables: User's guide* (pp. 1998–2012). Los Angeles: Muthén & Muthén.
- Nicholls, A. R., Taylor, N. J., Carroll, S., & Perry, J. L. (2016). The development of a new sport-specific classification of coping and a meta-analysis of the relationship between different coping strategies and moderators on sporting outcomes. *Frontiers in Psychology*, 7, 1674. https://doi.org/10.3389/fpsyg.2016.01674
- Nunnally, J. C., & Bernstein, I. (1994). *Psychometric Theory* (3rd ed.). New York, NY: McGraw-Hill.
- Pacewicz, C. E., Gotwals, J. K., & Blanton, J. E. (2018). Perfectionism, coping, and burnout among intercollegiate varsity athletes: A person-oriented investigation of group differences and mediation. *Psychology of Sport and Exercise*, *35*, 207-217. https://doi.org/10.1016/j.psychsport.2017.12.008
- Polman, R., Borkoles, E., & Nicholls, A. R. (2010). Type D personality, stress, and symptoms of burnout: The influence of avoidance coping and social support. *British Journal of Health Psychology*, *15*(3), 681-696. https://doi.org/10.1348/135910709X479069
- Preacher, K. J., & Kelley, K. (2011). Effect size measures for mediation models: quantitative strategies for communicating indirect effects. *Psychological Methods*, *16*(2), 93-115. https://doi.org/10.1037/a0022658
- Raedeke, T. D., & Smith, A. L. (2001). Development and preliminary validation of an athlete burnout measure. *Journal of Sport and Exercise Psychology*, 23(4), 281-306. https://doi.org/10.1123/jsep.23.4.281

- Raedeke, T. D., & Smith, A. L. (2004). Coping resources and athlete burnout: An examination of stress mediated and moderation hypotheses. *Journal of Sport and Exercise*\*Psychology, 26(4), 525-541. https://doi.org/10.1123/jsep.26.4.525
- Reeves, C. W., Nicholls, A. R., & McKenna, J. (2011). The effects of a coping intervention on coping self-efficacy, coping effectiveness, and subjective performance among adolescent soccer players. *International Journal of Sport and Exercise Psychology*, *9*(2), 126-142. https://doi.org/10.1080/1612197X.2011.567104
- Rozental, A., Shafran, R., Wade, T., Egan, S., Nordgren, L. B., Carlbring, P., ... & Andersson, G. (2017). A randomized controlled trial of internet-based cognitive behavior therapy for perfectionism including an investigation of outcome predictors. *Behaviour Research and Therapy*, 95, 79-86. https://doi.org/10.1016/j.brat.2017.05.015
- Sallen, J., Hemming, K., & Richartz, A. (2018). Facilitating dual careers by improving resistance to chronic stress: effects of an intervention programme for elite student athletes. *European Journal of Sport Science*, *18*(1), 112-122. https://doi.org/10.1080/17461391.2017.1407363
- Sarkar, M., & Fletcher, D. (2014). Psychological resilience in sport performers: a review of stressors and protective factors. *Journal of Sports Sciences*, *32*(15), 1419-1434. https://doi.org/10.1080/02640414.2014.901551
- Shafran, R., Wade, T. D., Egan, S. J., Kothari, R., Allcott-Watson, H., Carlbring, P., ... & Andersson, G. (2017). Is the devil in the detail? A randomised controlled trial of guided internet-based CBT for perfectionism. *Behaviour Research and Therapy*, 95, 99-106. https://doi.org/10.1016/j.brat.2017.05.014
- Smith, R. E. (1986). Toward a cognitive-affective model of athletic burnout. *Journal of Sport Psychology*, 8(1), 36-50. https://doi.org/10.1123/jsp.8.1.36

- Stoeber, J., & Madigan, D. J. (2016). Measuring perfectionism in sport, dance, and exercise:

  Review, critique, recommendations. In A. P. Hill (Ed.), *The psychology of perfectionism in sport, dance and exercise* (pp. 31–56). London: Routledge.
- Stoeber, J., & Otto, K. (2006). Positive conceptions of perfectionism: Approaches, evidence, challenges. *Personality and Social Psychology Review*, 10, 295-319. https://doi.org/10.1207/s15327957pspr1004\_2
- Stoeber, J., Otto, K., Pescheck, E., Becker, C., & Stoll, O. (2007). Perfectionism and competitive anxiety in athletes: Differentiating striving for perfection and negative reactions to imperfection. *Personality and Individual Differences*, 42(6), 959-969. https://doi.org/10.1016/j.paid.2006.09.006
- Tabachnick, B. G., & Fidell, L. S. (2014). *Using multivariate statistics* (6th ed.). Essex, UK: Pearson Education Limited.




Figure 1. Model of the hypothesised relationships between perfectionistic strivings, perfectionistic concerns, perceived stress, and total burnout.




Figure 2. Model of the hypothesised relationships between perfectionistic strivings, perfectionistic concerns, perceived stress, and burnout symptoms.

Table 1. Descriptive Statistics, Cronbach's Alphas, and Bivariate Correlations

Variable	1	2	3	4	5	6	7
1. Perfectionistic Strivings							
2. Perfectionistic Concerns	.41***						
3. Perceived Stress	.11	.35***					
4. Total burnout	06	.20**	.43***				
5. Reduced sense of accomplishment	05	.23***	.36***	.66***			
6. Emotional and physical exhaustion	.04	.20**	.31***	.68***	.12		
7. Sport devaluation	13*	.02	.27***	.80***	.45***	.24***	
M	3.60	3.08	1.89	2.51	2.71	2.51	2.29
SD	0.73	0.73	0.62	0.65	0.74	1.00	0.99
Cronbach's alpha (α)	.82	.77	.85	.85	.77	.92	.84

*Note.* N = 253. \*p < .05. \*\*p < .01. \*\*\*p < .001; two-tailed.

Table 2. Goodness of Fit Statistics and Information Criteria for the structural equation models

	χ2	df	CFI	RMSEA	RMSEA 90% CI	SRMR
Total Burnout						
Structural Model	187.88***	129	.96	.04	[.03, .06]	.06
Burnout Symptoms						
Structural Model	687.11***	390	.92	.06	[.05, .06]	.08

*Note.* N = 253; \*\*\*p < .001.

Table 3. Standardised direct and indirect pathway coefficients from the structural equation models

				$\mathbb{R}^2$	Direct pathways	Indirect Path	nways
Model	Predictor	Path	PS + PC on Stress	PS + PC + Stress on Burnout	Standardised coefficient (SE)	Indirect effect (SE)	95% CI
1	TB		.21	.39			
		$PS \rightarrow TB$			28** (.10)		
		$PC \rightarrow TB$			.18 (.13)		
		$PS \rightarrow Stress$			12 (.10)		
		$PC \rightarrow Stress$			.51*** (.09)		
		Stress → TB			.54*** (.11)		
		$PS \rightarrow Stress \rightarrow TB$				06 (.06)	18 to .04
		$PC \rightarrow Stress \rightarrow TB$				.27 (.07)	.16 to .45
2	BS		.21	RSA = .24			
				EPE = .12			
				SD = .13			
		$PS \rightarrow RSA$			24*(.11)		
		$PC \rightarrow RSA$			.22 (.12)		
		$PS \rightarrow EPE$			06 (.10)		
		$PC \rightarrow EPE$			.14 (.12)		
		$PS \rightarrow SD$			18* (.09)		
		$PC \rightarrow SD$			11 (.11)		
		$PS \rightarrow Stress$			12 (.10)		
		$PC \rightarrow Stress$			.51*** (.09)		
		Stress → RSA			.37*** (.09)		
		Stress → EPE			.28** (.09)		
		Stress → SD			.34** (.08)		
		$PS \rightarrow Stress \rightarrow RSA$				04 (.04)	13 to .03
		$PC \rightarrow Stress \rightarrow RSA$				.19 (.05)	.10 to .32
		$PS \rightarrow Stress \rightarrow EPE$				03 (.03)	12 to .02

$PC \rightarrow Stress \rightarrow EPE$	.14 (.05)	.06 to .27 <sup>a</sup>
$PS \rightarrow Stress \rightarrow SD$	04 (.04)	12 to .02
$PC \rightarrow Stress \rightarrow SD$	.17 (.05)	.09 to .30 a

Note. TB = Total Burnout; BS = Burnout Symptoms; RSA = Reduced Sense of accomplishment; EPE = Emotional and physical exhaustion; SD = Sport devaluation; PS = Perfectionistic strivings; PC = Perfectionistic concerns N = 253; \* p < .05, \*\*\* p < .01, \*\*\*\*p < .001; \*\*= significant indirect effect.