

Lembrechts, Jonas J., van den Hoogen, Johan, Aalto, Juha ORCID logo ORCID: <https://orcid.org/0000-0001-6819-4911>, Ashcroft, Michael B., De Frenne, Pieter, Kemppinen, Julia, Kopecký, Martin, Luoto, Miska, Maclean, Ilya M. D., Crowther, Thomas W., Bailey, Joseph ORCID logo ORCID: <https://orcid.org/0000-0002-9526-7095>, Haesen, Stef, Klings, David H., Niittynen, Pekka, Scheffers, Brett R., Van Meerbeek, Koenraad, Aartsma, Peter, Abdalaze, Otari, Abedi, Mehdi, Aerts, Rien, Ahmadian, Negar, Ahrends, Antje, Alatalo, Juha M., Alexander, Jake M., Nina Allonsius, Camille, Altman, Jan, Ammann, Christof, Andres, Christian, Andrews, Christopher, Ardö, Jonas, Arriga, Nicola, Arzac, Alberto, Aschero, Valeria, Assis, Rafael L., Johann Assmann, Jakob, Bader, Maaike Y., Bahalkeh, Khadijeh, Barančok, Peter, Barrio, Isabel C., Barros, Agustina, Barthel, Matti, Basham, Edmund W., Bauters, Marijn, Bazzichetto, Manuele, Belelli Marchesini, Luca, Bell, Michael C., Benavides, Juan C., Luis Benito Alonso, José, Berauer, Bernd J., Bjerke, Jarle W., Björk, Robert G., Björkman, Mats P., Björnsdóttir, Katrin, Blonder, Benjamin, Boeckx, Pascal, Boike, Julia, Bokhorst, Stef, Brum, Bárbara N. S., Brúna, Josef, Buchmann, Nina, Buysse, Pauline, Luís Camargo, José, Campoe, Otávio C., Candan, Onur, Canessa, Rafaella, Cannone, Nicoletta, Carbognani, Michele, Carnicer, Jofre, Casanova-Katny, Angélica, Cesarz, Simone, Chojnicki, Bogdan, Choler, Philippe, Chown, Steven L., Cifuentes, Edgar F., Čiliak, Marek, Contador, Tamara, Convey, Peter, Cooper, Elisabeth J., Cremonese, Edoardo, Curasi, Salvatore R., Curtis, Robin, Cutini, Maurizio, Johan Dahlberg, C., Daskalova, Gergana N., Angel de Pablo, Miguel, Della Chiesa, Stefano, Dengler, Jürgen, Deronde, Bart, Descombes, Patrice, Di Cecco, Valter, Di Musciano, Michele, Dick, Jan, Dimarco, Romina D., Dolezal, Jiri, Dorrepaal, Ellen, Dušek, Jiří, Eisenhauer, Nico, Eklundh, Lars, Erickson, Todd E., Erschbamer, Brigitta, Eugster, Werner, Ewers, Robert M., Exton, Dan A., Fanin, Nicolas, Fazlioglu, Fatih, Feigenwinter, Iris, Fenu, Giuseppe, Ferlian, Olga, Rosa Fernández Calzado, M., Fernández-Pascual, Eduardo, Finckh, Manfred, Finger Higgens, Rebecca,

Forte, T'ai G. W., Freeman, Erika C., Frei, Esther R., Fuentes-Lillo, Eduardo, García, Rafael A., García, María B., Geron, Charly, Gharun, Mana, Ghosn, Dany, Gigauri, Khatuna, Gobin, Anne, Goded, Ignacio, Goeckede, Mathias, Gottschall, Felix, Goulding, Keith, Govaert, Sanne, Jessen Graae, Bente, Greenwood, Sarah, Greiser, Caroline, Grelle, Achim, Guénard, Benoit, Guglielmin, Mauro, Guillemot, Joannès, Haase, Peter, Haider, Sylvia, Halbritter, Aud H., Hamid, Maroof, Hammerle, Albin, Hampe, Arndt, Haugum, Siri V., Hederová, Lucia, Heinesch, Bernard, Helfter, Carole, Hepenstrick, Daniel, Herberich, Maximiliane, Herbst, Mathias, Hermanutz, Luise, Hik, David S., Hoffrén, Raúl, Homeier, Jürgen, Hörtnagl, Lukas, Høye, Toke T., Hrbacek, Filip, Hylander, Kristoffer, Iwata, Hiroki, Antoni Jackowicz-Korczynski, Marcin, Jactel, Hervé, Järveoja, Järvi, Jastrzębowski, Szymon, Jentsch, Anke, Jiménez, Juan J., Jónsdóttir, Ingibjörg S., Jucker, Tommaso, Jump, Alistair S., Juszczak, Radoslaw, Kanka, Róbert, Kašpar, Vít, Kazakis, George, Kelly, Julia, Khuroo, Anzar A., Klemedtsson, Leif, Klisz, Marcin, Kljun, Natascha, Knohl, Alexander, Kobler, Johannes, Kollár, Jozef, Kotowska, Martyna M., Kovács, Bence, Kreyling, Juergen, Lamprecht, Andrea, Lang, Simone I., Larson, Christian, Larson, Keith, Laska, Kamil, le Maire, Gueric, Leihy, Rachel I., Lens, Luc, Liljebladh, Bengt, Lohila, Annalea, Lorite, Juan, Loubet, Benjamin, Lynn, Joshua, Macek, Martin, Mackenzie, Roy, Magliulo, Enzo, Maier, Regine, Malfasi, Francesco, Máliš, František, Man, Matěj, Manca, Giovanni, Manco, Antonio, Manise, Tanguy, Manolaki, Paraskevi, Marciniak, Felipe, Matula, Radim, Clara Mazzolari, Ana, Medinets, Sergiy, Medinets, Volodymyr, Meeussen, Camille, Merinero, Sonia, de Cássia Guimarães Mesquita, Rita, Meusburger, Katrin, Meysman, Filip J. R., Michaletz, Sean T., Milbau, Ann, Moiseev, Dmitry, Moiseev, Pavel, Mondoni, Andrea, Monfries, Ruth, Montagnani, Leonardo, Moriana-Armendariz, Mikel, Morra di Cella, Umberto, Mörsdorf, Martin, Mosedale, Jonathan R., Muffler, Lena, Muñoz-Rojas, Miriam, Myers, Jonathan A., Myers-Smith, Isla H., Nagy, Laszlo, Nardino, Marianna, Naujokaitis-Lewis, Ilona, Newling, Emily, Nicklas, Lena, Niedrist, Georg, Niessner, Armin, Nilsson, Mats B., Normand, Signe, Nosetto, Marcelo D., Nouvellon, Yann, Nuñez, Martin A., Ogaya, Romà, Ogée, Jérôme, Okello, Joseph, Olejnik, Janusz, Eivind Olesen, Jørgen, Opedal, Øystein, Orsenigo, Simone, Palaj, Andrej, Pampuch, Timo, Panov, Alexey V., Pärtel,

Meelis, Pastor, Ada, Pauchard, Aníbal, Pauli, Harald, Pavelka, Marian, Pearse, William D., Peichl, Matthias, Pellissier, Loïc, Penczykowski, Rachel M., Penuelas, Josep, Petit Bon, Matteo, Petraglia, Alessandro, Phartyal, Shyam S., Phoenix, Gareth K., Pio, Casimiro, Pitacco, Andrea, Pitteloud, Camille, Plichta, Roman, Porro, Francesco, Portillo-Estrada, Miguel, Poulenard, Jérôme, Poyatos, Rafael, Prokushkin, Anatoly S., Puchalka, Radoslaw, Puşcaş, Mihai, Radujković, Dajana, Randall, Krystal, Ratier Backes, Amanda, Remmele, Sabine, Remmers, Wolfram, Renault, David, Risch, Anita C., Rixen, Christian, Robinson, Sharon A., Robroek, Bjorn J.M., Rocha, Adrian V., Rossi, Christian, Rossi, Graziano, Rounsard, Olivier, Rubtsov, Alexey V., Saccone, Patrick, Sagot, Clotilde, Sallo Bravo, Jhonatan, Santos, Cinthya C., Sarneel, Judith M., Scharnweber, Tobias, Schmeddes, Jonas, Schmidt, Marius, Scholten, Thomas, Schuchardt, Max, Schwartz, Naomi, Scott, Tony, Seeber, Julia, Cristina Segalin de Andrade, Ana, Seipel, Tim, Semenchuk, Philipp, Senior, Rebecca A., Serra-Diaz, Josep M., Sewerniak, Piotr, Shekhar, Ankit, Sidenko, Nikita V., Siebicke, Lukas, Siegwart Collier, Laura, Simpson, Elizabeth, Siqueira, David P., Sitková, Zuzana, Six, Johan, Smiljanic, Marko, Smith, Stuart W., Smith-Tripp, Sarah, Somers, Ben, Vedel Sørensen, Mia, João L. L. Souza, José, Israel Souza, Bartolomeu, Souza Dias, Arildo, Spasojevic, Marko J., Speed, James D. M., Spicher, Fabien, Stanisci, Angela, Steinbauer, Klaus, Steinbrecher, Rainer, Steinwandter, Michael, Stemkovski, Michael, Stephan, Jörg G., Stiegler, Christian, Stoll, Stefan, Svátek, Martin, Svoboda, Miroslav, Tagesson, Torbern, Tanentzap, Andrew J., Tanneberger, Franziska, Theurillat, Jean-Paul, Thomas, Haydn J. D., Thomas, Andrew D., Tielbörger, Katja, Tomaselli, Marcello, Albert Treier, Urs, Trouillier, Mario, Dan Turtureanu, Pavel, Tutton, Rosamond, Tyystjärvi, Vilna A., Ueyama, Masahito, Ujházy, Karol, Ujházyová, Mariana, Uogintas, Domas, Urban, Anastasiya V., Urban, Josef, Urbaniak, Marek, Ursu, Tudor-Mihai, Primo Vaccari, Francesco, Van de Vondel, Stijn, van den Brink, Liesbeth, Van Geel, Maarten, Vandvik, Vigdis, Vangansbeke, Pieter, Varlagin, Andrej, Veen, G.F., Veenendaal, Elmar, Venn, Susanna E., Verbeeck, Hans, Verbruggen, Erik, Verheijen, Frank G.A., Villar, Luis, Vitale, Luca, Vittoz, Pascal, Vives-Inгла, Maria, von Oppen, Jonathan, Walz, Josefine, Wang, Runxi, Wang, Yifeng, Way, Robert G.,

Wedegärtner, Ronja E. M., Weigel, Robert, Wild, Jan, Wilkinson, Matthew, Wilmking, Martin, Wingate, Lisa, Winkler, Manuela, Wipf, Sonja, Wohlfahrt, Georg, Xenakis, Georgios, Yang, Yan, Yu, Zicheng, Yu, Kailiang, Zellweger, Florian, Zhang, Jian, Zhang, Zhaochen, Zhao, Peng, Ziemblińska, Klaudia, Zimmermann, Reiner, Zong, Shengwei, Zyryanov, Viacheslav I., Nijs, Ivan and Lenoir, Jonathan (2021) Global maps of soil temperature. *Global Change Biology*, 28 (9). pp. 3110-3144.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/5803/>

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version:

<http://dx.doi.org/10.1111/gcb.16060>

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repositories Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at
ray@yorks.ac.uk

Global maps of soil temperature

Running head: Global maps of soil temperature

Jonas J. Lembrechts^{1,*}, Johan van den Hoogen^{2,*}, Juha Aalto^{3,4}, Michael B. Ashcroft^{5,6}, Pieter De Frenne⁷, Julia Kemppinen⁸, Martin Kopecký^{9,10}, Miska Luoto¹¹, Ilya M. D. Maclean¹², Thomas W. Crowther², Joseph J. Bailey¹³, Stef Haesen¹⁴, David H. Klinges^{15,16}, Pekka Niittynen¹¹, Brett R. Scheffers¹⁷, Koenraad Van Meerbeek¹⁴, Peter Aartsma¹⁸, Otar Abdalaze¹⁹, Mehdi Abedi²⁰, Rien Aerts²¹, Negar Ahmadian²⁰, Antje Ahrends²², Juha M. Alatalo²³, Jake M. Alexander²⁴, Camille Nina Allonsius²⁵, Jan Altman⁹, Christof Ammann²⁶, Christian Andres²⁷, Christopher Andrews²⁸, Jonas Ardö²⁹, Nicola Arriga³⁰, Alberto Arzac³¹, Valeria Aschero^{32,33}, Rafael L. Assis³⁴, Jakob Johann Assmann^{35,36}, Maaïke Y. Bader³⁷, Khadijeh Bahalkeh²⁰, Peter Barančok³⁸, Isabel C. Barrio³⁹, Agustina Barros⁴⁰, Matti Barthel²⁷, Edmund W. Basham¹⁵, Marijn Bauters⁴¹, Manuele Bazzichetto⁴², Luca Belelli Marchesini⁴³, Michael C. Bell⁴⁴, Juan C. Benavides⁴⁵, José Luis Benito Alonso⁴⁶, Bernd J. Berauer^{47,48}, Jarle W. Bjerke⁴⁹, Robert G. Björk^{50,51}, Mats P. Björkman^{50,51}, Katrin Björnsdóttir⁵², Benjamin Blonder⁵³, Pascal Boeckx⁴¹, Julia Boike^{54,55}, Stef Bokhorst²¹, Bárbara N. S. Brum⁵⁶, Josef Brůna⁹, Nina Buchmann²⁷, Pauline Buysse⁵⁷, José Luís Camargo⁵⁸, Otávio C. Campoe⁵⁹, Onur Candan⁶⁰, Rafaela Canessa^{61,62}, Nicoletta Cannone⁶³, Michele Carbognani⁶⁴, Jofre Carnicer^{65,66}, Angélica Casanova-Katny⁶⁷, Simone Cesarz^{68,69}, Bogdan Chojnicki^{70,70}, Philippe Choler^{71,72}, Steven L. Chown⁷³, Edgar F. Cifuentes⁷⁴, Marek Čiliak⁷⁵, Tamara Contador^{76,77}, Peter Convey⁷⁸, Elisabeth J. Cooper⁷⁹, Edoardo Cremonese⁸⁰, Salvatore R. Curasi⁸¹, Robin Curtis¹², Maurizio Cutini⁸², C. Johan Dahlberg^{83,84}, Gergana N. Daskalova⁸⁵, Miguel Angel de Pablo⁸⁶, Stefano Della Chiesa⁸⁷, Jürgen Dengler^{88,89,68}, Bart Deronde⁹⁰, Patrice Descombes⁹¹, Valter Di Cecco⁹², Michele Di Musciano⁹³, Jan Dick²⁸, Romina D. Dimarco^{94,95}, Jiri Dolezal^{9,96}, Ellen Dorrepaal⁹⁷, Jiří Dušek⁹⁸, Nico Eisenhauer^{68,69}, Lars Eklundh²⁹, Todd E. Erickson^{99,100}, Brigitta Erschbamer¹⁰¹, Werner Eugster²⁷, Robert M. Ewers¹⁰², Dan A. Exton¹⁰³, Nicolas Fanin¹⁰⁴, Fatih Fazlioglu⁶⁰, Iris Feigenwinter²⁷, Giuseppe Fenu¹⁰⁵, Olga Ferlian^{68,69}, M. Rosa Fernández Calzado¹⁰⁶, Eduardo Fernández-Pascual¹⁰⁷, Manfred Finckh¹⁰⁸, Rebecca Finger Higgins¹⁰⁹, T'ai G. W. Forte⁶⁴, Erika C. Freeman¹¹⁰, Esther R. Frei^{111,112,113}, Eduardo Fuentes-Lillo^{114,1,115}, Rafael A. García^{114,116}, María B. García¹¹⁷, Charly Géron¹¹⁸, Mana Gharun²⁷, Dany Ghosn¹¹⁹, Khatuna Gigaauri¹²⁰, Anne Gobin^{121,122}, Ignacio Goded³⁰, Mathias Goeckede¹²³, Felix Gottschall^{68,69}, Keith Goulding¹²⁴, Sanne Govaert⁷, Bente Jessen Graae¹²⁵, Sarah Greenwood¹²⁶, Caroline Greiser⁸³, Achim Grelle¹²⁷, Benoit Guénard¹²⁸, Mauro Guglielmin¹²⁹, Joannès Guillemot^{130,131}, Peter Haase^{132,133}, Sylvia Haider^{134,68}, Aud H. Halbritter¹³⁵, Maroof Hamid¹³⁶, Albin Hammerle¹³⁷, Arndt Hampe¹³⁸, Siri V. Haugum^{135,139}, Lucia Hederová⁹, Bernard Heinesch¹⁴⁰, Carole Helfter¹⁴¹, Daniel Hepenstrick¹⁴², Maximiliane Herberich¹⁴³, Mathias Herbst¹⁴⁴, Luise Hermanutz¹⁴⁵, David S. Hik¹⁴⁶, Raúl Hofferén¹⁴⁷, Jürgen Homeier^{148,149}, Lukas Hörtnagl¹²⁷, Toke T. Høyve¹⁵⁰, Filip Hrbacek¹⁵¹, Kristoffer Hylander⁸³, Hiroki Iwata¹⁵², Marcin Antoni Jackowicz-Korczynski^{153,29}, Hervé Jactel¹⁵⁴, Järvi Järveoja¹⁵⁵, Szymon Jastrzębowski¹⁵⁶, Anke Jentsch^{48,157}, Juan J. Jiménez¹⁵⁸, Ingibjörg S. Jónsdóttir¹⁵⁹, Tommaso Jucker¹⁶⁰, Alistair S. Jump¹⁶¹, Radosław Juszczak⁷⁰, Róbert Kanka³⁸, Vít Kašpar^{9,162}, George Kazakis¹¹⁹, Julia Kelly¹⁶³, Anzar A. Khuroo¹³⁶, Leif Klemetsson⁵⁰, Marcin Klisz¹⁵⁶, Natascha Kljun¹⁶³, Alexander Knohl¹⁶⁴, Johannes Kobler¹⁶⁵, Jozef Kollár³⁸, Martyna M. Kotowska¹⁴⁹, Bence Kovács¹⁶⁶, Juergen Kreyling¹⁶⁷, Andrea Lamprecht¹⁶⁸, Simone I. Lang¹⁶⁹, Christian Larson¹⁷⁰, Keith Larson¹⁷¹, Kamil Laska^{151,172}, Gueric le Maire^{130,131}, Rachel I. Leihy¹⁷³, Luc Lens¹⁷⁴, Bengt Liljebladh⁵⁰, Annalea Lohila^{175,176}, Juan Lorite^{106,177}, Benjamin Loubet⁵⁷, Joshua Lynn¹³⁵, Martin Macek⁹, Roy Mackenzie⁷⁶, Enzo Magliulo¹⁷⁸, Regine Maier²⁷, Francesco Malfasi⁶³, František Máliš¹⁷⁹, Matěj Man⁹, Giovanni Manca³⁰, Antonio Manco¹⁸⁰, Tanguy Manise¹⁴⁰, Paraskevi Manolaki^{181,182,183}, Felipe Marciniak⁵⁶, Radim Matula^{10,184}, Ana Clara Mazzolari³³, Sergiy Medinets^{185,186,187}, Volodymyr Medinets¹⁸⁵, Camille Meeussen⁷, Sonia Merinero⁸³, Rita de Cássia Guimarães Mesquita¹⁸⁸, Katrin Meusburger¹⁸⁹, Filip J. R. Meysman¹⁹⁰, Sean T. Michaletz¹⁹¹, Ann Milbau¹⁹², Dmitry Moiseev¹⁹³, Pavel Moiseev¹⁹³, Andrea Mondoni¹⁹⁴, Ruth Monfries²², Leonardo Montagnani¹⁹⁵, Mikel Moriana-Armendariz⁷⁹, Umberto Morra di Cella¹⁹⁶, Martin Mörsdorf¹⁹⁷, Jonathan R. Mosedale¹⁹⁸, Lena Muffler¹⁴⁹, Miriam Muñoz-Rojas^{199,200}, Jonathan A. Myers²⁰¹, Isla H. Myers-Smith⁸⁵, Laszlo Nagy²⁰², Marianna Nardino²⁰³, Ilona Naujokaitis-Lewis²⁰⁴, Emily Newling²⁰⁵, Lena Nicklas¹⁰¹, Georg

47 Niedrist²⁰⁶, Armin Niessner²⁰⁷, Mats B. Nilsson¹⁵⁵, Signe Normand^{35,36}, Marcelo D. Nosetto^{208,209}, Yann
 48 Nouvellon^{130,131}, Martin A. Nuñez^{210,95}, Romà Ogaya^{211,212}, Jérôme Ogée¹⁰⁴, Joseph Okello^{41,213,214}, Janusz
 49 Olejnik²¹⁵, Jørgen Eivind Olesen²¹⁶, Øystein Opedal²¹⁷, Simone Orsenigo²¹⁸, Andrej Palaj³⁸, Timo Pampuch²¹⁹,
 50 Alexey V. Panov²²⁰, Meelis Pärtel²²¹, Ada Pastor^{222,182}, Aníbal Pauchard^{114,116}, Harald Pauli¹⁶⁸, Marian Pavelka⁹⁸,
 51 William D. Pearse^{223,224}, Matthias Peichl¹⁵⁵, Loïc Pellissier^{225,226}, Rachel M. Penczykowski²²⁷, Josep Penuelas^{211,228},
 52 Matteo Petit Bon^{169,79,9}, Alessandro Petraglia⁶⁴, Shyam S. Phartyal²²⁹, Gareth K. Phoenix²³⁰, Casimiro Pio²³¹,
 53 Andrea Pitacco²³², Camille Pitteloud^{225,226}, Roman Plichta¹⁸⁴, Francesco Porro¹⁹⁴, Miguel Portillo-Estrada¹, Jérôme
 54 Poulenard²³³, Rafael Poyatos^{66,234}, Anatoly S. Prokushkin^{220,31}, Radosław Puchalka^{235,236}, Mihai Pușcaș^{237,238,239},
 55 Dajana Radujković¹, Krystal Randall²⁴⁰, Amanda Ratier Backes^{134,68}, Sabine Remmele²⁰⁷, Wolfram Remmers²⁴¹,
 56 David Renault^{42,242}, Anita C. Risch²⁴³, Christian Rixen¹¹¹, Sharon A. Robinson²⁴⁴, Bjorn J.M. Robroek²⁴⁵, Adrian V.
 57 Rocha²⁴⁶, Christian Rossi^{247,248}, Graziano Rossi¹⁹⁴, Olivier Rounsard^{249,250,251}, Alexey V. Rubtsov³¹, Patrick
 58 Saccone¹⁶⁸, Clotilde Sagot²⁵², Jhonatan Sallo Bravo^{253,254}, Cinthya C. Santos²⁵⁵, Judith M. Sarneel²⁵⁶, Tobias
 59 Scharnweber²¹⁹, Jonas Schmeddes¹⁶⁷, Marius Schmidt²⁵⁷, Thomas Scholten²⁵⁸, Max Schuchardt⁴⁸, Naomi
 60 Schwartz²⁵⁹, Tony Scott¹²⁴, Julia Seeber^{206,137}, Ana Cristina Segalin de Andrade²⁵⁵, Tim Seipel¹⁷⁰, Philipp
 61 Semenchuk²⁶⁰, Rebecca A. Senior²⁶¹, Josep M. Serra-Diaz²⁶², Piotr Sewerniak²⁶³, Ankit Shekhar²⁷, Nikita V.
 62 Sidenko²²⁰, Lukas Siebicke¹⁶⁴, Laura Siegwart Collier^{145,264}, Elizabeth Simpson²²³, David P. Siqueira²⁶⁵, Zuzana
 63 Sitková²⁶⁶, Johan Six²⁷, Marko Smiljanic²¹⁹, Stuart W. Smith^{267,268}, Sarah Smith-Tripp²⁶⁹, Ben Somers²⁷⁰, Mia Vedel
 64 Sørensen²⁶⁷, José João L. L. Souza²⁷¹, Bartolomeu Israel Souza²⁷², Arildo Souza Dias^{273,255}, Marko J. Spasojević²⁷⁴,
 65 James D. M. Speed²⁷⁵, Fabien Spicher²⁷⁶, Angela Stanisci²⁷⁷, Klaus Steinbauer¹⁶⁸, Rainer Steinbrecher²⁷⁸, Michael
 66 Steinwandter²⁰⁶, Michael Stemkovski²²³, Jörg G. Stephan²⁷⁹, Christian Stiegler¹⁶⁴, Stefan Stoll^{241,280}, Martin
 67 Svátek¹⁸⁴, Miroslav Svoboda¹⁰, Torbern Tagesson^{29,281}, Andrew J. Tanentzap¹¹⁰, Franziska Tanneberger²⁸², Jean-
 68 Paul Theurillat^{283,284}, Haydn J. D. Thomas⁸⁵, Andrew D. Thomas²⁸⁵, Katja Tielbörger⁶², Marcello Tomaselli⁶⁴, Urs
 69 Albert Treier^{35,36}, Mario Trouillier²¹⁹, Pavel Dan Turtureanu^{237,286,239}, Rosamond Tutton²⁸⁷, Vilna A. Tyystjärvi^{11,288},
 70 Masahito Ueyama²⁸⁹, Karol Ujházy¹⁷⁹, Mariana Ujházyová⁷⁵, Domas Uogintas²⁹⁰, Anastasiya V. Urban^{220,184}, Josef
 71 Urban^{184,31}, Marek Urbaniak²¹⁵, Tudor-Mihai Ursu²⁹¹, Francesco Primo Vaccari²⁹², Stijn Van de Vondel²⁹³, Liesbeth
 72 van den Brink⁶², Maarten Van Geel²⁹⁴, Vigdis Vandvik¹³⁵, Pieter Vangansbeke⁷, Andrej Varlagin²⁹⁵, G.F. Ciska)
 73 Veen²⁹⁶, Elmar Veenendaal²⁹⁷, Susanna E. Venn²⁹⁸, Hans Verbeeck²⁹⁹, Erik Verbruggen¹, Frank G.A. Verheijen³⁰⁰,
 74 Luis Villar³⁰¹, Luca Vitale³⁰², Pascal Vittoz³⁰³, Maria Vives-Inglá⁶⁶, Jonathan von Oppen^{35,36}, Josefine Walz³⁰⁴, Runxi
 75 Wang¹²⁸, Yifeng Wang²⁸⁷, Robert G. Way²⁸⁷, Ronja E. M. Wedegärtner²⁶⁷, Robert Weigel¹⁴⁹, Jan Wild^{9,162}, Matthew
 76 Wilkinson⁴⁴, Martin Wilmking²¹⁹, Lisa Wingate¹⁰⁴, Manuela Winkler¹⁶⁸, Sonja Wipf^{247,111}, Georg Wohlfahrt¹³⁷,
 77 Georgios Xenakis³⁰⁵, Yan Yang³⁰⁶, Zicheng Yu^{307,308}, Kailiang Yu³⁰⁹, Florian Zellweger¹¹³, Jian Zhang³¹⁰, Zhaochen
 78 Zhang³¹⁰, Peng Zhao¹⁵⁵, Klaudia Ziemblińska²¹⁵, Reiner Zimmermann^{207,311}, Shengwei Zong³¹², Viacheslav I.
 79 Zyryanov²²⁰, Ivan Nijs^{1,+}, Jonathan Lenoir^{276,+x}

80
 81 *Jonas J. Lembrechts and Johan Van den Hoogen should be considered joint first author

82 + Ivan Nijs and Jonathan Lenoir should be considered joint senior author

83 x Corresponding authors

84 ** See end of manuscript for affiliations and ORcIDs

85

86 Corresponding authors

87 Jonas Lembrechts (Jonas.lembrechts@uantwerpen.be, <https://orcid.org/0000-0002-1933-0750>, +).

88 Jonathan Lenoir (jonathan.lenoir@u-picardie.fr, <https://orcid.org/0000-0003-0638-9582>).

89

Abstract

Research in global change ecology relies heavily on global climatic grids derived from estimates of air temperature in open areas at around 2 m above the ground. These climatic grids do not reflect conditions below vegetation canopies and near the ground surface, where critical ecosystem functions occur and most terrestrial species reside. Here, we provide global maps of soil temperature and bioclimatic variables at a 1-km² resolution for 0–5 and 5–15 cm soil depth. These maps were created by calculating the difference (i.e., offset) between *in-situ* soil temperature measurements, based on time series from over 1200 1-km² pixels (summarized from 8500 unique temperature sensors) across all the world's major terrestrial biomes, and coarse-grained air temperature estimates from ERA5-Land (an atmospheric reanalysis by the European Centre for Medium-Range Weather Forecasts). We show that mean annual soil temperature differs markedly from the corresponding gridded air temperature, by up to 10°C (mean = $3.0 \pm 2.1^\circ\text{C}$), with substantial variation across biomes and seasons. Over the year, soils in cold and/or dry biomes are substantially warmer ($+3.6 \pm 2.3^\circ\text{C}$) than gridded air temperature, whereas soils in warm and humid environments are on average slightly cooler ($-0.7 \pm 2.3^\circ\text{C}$). The observed substantial and biome-specific offsets emphasize that the projected impacts of climate and climate change on near-surface biodiversity and ecosystem functioning are inaccurately assessed when air rather than soil temperature is used, especially in cold environments. The global soil-related bioclimatic variables provided here are an important step forward for any application in ecology and related disciplines. Nevertheless, we highlight the need to fill remaining geographic gaps by collecting more *in-situ* measurements of microclimate conditions to further enhance the spatiotemporal resolution of global soil temperature products for ecological applications.

Keywords: bioclimatic variables, global maps, microclimate, near-surface temperatures, soil-dwelling organisms, soil temperature, temperature offset, weather stations

Introduction

With the rapidly increasing availability of big data on species distributions, functional traits and ecosystem functioning (Bond-Lamberty & Thomson, 2018, Bruelheide *et al.*, 2018, Kissling *et al.*, 2018, Kattge *et al.*, 2019, Lenoir *et al.*, 2020), we can now study biodiversity and ecosystem responses to global changes in unprecedented detail (Senior *et al.*, 2019, Steidinger *et al.*, 2019, Van Den Hoogen *et al.*, 2019, Antão *et al.*, 2020). However, despite this increasing availability of ecological data, most spatially-explicit studies of ecological, biophysical and biogeochemical processes still have to rely on the same global gridded temperature data (Soudzilovskaia *et al.*, 2015, Van Den Hoogen *et al.*, 2019, Du *et al.*, 2020). Thus far, these global gridded products are based on measurements from standard meteorological stations that record free-air temperature inside well-ventilated protective shields placed up to 2 m above-ground in open, shade-free habitats, where abiotic conditions may differ substantially from those actually experienced by most organisms (World Meteorological Organization, 2008, Lembrechts *et al.*, 2020).

Ecological patterns and processes often relate more directly to below-canopy soil temperature rather than to well-ventilated air temperature inside a weather station. Near-surface, rather than air, temperature better predicts ecosystem functions like biogeochemical cycling (e.g., organic matter decomposition, soil respiration and other aspects of the global carbon balance) (Schimel *et al.*, 2004, Pleim & Gilliam, 2009, Portillo-Estrada *et al.*, 2016, Hursh *et al.*, 2017, Gottschall *et al.*, 2019, Davis *et al.*, 2020, Perera-Castro *et al.*, 2020, Jian *et al.*, 2021). Similarly, the use of soil temperature in correlative analyses or predictive models may improve predictions of climate impacts on organismal physiology and behaviour, as well as on population and community dynamics and species distributions (Körner & Paulsen, 2004, Schimel *et al.*, 2004, Ashcroft *et al.*, 2008, Kearney *et al.*, 2009, Scherrer *et al.*, 2011, Opedal *et al.*, 2015, Berner *et al.*, 2020, Zellweger *et al.*, 2020). Given the key role of soil-related processes for both aboveground and belowground parts of the ecosystem and their feedbacks to the atmosphere (Crowther *et al.*, 2016), adequate soil temperature data are critical for a broad range of fields of study, such as ecology, biogeography, biogeochemistry, agronomy, soil science and climate system dynamics. Nevertheless, existing global soil temperature products such as those from ERA5-Land (Copernicus Climate Change Service

(C3S), 2019), with a resolution of 0.08×0.08 degrees ($\approx 9 \times 9$ km at the equator), remain too coarse for most ecological applications.

The direction and magnitude of the difference or *offset* between *in-situ* soil temperature and coarse-gridded air temperature products result from a combination of two factors: (i) the (vertical) microclimatic difference between air and soil temperature, and (ii) the (horizontal) mesoclimatic difference between air temperature in flat, cleared areas (i.e., where meteorological stations are located) and air temperature within different vegetation types (e.g., below a dense canopy of trees) or topographies (e.g., within a ravine or on a ridge) (Lembrechts *et al.*, 2020, De Frenne *et al.*, 2021). In essence, the offset is thus the combination of both the vertical and horizontal differences that result from factors affecting the energy budget at the Earth's surface, principally radiative energy: the ground absorbs radiative energy, which is transferred to the air by convective heat exchange, evaporation and spatial variation in net radiation, and lower convective conductance near the Earth's surface results in horizontal and vertical variation in temperature (Richardson, 1922, Geiger, 1950). Both these vertical and horizontal differences in temperature vary significantly across the globe and in time as a result of environmental conditions affecting the radiation budget (e.g., as a result of topographic orientation, canopy cover or surface albedo), convective heat exchange and evaporation (e.g., foliage density, variation in the degree of wind shear caused by surface friction) and the capacity for the soil to store and conduct heat (e.g., water content and soil structure and texture) (Geiger, 1950, Zhang *et al.*, 2008, Way & Lewkowicz, 2018, De Frenne *et al.*, 2019).

While the physics of soil temperatures have long been well-understood (Richardson, 1922, Geiger, 1950), the creation of high-resolution global gridded soil temperature products has not been feasible before, partially due to the absence of detailed global *in-situ* soil temperature measurements (Lembrechts & Lenoir, 2019, Lembrechts *et al.*, 2020). Recently, however, the call for microclimate temperature data representative of *in-situ* conditions (i.e., microhabitat) as experienced by organisms living close to the ground surface or in the soil has become more urgent (Bramer *et al.*, 2018). In this paper, we address this issue by generating global gridded maps of below-canopy and near-surface soil temperature at 1-km^2 resolution (in line with most existing global air temperature products). These maps are more representative of the habitat conditions as experienced by organisms living under vegetation

canopies, in the topsoil or near the soil surface. They were created using the abovementioned offset between gridded air temperature data and *in-situ* soil temperature measurements. We expect these soil temperature maps to be substantially more representative of actual microclimatic conditions than existing products as they capture relevant near-surface and below-ground abiotic conditions where ecosystem functions and processes operate (Daly, 2006, Bramer *et al.*, 2018, Körner & Hiltbrunner, 2018). Indeed, the offset between free-air (macroclimate) and soil (microclimate) temperature, and between cleared areas and other habitats, can easily reach up to $\pm 10^{\circ}\text{C}$ annually, even at the 1-km^2 spatial resolution used here (Zhang *et al.*, 2018, Lembrechts *et al.*, 2019, Wild *et al.*, 2019).

To create the global gridded soil temperature maps introduced above, we used over 8500 time series of soil temperature measured *in-situ* across the world's major terrestrial biomes, which are compiled and stored in the SoilTemp database (Lembrechts *et al.*, 2020) (Fig. 1a, Supplementary Material Fig. S1) and averaged into 1200 (or 1000 for the second soil layer) unique 1-km^2 pixels. First, to illustrate the magnitude of the studied effect, we visualized the global and biome-specific patterns in the mean annual offset between *in-situ* soil temperature (0–5 cm and 5–15 cm depth) and coarse-scale interpolated air temperature from ERA5-Land using the average within 1×1 km grid cells. Hereafter, we refer to this difference between soil temperature and air temperature as the *temperature offset* (or offset), sensu (De Frenne *et al.*, 2021); elsewhere called the *surface offset* (Smith & Riseborough, 1996, Smith & Riseborough, 2002)). Secondly, we used a machine learning approach with 31 environmental predictor variables (including macroclimate, soil, topography, reflectance, vegetation and anthropogenic variables) to model the spatial variation in monthly temperature offsets at a 1×1 km resolution for all continents except Antarctica (as not covered by many of the used predictor variable layers). Using these offsets, we then calculated relevant soil-related bioclimatic variables (SBIO), mirroring the existing global bioclimatic variables for air temperature. Finally, we compare our new global soil temperature product with a similar one calculated using coarser-resolution soil temperature data (0.1×0.1 degrees) from ERA5-Land (Copernicus Climate Change Service (C3S), 2019).

Methods

Data acquisition

Analyses are based on SoilTemp, a global database of microclimate time series (Lembrechts *et al.*, 2020). We compiled soil temperature measurements from 9362 unique sensors (mean duration 2.9 years, median duration 1.0 year, ranging from 1 month to 41 years) from 60 countries, using both published and unpublished data sources (Fig. 1, Supplementary Material Fig. S1). Each sensor corresponds to one independent time series.

We used time series spanning a minimum of one month, with a temporal resolution of four hours or less. Sensors of any type were included (Supplementary Material Table S1), as long as they measured *in situ*. Sensors in experimentally manipulated plots, i.e., plots in which microclimate has been manipulated, such as in open top chambers, were excluded. Most data (> 90%) came from low-cost rugged microclimate loggers such as iButtons (Maxim Integrated, USA) or TMS4-sensors (Wild *et al.*, 2019), with measurement errors of around 0.5–1°C (note that we are using degree Celsius over Kelvin throughout, for ease of understanding), while in a minority of cases sensors with higher meteorological specifications such as industrial or scientific grade thermocouples and thermistors (measurement errors of less than 0.5°C) were used. Contributing datasets mostly consisted of short-term regional networks of microclimate measurements, yet also included a set (< 5%) of soil temperature sensors from long-term research networks equipped with weather stations (e.g., Pastorello *et al.*, 2017). By combining these two types of data, a much higher spatial density of sensors and broader distribution of microhabitats could be obtained than by using weather station data only.

About 68% of sensors were deployed between 2010 and 2020 and 93% between 2000 and 2020; we thus focus on the latter period in our analyses. Additionally, given the relatively short time frame covered by most individual sensors and thus the lack of spatially unbiased long-term time series, we were not able to test for systematic differences in the temperature offset between old and recent data sets, and thus we did not correct for this in our models. We strongly urge future studies to assess such temporal dynamics in the offset once long-term microclimate data have become sufficient and more available.

For each of the individual 9362 time series, we calculated monthly mean, minimum (5% percentile of all monthly values) and maximum (95% percentile) temperature, after checking all time series for plausibility and erroneous data. These monthly values, while perhaps not fully intercomparable between the northern and southern hemisphere, are those that have

traditionally been used to calculate bioclimatic variables (Fick & Hijmans, 2017). Months with more than one day of missing data, either at the beginning or end of the measurement period, or due to logger malfunctioning during measurement, were excluded, resulting in a final subset of 380,676 months of soil temperature time series that were used for further analyses. For each sensor with more than twelve months of data, we calculated moving averages of annual mean temperature, using each consecutive month as a starting month and calculating the mean temperature including the next eleven months. We used these moving averages to make maximal use of the full temporal extent covered by each sensor, because each time series spanned a different time period, often including parts of calendar years only.

The selected dataset contained sensors installed strictly belowground, measuring temperature at depths between 0 and 200 cm below the ground surface. Sensors recording several measurements at the same site but located at different (vertical) depths were included separately (the 9362 unique sensors thus came from 7251 unique loggers).

Sensors were grouped in different soil depth categories (0–5, 5–15, 15–30, 30–60, 60–100, 100–200 cm, Supplementary Material Table S2) to incorporate the effects of soil temperature dampening associated with vertical stratification. We limited our analyses to the topsoil (0–5 cm) and the second soil layer (5–15 cm), as we currently lack sufficient global coverage to make accurate models at deeper soil depths (8519 time series, about 91%, came from the two upper depth layers). Due to uncertainty in identification of these soil depths between studies (e.g., due to litter layers), no finer categorisation is used.

We tested for potential bias in temporal resolution (i.e., measurement interval) by calculating mean, minimum and maximum temperature for a selection of 2000 months for data measured every 15 minutes, and the same data aggregated to 30, 60, 90, 120 and 240 minutes. Monthly mean, minimum and maximum temperature calculated with any of the aggregated datasets differed on average less than 0.2°C from the ones with the highest temporal resolution. We were thus confident that pooling data with different temporal resolutions of 4 hours or finer would not significantly affect our results.

Temperature offset calculation

For each monthly value at each sensor location (see Supplementary Material Table S3 for number of data points per month), we extracted the corresponding monthly means of the 2 m air temperature from the European Centre for Medium-Range Weather (ECMWF) Forecast's 5th reanalysis (ERA5) (from 1979–1981) and ERA5-Land from 1981–2020 (Copernicus Climate Change Service (C3S), 2019), hereafter called ERA5L. The latter dataset models the global climate with a spatial resolution of 0.08×0.08 degrees ($\approx 9 \times 9$ km at the equator) with an hourly resolution, converted into monthly means using daily means for the whole month. Similarly, monthly minima and maxima were obtained from TerraClimate (Abatzoglou *et al.*, 2018) for the period 2000 to 2020 at a 0.04×0.04 degrees ($\approx 4 \times 4$ km at the equator) resolution. Monthly means for TerraClimate were not available, and we therefore estimated them by averaging the monthly minima and maxima. Finally, we also obtained monthly mean temperatures from CHELSA (Karger *et al.*, 2017a, Karger *et al.*, 2017b) for the period 2000 to 2013 at a 30×30 arc second ($\approx 1 \times 1$ km at the equator) resolution. In our modelling exercises (see section '*Integrative modelling*' below), we opted to use the mean temperature offsets as calculated based on ERA5L rather than on CHELSA. While CHELSA's higher spatial resolution is definitely an advantage, its time period (stopping in 2013) insufficiently overlapped with the time period covered by our *in-situ* measurements (2000 to 2020), soil temperature offsets based on the CHELSA dataset were only used for comparative purposes. We used TerraClimate to model offsets in monthly minimum and maximum temperature.

We calculated moving annual averages of the gridded air temperature data in the same way as for soil temperature. These were used to create annual temperature offset values following the same approach as above.

The offset between the *in situ* measured soil temperature in the SoilTemp database and the 2 m free-air temperature obtained from the air-temperature grids (ERA5L, TerraClim and CHELSA, hereafter called 'gridded air temperature') was calculated by subtracting the monthly or annual mean air temperature from the monthly or annual mean soil temperature. Positive offset values indicate a measured soil temperature higher than gridded air temperature, while negative offset values represent cooler soils. Similarly, monthly minimum and maximum air temperature were subtracted from minimum and maximum soil temperature, respectively. Monthly minima and maxima of the soil temperature were

calculated as, respectively, the 5% lowest and highest instantaneous measurement in that month, to correct for outliers, which can be especially pronounced at the soil surface (Speak *et al.*, 2020). As a result, patterns in minima and maxima are more conservative estimates than if we had used the absolute lowest and highest values.

Importantly, the temperature offset calculated here is a result of three key groups of drivers: (1) height effects (2 m versus 0–15 cm below the soil surface); (2) environmental or habitat effects (e.g., spatial variability in vegetation, snow or topography); and (3) spatial scale effects (resolution of gridded air temperature) (Lembrechts *et al.*, 2020). We investigated the potential role of scale effects by comparing gridded air temperature data sources with different resolutions (ERA5L, TerraClimate and CHELSA, see below). Height effects and environmental effects are however not disentangled here, as the offset we propose incorporates both the difference between air and soil temperature (vertically), as well as the difference between free-air macroclimate and *in situ* microclimate (horizontally) in one measure (Lembrechts *et al.*, 2020). While it can be argued that it would be better to treat both vertical and horizontal effects separately, this would require a similar database of coupled *in-situ* air and soil temperature measurements, which is not yet available. Using *in situ* measured air temperature could also solve spatial mismatches (i.e., spatially averaged air temperature represents the whole 1 to 81 km² pixel, depending on pixel size, not only the exact location of the sensor). However, coupled air and soil temperature measurements are not only rare, but the air temperature measurements also have large measurement errors, especially in open habitats (Maclean *et al.*, 2021). These errors can be up to several degrees in open habitats when using non-standardized sensors, loggers and shielding (Holden *et al.*, 2013, Terando *et al.*, 2017, Maclean *et al.*, 2021). Hence, using *in situ* measured air temperature without correcting for these measurement errors would be misleading.

Global and biome-level analyses

For the purpose of visualization, annual offsets were first averaged in hexagons with a resolution of approximately 70,000 km², using the dggridR-package (version 2.0.4) in R (Barnes *et al.*, 2017) (Fig. 1). Next, we plotted mean, minimum and maximum annual soil temperature as a function of corresponding gridded air temperature from ERA5, TerraClimate and CHELSA and used generalized additive models (GAMs, package mgcv 1.8-31; Wood, 2012)

to visualise deviations from the 1:1-line (i.e., temperature offsets deviating from zero, Supplementary Figs. S4-5).

All annual and monthly values within each soil depth category and falling within the same 1-km² pixel were aggregated as a mean, resulting in a total of c. 1200 unique pixels at 0–5 cm, and c. 1000 unique pixels at 5–15 cm each month, across the globe (Supplementary Material Table S3). This averaging includes summarizing the data over space, i.e., multiple sensors within the same 1-km² pixel, and time, i.e., data from multi-year time series from a certain sensor, to reduce spatial and temporal autocorrelation and sampling bias. We assigned these 1-km² averages to the corresponding Whittaker biome of their georeferenced location, using the package *plotbiomes* (version 0.0.0.9901) in R (Fig. 1 c, d, Supplementary Material Table S4-5 (Stefan & Levin, 2018)). We ranked biomes based on their offset and compared this with the mean annual precipitation in each biome (Fig. 1b). This was done separately for each air temperature data source (ERA5L, TerraClimate and CHELSA), soil depth (0–5 cm, 5–15 cm) and timeframe (ERA5L 1979–2020, 2000–2020), as well as for the offset between monthly minimum and maximum soil temperature and the minimum and maximum gridded air temperature from TerraClimate. Our analyses showed that patterns were robust to variation in spatial resolution, sensor depth, climate interpolation method and temporal scale (Supplementary Material Figs. S2–5).

Acquisition of global predictor variables

To create spatial predictive models of the offset between *in-situ* soil temperature and gridded air temperature, we first sampled a stack of global map layers at each of the logger locations within the dataset. These layers included long-term macroclimatic conditions, soil texture and physiochemical information, vegetation, radiation, and topographic indices as well as anthropogenic variables. Details of all layers, including descriptions, units, and source information, are described in Supplementary Data S1. In short, information about soil texture, structure and physiochemical properties was obtained from SoilGrids (version 1 (Hengl *et al.*, 2017)), limited to the upper soil layer (top 5 cm). Long-term averages of macroclimatic conditions (i.e., monthly mean, maximum and minimum temperature, monthly precipitation) was obtained from CHELSA (version 2017 (Karger *et al.*, 2017a)), which includes climate data averaged across 1979–2013, and from WorldClim (version 2 (Fick & Hijmans, 2017)). Monthly

snow probability is based on a pixel-wise frequency of snow occurrence (snow cover >10%) in MODIS daily snow cover products (MOD10A1 & MYD10A1 (Hall *et al.*, 2002)) in 2001–2019. Spectral vegetation indices (i.e., averaged MODIS NDVI product MYD13Q1) and surface reflectance data (i.e., MODIS MCD43A4) were obtained from the Google Earth Engine Data Catalog (developers.google.com/earth-engine/datasets) and averaged from 2015 to 2019. Landcover and topographic information were obtained from EarthEnv (Amatulli *et al.*, 2018). Aridity index (AI) and potential evapotranspiration (PET) layers were obtained from CGIAR (Zomer *et al.*, 2008). Anthropogenic information (population density) was obtained from the EU JRC (ghsl.jrc.ec.europa.eu/ghs_pop2019.php). Aboveground biomass data were obtained from GlobBiomass (Santoro, 2018). RESOLVE ecoregion classifications were used to categorize sampling locations into biomes (Dinerstein *et al.*, 2017). With this set of predictor variables, we included information on all different categories of drivers of soil temperature. An important variable that had to be excluded was snow depth, due to the lack of a relevant 1-km² resolution global product. The final set of predictor variables included 24 ‘static’ variables and eight monthly layers (i.e., maximum, mean, and minimum temperature, precipitation, cloud cover, solar radiation, water vapour pressure, and snow cover). As cloud cover estimates were not available for high-latitude regions in the Northern Hemisphere in January and December due to a lack of daylight, we excluded cloud cover as an explanatory variable for these months (i.e., ‘EarthEnvCloudCover_MODCF_monthlymean_XX’, with XX representing the months in two-digit form Supplementary Data S1).

All variable map layers were reprojected and resampled to a unified pixel grid in EPSG:4326 (WGS84) at 30 arc-sec resolution ($\approx 1 \times 1$ km at the equator). Areas covered by permanent snow or ice (e.g., the Greenland ice cap or glaciated mountain ranges, identified using SoilGrids) were excluded from the analyses. Antarctic sampling points were excluded from the modelling data set owing to the limited coverage of several covariate layers in the region.

Modelling

To generate global maps of monthly temperature offsets (Fig. 2), we trained Random Forest (RF) models for each month, using the temperature offsets as the response variables and the global variable layers as predictors (Breiman, 2001, Hengl *et al.*, 2018). We used a geospatial RF modelling pipeline as developed by van den Hoogen *et al.* (2021). RF models are machine

learning models that combine many classification trees using randomized subsets of the data, with each tree iteratively dividing data into groups of most closely related data points (Hengl *et al.*, 2018). They are particularly valuable here due to their capacity to uncover nonlinear relationships (e.g., due to increased decoupling of soil from air temperature in colder and thus snow-covered areas) and their ability to capture complex interactions among covariates (e.g., between snow and vegetation cover) (Olden *et al.*, 2008). Furthermore, they may currently have advantages over mechanistic microclimate models for global modelling (Maclean & Klenges, 2021), as the latter require highly detailed physical input parameters for calibration, and current computational barriers preclude global assessments at a 1 km² resolution and over multiple decades. Nevertheless, we urge future endeavours to compare and potentially improve our results with estimates based on such mechanistic models.

We performed a grid search procedure to tune the RF models across a range of 52 hyperparameter settings (variables per split: 2–14, minimum leaf population: 2–5, in all combinations adding up to 52 models, each time with 250 trees). During this procedure, we assessed each of the 52 model's performance using k-fold cross-validation (k = 10; folds assigned randomly, stratified per biome). The models' mean and standard deviation values were the basis for choosing the best of all evaluated models. This procedure was repeated for each month separately for the two soil depth layers (0–5 cm, 5–15 cm), for offsets in mean, minimum and maximum temperature. The importance of predictor variables was assessed using the variable importance and ordered by mean variable importance across all models. This variable importance adds up the decreases in the impurity criterion (i.e., the measure on which the local optimal condition is chosen) at each split of a node for each individual variable over all trees in the forest (van den Hoogen *et al.*, 2021).

Soil bioclimatic variables

The resulting global maps of the annual and monthly offsets between mean, minimum and maximum soil and air temperature were used to calculate relevant bioclimatic variables following the definition used in CHELSA, BIOCLIM, ANUCLIM and WorldClim (Xu & Hutchinson, 2011, Booth *et al.*, 2014, Fick & Hijmans, 2017, Karger *et al.*, 2017a)(Fig. 3–4). First, we calculated monthly soil mean, maximum and minimum temperature by adding monthly temperature offsets to the respective CHELSA monthly mean, maximum and minimum

temperature (Karger *et al.*, 2017a). Next, we used these soil temperature layers to compute 11 soil bioclimatic layers (SBIO, Table 1) (O'Donnell & Ignizio, 2012). Wettest and driest quarters were identified for each pixel based on CHELSA's monthly values.

Model uncertainty

To assess the uncertainty in the monthly models, we performed a stratified bootstrapping procedure, with total size of the bootstrap samples equal to the original training data (van den Hoogen *et al.*, 2021). Using biomes as a stratification category, we ensured the samples included in each of the bootstrap training collections were proportionally representative of each biome's total area. Next, we trained RF models (with the same hyperparameters as selected during the grid-search procedure) using each of 100 bootstrap iterations. Each of these trained RF models was then used to classify the predictor layer stack, to generate per-pixel 95% confidence intervals and standard deviation for the modelled monthly offsets (Fig. 5a, Supplementary Material Fig. S6a). The mean R^2 value of the RF models for the monthly mean temperature offset was 0.70 (from 0.64 to 0.78) at 0–5 cm and 0.76 (0.63–0.85) at 5 to 15 cm across all twelve monthly models. Mean RMSE of the models was 2.20°C (1.94–2.51°C) at 0–5 cm, and 2.06°C (1.67–2.35°C) at 5–15 cm.

Importantly, model uncertainty as reported in Fig. 5a and Supplementary Material Fig. S6a comes on top of existing uncertainties in (1) *in-situ* soil temperature measurements and (2) the ERA5L macroclimate models as used in our models. However, both of those are usually under 1°C (Copernicus Climate Change Service (C3S), 2019, Wild *et al.*, 2019).

To assess the spatial extent of extrapolation, which is necessary due to the incomplete global coverage of the training data, we first performed a Principal Component Analysis (PCA) on the full environmental space covered by the monthly training data, including all explanatory variables as used in the models, and then transformed the composite image into the same PC spaces as of the sampled data (Van Den Hoogen *et al.*, 2019). Next, we created convex hulls for each of the bivariate combinations from the first 10 to 12 PCs, covering at least 90% of the sample space variation, with the number of PCs depending on the month. Using the coordinates of these convex hulls, we assessed whether each pixel fell within or outside each of these convex hulls, and calculated the percentage of bivariate combinations for which this

was the case (Fig. 5b, Supplementary Material Fig. S6b). This process was repeated for each month, and for each of the two soil depths separately.

These uncertainty maps are important because one should be careful with extrapolation beyond the range of conditions covered by the environmental variables included in the original calibration dataset, especially in the case of non-linear patterns such as modelled here. The maps are provided as spatial masks to remove or reduce the weighting of the pixels for which predictions are beyond the range of values covered by the models during calibration. To assess this further, we used a spatial leave-one-out cross-validation analysis to test for spatial autocorrelation in the data set (Supplementary Material Fig. S7) (van den Hoogen *et al.*, 2021). This approach trains a model for each sample in the data set on all remaining samples, excluding data points that fall within an increasingly large buffer around that focal sample. Results show lowest confidence for May to September at 5–15 cm, likely driven by uneven global coverage of data points.

Finally, we compared the modelled mean annual temperature (SBIO1, topsoil layer) with a similar product based on monthly ERA5L topsoil (0–7 cm) temperature with a spatial resolution of 0.1×0.1 degrees (Copernicus Climate Change Service (C3S), 2019). The corresponding SBIO1 based on ERA5L was calculated using the means of the monthly averages for each month over the period 1981 to 2016, and averaging these 12 monthly values into one annual product. We then visualized spatial differences between SBIO1 and ERA5, as well as differences across the macroclimatic gradient, to identify mismatches between both datasets.

All geospatial modelling was performed using the Python API in Google Earth Engine (Gorelick *et al.*, 2017). The R statistical software, version 4.0.2 (R Core Team, 2020), was used for data visualisations. All maps were plotted using the Mollweide projection, which preserves relative areas, to avoid large distortions at high latitudes.

Sources of uncertainty

The temporal mismatch between the period covered by CHELSA (1979-2013) and our *in-situ* measurements (2000-2020) prevented us from directly using CHELSA climate to calculate the temperature offsets used in our models. This temporal mismatch might affect the offsets

calculated here because the relationship between temperature offset and macroclimate will change through time as the climate warms. Similarly, inter-annual differences in offsets due to specific weather conditions cannot be implemented in the used approach. However, we are confident that, at the relatively coarse spatial (1 km²) and temporal (monthly averages) resolution we are working at, our results are sufficiently robust to withstand these temporal issues, given that we found high consistency in offset patterns between the different timeframes and air temperature datasets examined (Supplementary Material Figs. S2–5). Nevertheless, we strongly urge future research to disentangle these potential temporal dynamics, especially given the increasing rate at which the climate is warming (Xu *et al.*, 2018, GISTEMP Team, 2021).

Similarly, a potential bias could result from the mismatch in method and resolution between ERA5L – used to calculate the temperature offsets – and CHELSA, which was used to create the bioclimatic variables. However, even though temperature offsets have slightly larger variation when based on the coarser-grained ERA5L-data than on the finer-grained CHELSA-data, Supplementary Material Figs. S2–5 show that relationships between soil and air temperature are largely consistent in all biomes and across the whole global temperature gradient. Therefore, the larger offsets created additional random scatter, yet no consistent bias.

Finally, we acknowledge that the 1-km² resolution gridded products might not be representative of conditions at the *in-situ* measurement locations within each pixel. This issue could be particularly significant for different vegetation types (here proxied at the pixel level using total aboveground biomass (unit: tons/ha i.e., Mg/ha, for the year 2010; Santoro, 2018) and NDVI (MODIS NDVI product MYD13Q1, averaged over 2015–2019)). To verify this, we compared a pixel’s estimated aboveground biomass with the dominant *in-situ* habitat (forest versus open) surrounding the sensors in that pixel (Supplementary Table S6). Importantly, all sensors installed in forests fell indeed in pixels with more than 1 ton/ha aboveground biomass. Similarly, 75% or more of sensors in open terrain fell in pixels with biomass estimates of less than 1 ton/ha. Only in the temperate woodland biome was the match between *in-situ* habitat estimates and pixel-level aboveground biomass lower, with less than 95% of sensors in forested locations correctly placed in pixels with more than 1 ton/ha biomass, and less than 50% of open terrain sensors in pixels with less than 1 ton/ha biomass. While our predictions

will thus not be accurate for locations within a pixel that largely deviate from average conditions (e.g., open terrain in pixels identified as largely forested, or vice versa), they should be largely representative for those pixel-level averages.

Results

Biome-wide patterns in the temperature offset

We found positive and negative temperature offsets of up to 10°C between *in situ* measured mean annual topsoil temperature and gridded air temperature (mean = $3.0 \pm 2.1^\circ\text{C}$ standard deviation, Fig. 1, 0–5 cm depth; 5–15 cm is available in Supplementary Material Figs. S2, 5). The magnitude and direction of these temperature offsets varied considerably within and across biomes. Mean annual topsoil temperature was on average $3.6 \pm 2.3^\circ\text{C}$ higher than gridded air temperature in cold and/or dry biomes, namely tundra, boreal forests, temperate grasslands, and subtropical deserts. In contrast, offsets were slightly negative in warm and wet biomes (tropical savannas, temperate forests, and tropical rainforests) where soils were, on average, $0.7 \pm 2.7^\circ\text{C}$ cooler than gridded air temperature (Fig. 1b, Supplementary Material Figs. S2 and 5; note, however, the lower spatial coverage in these biomes in Fig. 1a, c, d, Supplementary Material Table S4). Temperature offsets in annual minimum and maximum temperature amounted to c. 10°C maximum. While annual soil temperature minima were on average higher than corresponding gridded air temperature minima in all biomes, temperature offsets of annual maxima followed largely the same biome-related trends as seen for the annual means, albeit with the higher variability expected for temperature extremes (Supplementary Material Figs. S2g, S2h, S4g, S4h). Using different air temperature data sources did not alter the annual temperature offset and biome-related patterns (see Methods and Supplementary Material Figs. S2–5).

Soils in the temperate seasonal forest biome were on average 0.8°C ($\pm 2.2^\circ\text{C}$) cooler than air temperature within 1-km² grid cells of forested habitats, and 1.0°C ($\pm 4.0^\circ\text{C}$) warmer than the air within 1-km² grid cells of non-forested habitats, resulting in a biome-wide average of 0.5°C (Supplementary Material Table S7). Similar patterns were observed in other biomes.

Temporal and spatial variation in temperature offsets

Our Random Forest outputs highlighted a strong seasonality in monthly temperature offsets, especially towards higher latitudes (Fig. 2). High-latitude soils were found to be several degrees warmer than the air (monthly offsets of up to 25°C) during their respective winter months, and cooler (up to 10°C) in summer months, both at 0–5 cm (Fig. 2) and 5–15 cm (Supplementary Material Fig. S8) soil depths. In the tropics and subtropics, soils in dry biomes (e.g., in the Sahara Desert or southern Africa) were predicted to be warmer than air throughout most of the year, whilst soils in mesic biomes (e.g., tropical biomes in South America, central Africa and Southeast Asia) were modelled to be consistently cooler, at both soil depths. These global gridded products were then used to create temperature-based global bioclimatic variables for soils (SBIO, Fig. 3, Supplementary Material Fig. S9).

Global variation in soil temperature

We observed 17% less spatial variation in mean annual soil temperature globally (expressed by the standard deviation) than in air temperature, largely driven by the positive offset between soil and air temperature in cold environments (Fig. 4). Importantly, our machine learning models slightly (up to 1°C, or around 10% of variation) underestimated temperature offsets at both extremes of the temperature gradient at the 1-km² resolution (Supplementary Material Fig. S10) and likely even more in comparison with finer-resolution products. Estimates of the reduction in variation across space are thus conservative, especially in the coldest biomes. The reduction in spatial temperature variation was observed in all cold and cool biomes, with tundra and boreal forests having both a significant positive mean temperature offset and a reduction of 20% and 22% in variation, respectively (Fig. 4c). In the warmest biomes (e.g., tropical savanna and subtropical desert), however, we found an increase in variation of, on average, 10%.

Our bootstrap approach to validate modelled monthly offsets indicated high consistency among the outcomes of 100 bootstrapped models (Fig. 5, Supplementary Material Fig. S6a), with standard deviations in most months and across most parts of the globe around or below $\pm 1^\circ\text{C}$. One exception to this was the temperature offset at high latitudes of the northern hemisphere during winter months (standard deviation up to $\pm 5^\circ\text{C}$ in the 0–5 cm layer). Predictive performance was comparable across biomes, although with large variation in data availability (Supplementary Material Fig. S11).

The importance of predictor variables in the RF models was largely consistent across months. Macroclimatic variables such as incoming solar radiation as well as long-term averages in air temperature and precipitation were by far the most influential explanatory variables in the spatial models of the monthly temperature offset (Supplementary Material Figs. S12, 13).

We highlight that the current availability of *in-situ* soil temperature measurements is significantly lower in the tropics (Supplementary Material Table S5), where our model had to extrapolate temperatures beyond the range used to calibrate the model (Fig. 5b, Supplementary Material Fig. S6b).

Finally, our comparison with a mean annual soil temperature product derived from the coarse-resolution ERA5L topsoil temperature showed that spatial variability, e.g., driven by topographic heterogeneity, is much better captured here than in the coarser resolution of the ERA5L-based product (Fig. 6c-e). Nevertheless, our predictions at the coarse scale showed to be condensed within a 5°C range of values from the ERA5L-predictions, for more than 95% of pixels globally. Noteworthy, our predictions resulted in consistently cooler soil temperature predictions than topsoil conditions provided by ERA5L across large areas, such as the boreal and tropical forest biomes (Fig. 6a, b). Additionally, our models predicted lower values for SBIO1 than ERA5L in all regions with mean annual soil temperature below 0°C, except for a few locations around Greenland and Svalbard (Fig. 6a, b).

Discussion

Global patterns in soil temperature

We observed large spatiotemporal heterogeneity in the global offset between soil and air temperature, often in the order of several degrees annually and up to more than 20°C during winter months at high latitudes. These values are in line with empirical data from regional studies (Zhang *et al.*, 2018, Lembrechts *et al.*, 2019, Obu *et al.*, 2019). Both annual and monthly offsets showed clear discrepancies between cold and dry versus warm and wet biomes. The modelled monthly offsets covaried strongly negatively with both long-term averages in free-air temperature and solar radiation, linking to the well-known decoupling of soil from air temperature due to snow (for cold extremes in cold and cool biomes) (Grundstein *et al.*, 2005). However, the secondary importance of variables related to precipitation and soil

structure hints to the additional distinction between wet and dry biomes at the warm end of the temperature gradient. There, buffering due to shading, evapotranspiration and the specific heat of water (mostly against warm extremes in warm and wet biomes) results in cooler soil temperature (Geiger, 1950, Grundstein *et al.*, 2005, Hennon *et al.*, 2010, Wang & Dickinson, 2012, De Frenne *et al.*, 2013, Grünberg *et al.*, 2020), while such buffering is not as strong in warm and dry biomes due to the lower water availability (Wang & Dickinson, 2012, Greiser *et al.*, 2018, Zhou *et al.*, 2021). As such, these results highlight strong macroclimatic impacts on the soil microclimate across the globe (see also De Frenne *et al.*, 2019), yet with soil temperature importantly non-linearly related to air temperature at the global scale. This confirms that the latter is not sufficient as a proxy for temperature conditions near or in the soil. With our soil-specific global bioclimatic products, we have provided the means to correct for these important region-specific, non-linear differences between soil and air temperature at an unprecedented spatial resolution.

Drivers of the temperature offset

Our empirical modelling approach enabled us to accurately map global patterns in soil temperature. In doing so we did not aim to disentangle the mechanisms governing the temperature offset: such an endeavour would require modelling the biophysics of energy exchange at the soil surface across biomes (Kearney *et al.*, 2019, Maclean *et al.*, 2019, Maclean & Klings, 2021). Importantly, many of the predictor variables used in our study (e.g., long-term averages in macroclimatic conditions or solar radiation) are unlikely to represent direct causal relationships underlying the temperature offset, but may rather indirectly relate to many ensuing factors that affect the functioning of ecosystems at fine spatial scales which, in turn, feedback on local temperature offsets, such as energy and water balances, snow cover, wind intensity and vegetation cover (De Frenne *et al.*, 2021). For example, while increased solar radiation itself would theoretically result in soils warming more than the air, high solar radiation at the global scale often coincides with high vegetation cover blocking radiation input to the soil, thus correlating with relatively cooler soils (De Frenne *et al.*, 2021). Our results highlight, however, that the complex relationship between microclimatic soil temperature and macroclimatic air temperature is predictable across large spatial extents thanks to broad scale patterns, even if this is governed by a multitude of local-scale factors involving fine spatiotemporal resolutions. Nevertheless, the predictive quality of our models

was lower in high latitude regions, where high variation in the *in situ* measured offsets – likely driven by the interactions between snow, local topography and vegetation – reduced predictive power of the models at the 1-km² resolution (Greiser *et al.*, 2018, Way & Lewkowicz, 2018, Grünberg *et al.*, 2020, Myers-Smith *et al.*, 2020, Niittynen *et al.*, 2020).

Implications for microclimate warming

Our results highlight clear biome-specific differences in mean annual temperature between air and soil temperatures, as well as a significant reduction in the spatial variation in temperature in the soil or near the soil surface, especially in cold and cool biomes (Fig. 4). These patterns remain even despite the presence of often strongly opposing monthly offset trends (Fig. 2). The observed correlation between long-term averages in macroclimatic conditions and the annual temperature offset illustrates that soil temperature is unlikely to warm at the same rate as air temperature when macroclimate warms. Indeed, one degree of air temperature warming could result in either a bigger or smaller soil temperature change, depending on where along the macroclimatic gradient this is happening. These effects might be seen in cold biome soils most strongly, as they not only experience the largest (positive) temperature offsets and reductions in climate range compared to air temperature (Fig. 4b, c), but they are also expected to experience the strongest magnitude of macroclimate warming (Cooper, 2014, Overland *et al.*, 2014, Chen *et al.*, 2021, GISTEMP Team, 2021). As a result, mean annual temperatures in cold climate soils can be expected to warm slower than the corresponding macroclimate as offsets shrink with increasing macroclimate warming.

Contrastingly, predicted climate warming in hot and dry biomes could be amplified in the topsoil, where we show soils to become increasingly warmer than the air at higher temperatures. Similarly, changes in precipitation regimes – and thus soil moisture – can significantly alter the relationship between air and soil temperature, with critical implications for soil moisture-atmosphere feedbacks, especially in hot biomes (Zhou *et al.*, 2021). Indeed, as precipitation decreases, offsets could turn more positive and soil temperatures might warm even faster than the observed macroclimate warming. Therefore, future research should not only use soil temperature data as provided here to study belowground ecological processes (De Frenne *et al.*, 2013, Lembrechts *et al.*, 2020), it should also urgently investigate future scenarios of soil climate warming in light of changing air temperature and precipitation,

at ecologically relevant spatial and temporal resolutions to incorporate the non-linear relationships exposed so far (Lembrechts & Nijs, 2020).

Within-pixel heterogeneity

We chose to use a 1-km² resolution spatial grid to model mismatches between soil and air temperature, aggregating all values from different microhabitats within the same 1-km² grid cell (e.g., sensors in forested versus open patches) as well as all daily and diurnal variation within a month. Additionally, we used coarse-grained free-air temperature rather than in-situ measured air temperatures. We are aware that higher spatiotemporal resolutions would likely reveal the importance of locally heterogeneous variables. Finer-scale factors that affect the local radiation balance and wind (e.g., topography, snow and vegetation cover, urbanization) at the landscape to local scales and those that directly affect neighbouring locations (e.g. topographic shading and cold-air drainage, Whiteman, 1982, Ashcroft & Gollan, 2012, Lembrechts *et al.*, 2020) would probably have emerged as more important drivers at regional scales and with higher spatiotemporal resolutions than those used here (Supplementary Material Fig. S12). The latter is illustrated by the multi-degree Celsius difference in mean annual temperature between forested and non-forested locations within the same biome (Supplementary Material Table S7), as well as the lower accuracy obtained during winter months at high latitudes, where and when fine-scale spatial heterogeneity in snow cover and depth probably lowers models' predictability at the 1-km² resolution. *In-situ* measurements were largely from areas with a representative vegetation type, supporting the reliability of our predictions for the dominant habitat type within a pixel. However, improved accuracy at high latitudes will depend on the future development of high-resolution snow depth and/or snow water equivalent estimates (Luo *et al.*, 2010).

The SoilTemp database (Lembrechts *et al.*, 2020) will facilitate the necessary steps towards mapping soil temperature at higher spatiotemporal resolutions in the future, with its georeferenced time series of *in situ* measured soil and near-surface temperature and associated metadata. Nevertheless, when compared to existing soil temperature products such as those from ERA5L (Copernicus Climate Change Service (C3S), 2019), we emphasize that the increased resolution of our data products already provides a major technical advance, even though substantial finer within-pixel variation is still lost through spatiotemporal aggregation.

Conclusions

The spatial (biome-specific) and temporal (seasonally variable) offsets between air and soil temperature quantified here likely bias predictions of current and future climate impacts on species and ecosystems (Körner & Paulsen, 2004, Kearney *et al.*, 2009, Cooper, 2014, Opedal *et al.*, 2015, Graae *et al.*, 2018, Zellweger *et al.*, 2020, Bergstrom *et al.*, 2021). Temperature in the topsoil rather than in the air ultimately defines the distribution and performance of most terrestrial species, as well as many ecosystem functions at or below the soil surface (Pleim & Gilliam, 2009, Portillo-Estrada *et al.*, 2016, Hursh *et al.*, 2017, Gottschall *et al.*, 2019). As many ecosystem functions are highly correlated with temperature (yet often non-linear, Johnston *et al.*, 2021), soil temperature rather than air temperature should in those instances be the preferred predictor for estimating their rates and temperature thresholds (Rosenberg *et al.*, 1990, Coûteaux *et al.*, 1995, Schimel *et al.*, 1996). Correcting for the non-linear relationship between air and soil temperature identified here is thus vital for all fields investigating abiotic and biotic processes relating to terrestrial environments (White *et al.*, 2020). Indeed, soil temperature, macroclimate and land-use change will interact to define the future climate as experienced by organisms, and high-resolution soil temperature data is needed to tackle current and future challenges.

By making our global soil temperature maps and the underlying monthly offset data openly available, we offer gridded soil temperature data for climate research, ecology, agronomy and other life and environmental sciences. Future research has the important task of further improving the spatial and temporal resolution of global microclimate products as microclimate operates at much higher temporal resolutions, with temporal variation over hours, days, seasons and years (Potter *et al.*, 2013, Bütikofer *et al.*, 2020), as well as to confirm accuracy of predictions in undersampled regions in the underlying maps (Lembrechts *et al.*, 2021). However, we are convinced that the maps presented here bring us one step closer to having accessible climate data exactly where it matters most for many terrestrial organisms (Kearney & Porter, 2009, Ashcroft *et al.*, 2014, Pincebourde *et al.*, 2016, Niittynen & Luoto, 2018, Lembrechts & Lenoir, 2019). We nevertheless highlight that there is still a long way to go towards global soil microclimate data with an optimal spatiotemporal resolution. We therefore urge all scientists to submit their microclimate time series to the SoilTemp database

to fill data gaps and help to increase the spatial resolution until it matches with the scale at which ecological processes take place (Bütikofer *et al.*, 2020, Lembrechts *et al.*, 2020).

Data availability

All monthly data to train the models and reproduce the figures, sampled covariate data, and models are available at <https://doi.org/10.5281/zenodo.4558663>. Soil bioclim layers SBIO1-11 are also directly available in Google Earth Engine under projects/crowtherlab/soil_bioclim/soil_bioclim_0_5cm and projects/crowtherlab/soil_bioclim/soil_bioclim_5_15cm.

Code availability

All source code is available at <https://doi.org/10.5281/zenodo.4558663>.

Acknowledgements

JJL received funding from the Research Foundation Flanders (grant nr. 12P1819N) The project received funding from the Research Foundation Flanders (grants nrs, G018919N, W001919N). JA received funding from the University of Helsinki, Faculty of Science (MICROCLIM, grant nr. 7510145) and Academy of Finland Flagship (grant no. 337552). PDF, CM and PV received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (ERC Starting Grant FORMICA 757833). JK received funding from the Arctic Interactions at the University of Oulu and Academy of Finland (318930, Profi 4), Maa- ja vesitekniiikan tuki ry., Tiina and Antti Herlin Foundation, Nordenskiöld Samfundet and Societas pro Fauna et Flora Fennica. MK received funding from the Czech Science Foundation (grant nr. 20-28119S) and the Czech Academy of Sciences (grant nr. RVO 67985939). TC received funding from DOB Ecology. National Geographic Society grant no. 9480-14 and WW-240R-17. MA received funding from CISSC (program ICRP (grant nr:2397) and INSF (grant nr: 96005914). The Royal Botanic Garden Edinburgh is supported by the Scottish Government's Rural and Environment Science and Analytical Services Division. JMA received funding from the Funding Org. Qatar Petroleum (grant nr. QUEx-CAS-QP-RD-18/19). JMA received funding from the European Union's Horizon 2020 research and innovation program (grant no. 678841) and from the Swiss National Science Foundation (grant no. 31003A_176044). JA was supported by research grants LTAUSA19137 (program INTER-EXCELLENCE, subprogram INTER-ACTION) provided by Czech Ministry of Education, Youth and Sports and 20-05840Y of the Czech Science Foundation. AA was supported by the Ministry of Science and Higher Education of the Russian Federation (grant FSRZ-2020-0014). SN, UAT, JJA, and JvO received funding from the Independent Research Fund Denmark (7027-00133B). LvdB, KT, MYB and RC acknowledge funding from the German Research Foundation within the Priority Program SPP-1803 "EarthShape: Earth Surface Shaping by Biota" (grant TI 338/14-1&2 and BA 3843/6-1). PB was supported by grant project VEGA of the Ministry of Education of the Slovak Republic and the Slovak Academy of Sciences No. 2/0132/18. Forest Research received funding from the Forestry Commission (climate change research programme). JCB acknowledges the support of Universidad Javeriana. JLBA received funding from the Dirección General de Cambio Climático del Gobierno de Aragón; JLBA acknowledges fieldwork assistance by Ana Acín, the Ordesa y Monte Perdido National Park, and the Servicio de Medio Ambiente de Soria de la Junta de Castilla y León. RGB and MPB received funding from BECC - Biodiversity and Ecosystem services in a Changing Climate. MPB received funding from The European Union's Horizon 2020 research and innovation program under the Marie Skłodowska-Curie Grant Agreement No. 657627 and The Swedish Research Council FORMAS – future research leaders No. 2016-01187. JB received funding from the Czech Academy of Sciences (grant nr. RVO 67985939). NB received funding from the SNF (grant numbers 40FA40_154245, 20FI21_148992, 20FI20_173691, 407340_172433) and from the EU (contract no. 774124). ICOS EU research infrastructure. EU FP7 NitroEurope. EU FP7 ECLAIRE. The authors from Biological Dynamics of Forest Fragments Project, PDBFF, Instituto Nacional de Pesquisas da Amazônia, Brazil were supported by the MCTI/CNPq/FNDCT – Ação Transversal n°68/2013 – Programa de Grande Escala da Biosfera-Atmosfera na Amazônia – LBA; Project "Como as florestas da Amazônia Central respondem às variações climáticas? Efeitos sobre dinâmica florestal e sinergia com a fragmentação florestal." This is the study 829 of the BDFFP Technical Series. to The EUCFLUX Cooperative Research Program and Forest Science and Research Institute-IPEF. NC acknowledges funding by Stelvio National Park. JC was funded by the Spanish government grant CGL2016-78093-R. ANID-FONDECYT

1181745 AND INSTITUTO ANTARTICO CHILENO (INACH FR-0418). SC received funding from the German Research Foundation (grant no. DFG– FZT 118, 202548816). The National Science Foundation, Poland (grant no. UMO-2017/27/B/ST10/02228), within the framework of the “Carbon dioxide uptake potential of sphagnum peatlands in the context of atmospheric optical parameters and climate changes”(KUSCO2) project. SLC received funding from the South African National Research Foundation and the Australian Research Council. FM, MČ, KU and MU received funding from Slovak Research and Development Agency (no. APVV-19-0319). Instituto Antartico Chileno (INACH_RT-48_16), Iniciativa Científica Milenio Núcleo Milenio de Salmónidos Invasores INVASAL, Institute of Ecology and Biodiversity (IEB), CONICYT PIA APOYO CCTE AFB170008. PC is supported by NERC core funding to the BAS 'Biodiversity, Evolution and Adaptation Team. EJC received funding from the Norwegian Research Council (grant number 230970). GND was supported by NERC E3 doctoral training partnership grant (NE/L002558/1) at the University of Edinburgh and the Carnegie Trust for the Universities of Scotland. Monitoring stations on Livingston Island, Antarctica were funded by different research projects of the Góvern of Spain (PERMAPLANET CTM2009-10165-E; ANTARPERMA CTM2011-15565-E; PERMASNOW CTM2014-52021-R), and the PERMATHERMAL arrangement between the University of Alcalá and the Spanish Polar Committee. GN received funding from the Autonomous Province of Bolzano (ITA). The infrastructure, part of the UK Environmental Change Network, was funded historically in part by ScotNature and NERC National Capability LTS-S: UK-SCAPE; NE/R016429/1). JD was supported by the Czech Science Foundation (GA17-19376S) and MSMT (LTAUSA18007). ED received funding from the Kempe Foundation (JCK-1112 and JCK-1822). The infrastructure was supported by the Ministry of Education, Youth and Sports of the Czech Republic within the National Sustainability Programme I (NPU I), grant number LO1415 and by the project for national infrastructure support CzeCOS/ICOS Reg.No. LM2015061. NE received funding from the German Research Foundation (DFG– FZT 118, 202548816). BE received funding from the GLORIA-EU project no EVK2-CT2000-00056, the Autonomous Province of Bolzano (ITA), from the Tiroler Wissenschaftsfonds and from the University of Innsbruck. RME was supported by funding to the SAFE Project from the Sime Darby Foundation. OF received funding from the German Research Foundation (DFG– FZT 118, 202548816). EFP was supported by the Jardín Botánico Atlántico (SV-20-GIJON-JBA). MF was funded by the German Federal Ministry of Education and Research (BMBF) in the context of The Future Okavango (Grant No. 01LL0912) and SASSCAL (01LG1201M; 01LG1201N) projects. EFL received funding from ANID PIA / BASAL FB210006. RAG received funding from Fondecyt 11170516, CONICYT PIA AFB170008 and ANID PIA / BASAL FB210006. MBG received funding from National Parks (DYNBIO, #1656/2015) and The Spanish Research Agency (VULBIMON, #CGL2017-90040-R). MG received funding from the Swiss National Science Foundation (ICOS-CH Phase 2 20FI20_173691). FG received funding from the German Research Foundation (DFG– FZT 118, 202548816). KG and TS received funding from the UK Biotechnology and Biological Research Council (grant = 206/D16053). SG was supported by the Research Foundation Flanders (FWO) (project G0H1517N). KJ and PH received funding from the EU Horizon2020 INFRAIA project eLTER-PLUS (871128), the project LTER-CWN (FFG, F&E Infrastrukturförderung, project number 858024) and the Austrian Climate Research Program (ACRP7 – CentForCSink – KR14AC7K11960). SH and ARB received funding through iDiv funded by the German Research Foundation (DFG– FZT 118, 202548816). LH received funding from the Czech Science Foundation (grant nr. 20-28119S) and the Czech Academy of Sciences (grant nr. RVO 67985939). MH received funding from the Baden-Württemberg Ministry of Science, Research and Arts via the project DRieR (Drought impacts, processes and resilience: making the in-visible visible). LH received funding from International Polar Year, Weston Foundation, and ArcticNet. DH received funding from Natural Sciences and Engineering Council (Canada) (RGPIN-06691). TTH received funding from Independent Research Fund Denmark (grant no. 8021-00423B) and Villum Foundation (grant no. 17523). Ministry of Education, Youth and Sports of the Czech Republic (projects LM2015078, VAN2020/01 and CZ.02.1.01/0.0/0.0/16_013/0001708). KH, CG and CJD received funding from Bolin Centre for Climate Research, Stockholm University and from the Swedish research council Formas [grant n:o 2014-00530 to KH]. JJ received funding from the Funding Org. Swedish Forest Society Foundation (grant nr. 2018-485-Steg 2 2017) and Swedish Research Council FORMAS (grant nr. 2018-00792). AJ received funding from the German Federal Ministry of Education and Research BMBF (Grant Nr. FKZ 031B0516C SUSALPS) and the Oberfrankenstiftung (Grant Nr. OFS FP00237). ISJ received funding from the Energy Research Fund (NÝR-11 - 2019, NÝR-18 - 2020). TJ was supported by a UK NERC Independent Research Fellowship (grant number: NE/S01537X/1). RJ received funding from National Science Centre of Poland (grant number: 2016/21/B/ST10/02271) and Polish National Centre for Research and Development (grant number: Pol-Nor/203258/31/2013). VK received funding from the Czech Academy of Sciences (grant nr. RVO 67985939). AAK received funding from MoEFCC, Govt of India (AICOPTAX project F. No. 22018/12/2015/RE/Tax). NK received funding from FORMAS, VR, support from the research infrastructure ICOS. BK received funding from the National Research, Development and Innovation Fund of Hungary (grant nr. K128441). Ministry of Education, Youth and Sports of the Czech Republic (projects LM2015078 and CZ.02.1.01/0.0/0.0/16_013/0001708). Project B1-RNM-163-UGR-18-Programa Operativo FEDER 2018, partially funded data collection. Norwegian Research Council (NORKLIMA grants #184912 and #244525) awarded to Vigdis Vandvik. MM received funding from the Czech Science Foundation (grant nr. 20-28119S) and the Czech Academy of Sciences (grant nr. RVO 67985939). Project CONICYT-PAI 79170119 and ANID-MPG 190029 awarded to Roy Mackenzie. This work was partly funded by project MIUR PON Cluster OT4CLIMA. RM received funding from the SNF project number 407340_172433. FM received funding from the Stelvio National Park. PM received funding from AIAS-COFUND fellowship programme supported by the Marie Skłodowska- Curie actions under the European Union's Seventh Framework Pro-gramme for Research, Technological development and Demonstration (grant agreement no 609033) and the Aarhus University Research Foundation, Denmark. RM received funding from the Ministry of Education, Youth and Sports of the Czech Republic (project LTT17033). SM and VM received funding from EU FP6 NitroEurope (grant nr. 17841), EU FP7 ÉCLAIRE (grant nr. 282910), the Ministry of Education and Science of Ukraine (projects nr. 505, 550, 574, 602), GEF-UNEP funded “Toward INMS” project (grant nr. NEC05348) and ENI CBC BSB PONTOS (grant nr. BSB 889). The authors from Biological Dynamics of Forest Fragments Project, PDBFF, Instituto Nacional de Pesquisas da Amazônia, Brazil were supported by the MCTI/CNPq/FNDCT – Ação Transversal n°68/2013 – Programa de Grande Escala da Biosfera-Atmosfera na Amazônia – LBA; Project “Como as florestas da Amazônia Central respondem às variações climáticas? Efeitos sobre dinâmica florestal e sinergia com a fragmentação florestal.”. FJRM was financially supported by the Netherlands Organization for Scientific Research (VICI grant 016.VICI.170.072) and Research Foundation Flanders (FWO-SBO grant S000619N). STM received funding from New Frontiers in Research Fund-Exploration (grant nr. NFRF-2018-02043) and NSERC Discovery. MMR received funding from the Australian Research Council Discovery Early Career Research Award (grant nr. DE180100570). JAM received funding from the National Science Foundation (DEB 1557094), International Center for Advanced Renewable Energy and Sustainability (I-CARES) at Washington University in St. Louis, ForestGEO, and Tyson Research Center. IM-S was funded by the UK Natural Environment Research Council through the ShrubTundra Project (NE/M016323/1). MBN received funding from FORMAS, VR, Kempe Foundations support from the research

infrastructures ICOS and SITES. MDN received funding from CONICET (grant nr. PIP 112-201501-00609). Spanish Ministry of Science grant PID2019-110521GB-I00 and Catalan government grant 2017-1005. French National Research Agency (ANR) in the frame of the Cluster of Excellence COTE (project HydroBeech, ANR-10-LABX-45). VLIR-IOUS, under the Institutional University Cooperation programme (IUC) with Mountains of the Moon University. Project LAS III 77/2017/B entitled: "Estimation of net carbon dioxide fluxes exchanged between the forest ecosystem on post-agricultural land and between the tornado-damaged forest area and the atmosphere using spectroscopic and numerical methods", source of funding: General Directorate of State Forests, Warsaw, Poland. Max Planck Society (Germany), RFBR, Krasnoyarsk Territory and Krasnoyarsk Regional Fund of Science, project number 20-45-242908. Estonian Research Council (PRG609), and the European Regional Development Fund (Centre of Excellence EcolChange). Canada-Denmark Arctic Research Station Early Career Scientist Exchange Program, from Polar knowledge Canada (POLAR) and the Danish Agency for Science and Higher Education. AP received funding from Fondecyt 1180205, CONICYT PIA AFB170008 and ANID PIA / BASAL FB210006. MP received funding from the Funding Org. Knut and Alice Wallenberg Foundation (grant nr. 2015.0047), and acknowledges funding from the Swedish Research Council (VR) with contributing research institutes to both the SITES and ICOS Sweden infrastructures. JP and RO were funded by the Spanish Ministry of Science grant PID2019-110521GB-I00, the fundación Ramón Areces grant ELEMENTAL-CLIMATE, and the Catalan government grant 2017-1005. MPB received funding from the Svalbard Environmental Protection Fund (grant project number 15/128) and the Research Council of Norway (Arctic Field Grant, project number 269957). RP received funding from the Ministry of Education, Youth and Sports of the Czech Republic (grant INTER-TRANSFER nr. LTT20017). LTSEr Zone Atelier Alpes; Fédération FREE-Alpes. RP received funding from a Humboldt Fellowship for Experienced Researchers. Prokushkin AS and Zyryanov VI contribution has been supported by the RFBR grant #18-05-60203-Arkika. RPU received funding from the Polish National Science Centre (grant project number 2017/27/B/NZ8/00316). ODYSSEE project (ANR-13-ISV7-0004, PN-II-ID-JRP-RO-FR-2012). KR was supported through an Australian Government Research Training Program Scholarship. Fieldwork was supported by the Global Challenges program at the University of Wollongong, the ARC the Australian Antarctic Division and INACH. Project SUBANTECO IPEV 136 (French Polar Institute Paul-Emile Victor), Zone Atelier CNRS Antarctique et Terres Australes, SAD Région Bretagne (Project INFLICT), BiodivERsa 2019-2020 BioDivClim call 'ASICS' (ANR-20-EBIS-0004). SAR received funding from the Australian Research Council. NSF grant #1556772 to the University of Notre Dame. Pavia University (Italy). OR received funding from EU-LEAP-Agri (RAMSES II), EU-DESIRA (CASSECS), EU-H2020 (SustainSahel), AGROPOLIS and TOTAL Foundations (DSCATT), CGIAR (GLDC). AR was supported by the Russian Science Foundation (Grant 18-74-10048). Parc national des Ecrins. JS received funding from Vetenskapsrådet grant nr (No: 2014-04270), ALTER-net multi site grant, River LIFE project (LIFE08 NAT/S/000266), Flexpeil. Helmholtz Association long-term research program TERENO (Terrestrial Environmental Observatories). PS received funding from the Polish Ministry of Science and Higher Education (grant nr. N N305 304840). AS acknowledges funding by ETH Zürich project FEVER ETH-27 19-1. LSC received funding from NSERC Canada Graduate Scholarship (Doctoral) Program; LSC was also supported by ArcticNet-NCE (insert grant #). Conselho Nacional de Desenvolvimento Científico e Tecnológico (141513/2017-9); Fundação Carlos Chagas Filho de Amparo à Pesquisa do Estado do Rio de Janeiro (E26/200.84/2019). ZS received funding from the SRDA (grants nos. APVV-16-0325 and APVV-20-0365) and from the ERDF (grant no. ITMS 313011S735, CE LignoSilva). JS, MB, and CA received funding from core budget of ETH Zurich. State excellence Program M-V "WETSCAPES". AfricanBioServices project funded by the EU Horizon 2020 grant number 641918. The authors from KIT/IMK-IFU acknowledge the funding received within the German Terrestrial Environmental Observatories (TERENO) research program of the Helmholtz Association and from the Bavarian Ministry of the Environment and Public Health (UGV06080204000). Deutsche Forschungsgemeinschaft (DFG, German Research Foundation), project number 192626868, in the framework of the collaborative German-Indonesian research project CRC 990 (SFB): "EFForTS, Ecological and Socioeconomic Functions of Tropical Lowland Rainforest Transformation Systems (Sumatra, Indonesia)". MS received funding from the Ministry of Education, Youth and Sports of the Czech Republic (grant nr. INTER-TRANSFER LTT19018). TT received funding from the Swedish National Space Board (SNSB Dnr 95/16) and the CASSECS project supported by the European Union. HJDT received funding from the UK Natural Environment Research Council (NERC doctoral training partnership grant NE/L002558/1). German Science Foundation (DFG) GraKo 2010 "Response". PDT received funding from the MEMOIRE project (PN-III-P1-1.1-PD2016-0925). Arctic Challenge for Sustainability II (ArCS II; JPMXD1420318865). JU received funding from Czech Science Foundation (grant nr. 21-114875). TU received funding from the Romanian Ministry of Education and Research (CCCDI - UEFISCDI -project PN-III-P2-2.1-PED-2019-4924 and PN2019-2022/19270201-Ctr. 25N BIODIVERS 3-BIOSERV). AV acknowledge funding from RSF, project 21-14-00209. GFV received funding from the Dutch Research Council NWO (Veni grant, no. 863.14.013). Australian Research Council Discovery Early Career Research Award DE140101611. FGAV received funding from the Portuguese Science Foundation (FCT) under CEECIND/02509/2018, CESAM (UIDP/50017/2020+UIDB/50017/2020), FCT/MCTES through national funds, and the co-funding by the FEDER, within the PT2020 Partnership Agreement and Compete 2020. Ordesa y Monte Perdido National Park. MVI received funding from the Spanish Ministry of Science and Innovation through a doctoral grant (FPU17/05869). JW received funding from the Czech Science Foundation (grant nr. 20-28119S) and the Czech Academy of Sciences (grant nr. RVO 67985939). CR and SW received funding from the Swiss Federal Office for the Environment (FOEN) and the de Giacomo foundation. YY received funding from the National Natural Science Foundation of China (Grant no. 41861134039 and 41941015). ZY received funding from the National Natural Science Foundation of China (grant nr. 41877458). FZ received funding from the Swiss National Science Foundation (grant nr. 172198 and 193645). PZ received funding from the Funding Org. Knut and Alice Wallenberg Foundation (grant no. 2015.0047). JL received funding from: (i) the Agence Nationale de la Recherche (ANR), under the framework of the young investigators (JCJC) funding instrument (ANR JCJC Grant project N°ANR-19-CE32-0005-01: IMPRINT); (ii) the Centre National de la Recherche Scientifique (CNRS) (Défi INFINITI 2018: MORFO); and the Structure Fédérative de Recherche (SFR) Condorcet (FR CNRS 3417: CREUSE)

Fieldwork in the Arctic got facilitated by funding from the EU INTERACT program. SN, UAT, JJA, and JvO would like to thank the field team of the Vegetation Dynamics group for their efforts and hard work. We acknowledge Dominique Tristan for letting access to the field. for the logistic support the crew of INACH and Gabriel de Castilla Station team on Deception Island. We thank the Inuvialuit and Kluane First Nations for the opportunity to work on their land. MadP acknowledges fieldwork assistance and logistics support to Unidad de Tecnología Marina CSIC, and the crew of Juan Carlos I and Gabriel de Castilla Spanish Antarctic Stations, as well as to the different colleagues from UAH that helped on the instruments maintenance. ERF acknowledges fieldwork assistance by Martin Heggli. MBG acknowledges fieldwork and technical assistance by P Abadía, C Benedé, P Bravo, J Gómez, M Grasa, R Jimenez, H Miranda, B Ponz, J Revilla and P Tejero, and the Ordesa and Monte Perdido National Park staff. LH acknowledges field assistance by John Jacobs, Andrew Trant, Robert Way, Darroch

Whitaker; I acknowledge the Inuit of Nunatsiavut, and the Cooperative Management Board of Torngat Mountains National Park for their support of this project and acknowledge that the field research was conducted on their traditional lands. We thank our many bear guides, especially Boonie, Eli, Herman, John, and Maria Merkuratsuk. AAK acknowledges field support of Akhtar Malik, Rameez Ahmad. Part of microclimatic records from Saxony was funded by the Saxon Switzerland National Park Administration. Tyson Research Center. JP acknowledges field support of Emmanuel Malet (Edytem) and Rangers of Réserves Naturelles de Haute-Savoie (ASTERS). practical help: Roel H. Janssen, N. Huig, E. Bakker, Schools in the tepāseförsöket, Forskar fredag, Erik Herberg. The support by the Bavarian Forest National Park administration is highly appreciated. Liesbeth acknowledges CONAF and onsite support from the park rangers from PN Pan de Azucar, PN La Campana, PN Nahuelbuta and from comunidad agrícola Quebrada de Talca. JL and FS acknowledge Manuel Nicolas and all forest officers from the Office National des Forêts (ONF) who are in charge of the RENECOFOR network and who provided help and local support for the installation and maintenance of temperature loggers in the field.

Author contributions

JJL and JL conceptualized the project, JJL, JvdH, MBA, PDF, MK, ML, IMDM, TWC, IN and JL designed the paper, the SoilTemp consortium acquired the data, JJL, JVDH, JK, and PN analysed the data, JJL, JvdH, JA, MBA, PDF, JK, MK, ML, IMDM, TWC, JJB, SH, DHK, PN, BRS and KVM interpreted the analyses. All authors significantly revised the manuscript and approved it for submission.

The authors declare no competing interests.

Affiliations

1) Research Group PLECO (Plants and Ecosystems), University of Antwerp, 2610 Wilrijk, Belgium, 2) Department of Environmental Systems Science, Institute of Integrative Biology, ETH Zürich, Zürich, Switzerland, 3) Finnish Meteorological Institute, P.O. Box 503, FI-00101 Helsinki, Finland, 4) Department of Geosciences and Geography, Gustaf Hållströmin katu 2a, FIN-00014 University of Helsinki, Finland, 5) Centre for Sustainable Ecosystem Solutions, School of Biological Sciences, University of Wollongong, Wollongong, Australia, 6) Australian Museum, Sydney, Australia, 7) Forest & Nature Lab, Department of Environment, Ghent University, Geraardsbergsesteenweg 267, 9090 Melle-Gontrode, Belgium, 8) Geography Research Unit, University of Oulu, Oulu, Finland, 9) Institute of Botany of the Czech Academy of Sciences, Zámek 1, CZ-25243, Průhonice, Czech Republic, 10) Faculty of Forestry and Wood Sciences, Czech University of Life Sciences Prague, Kamýcká 129, CZ-165 21, Prague 6 - Suchbát, Czech Republic, 11) Dept of Geosciences and Geography, Gustaf Hållströmin katu 2a, FIN-00014 Univ. of Helsinki, Finland, 12) Environment and Sustainability Institute, University of Exeter, Penryn Campus, Penryn, UK, TR10 9FE, 13) Department of Geography, York St John University, Lord Mayor's Walk, York, YO31 7EX, United Kingdom, 14) Department of Earth and Environmental Sciences, KU Leuven, Celestijnenlaan 200E, 3001 Leuven, Belgium, 15) School of Natural Resources and Environment, University of Florida, Gainesville, FL 32611, USA, 16) Smithsonian Environmental Research Center, Edgewater MD 21037 USA, 17) Department of Wildlife Ecology and Conservation, University of Florida, Gainesville, FL 32611, USA, 18) Department of Natural Sciences and Environmental Health, University of South-Eastern Norway, Gullbringvegen 36, NO-3800, Bø, Norway, 19) Alpine Ecosystems Research Program, Institute of Ecology, Ilia State University, Tbilisi, Georgia, 20) Department of Range Management, Faculty of Natural Resources and Marine Sciences, Tarbiat Modares University, Noor, Mazandaran Province, I. R. Iran, 21) Department of Ecological Science, Vrije Universiteit Amsterdam, The Netherlands., 22) Royal Botanic Garden Edinburgh, 20A Inverleith Row, EH3 5LR, Edinburgh, UK, 23) Environmental Science Center, Qatar University, Doha, Qatar, 24) Department of Environmental Systems Science, Institute of Integrative Biology, ETH Zurich, Universitätsstrasse 16, CH-8092 Zürich, Switzerland, 25) Research group ECOBE, University of Antwerp, 2610 Wilrijk, Belgium, 26) Department of Agroecology and Environment, Agroscope Research Institute, Reckenholzstrasse 191, 8046 Zürich, Switzerland, 27) Department of Environmental Systems Science, ETH Zurich, Universitaetstrasse 2, 8092 Zurich, Switzerland, 28) UK Centre for Ecology & Hydrology, Bush Estate, Penicuik, Midlothian, EH26 0QB, United Kingdom, 29) Department of Physical Geography and Ecosystem Science, Lund University, Sölvegatan 12, 223 62 Lund, Sweden, 30) European Commission, Joint Research Centre (JRC), Ispra, Italy, 31) Siberian Federal University, 660041 Krasnoyarsk, Russia, 32) Instituto Argentino de Nivología, Glaciología y Ciencias Ambientales (IANIGLA), CONICET, CCT-Mendoza; Facultad de Ciencias Exactas y Naturales, Universidad Nacional de Cuyo, 33) Instituto Argentino de Nivología, Glaciología y Ciencias Ambientales (IANIGLA), CONICET, CCT-Mendoza, 34) Natural History Museum, University of Oslo, 0318, Oslo, Norway, 35) Section for Ecoinformatics & Biodiversity, Department of Biology, Aarhus University, Aarhus C, Denmark, 36) Center for Biodiversity Dynamics in a Changing World, Department of Biology, Aarhus University, Aarhus C, Denmark, 37) Ecological Plant Geography, Faculty of Geography, University of Marburg, Deutschhausstrasse 10, 35032, Marburg, Germany, 38) Institute of Landscape Ecology Slovak Academy of Sciences, Štefánikova 3, 81499 Bratislava, Slovakia, 39) Faculty of Environmental and Forest Sciences, Agricultural University of Iceland, Árleyni 22, 112 Reykjavík, Iceland, 40) Instituto Argentino de Nivología, Glaciología y Ciencias Ambientales (IANIGLA), CONICET, CCT-Mendoza, 41) Isotope Bioscience Laboratory - ISOFYS, Ghent University, Coupure Links 653, 9000 Gent, Belgium, 42) Université de Rennes, CNRS, EcoBio (Ecosystèmes, biodiversité, évolution) - UMR 6553, F-35000 Rennes, France, 43) Department of Sustainable Agro-ecosystems and Bioresources, Research and Innovation Centre, Fondazione Edmund Mach, Via E. Mach 1, 38010 San Michele all'Adige, Italy, 44) Forest Research, Alice Holt Lodge, Wrecclesham, Farnham, UK, 45) Department of Ecology, Pontificia Universidad Javeriana, Bogotá, Colombia, 46) Jolube Consultor Botánico. C/Mariano R de Ledesma, 4. E-22700 Jaca, Huesca, SPAIN, 47) Institute of Landscape and Plant Ecology, Department of Plant Ecology, University of Hohenheim, Ottilie-Zeller_weg 2, 70599 Stuttgart, Germany, 48) Disturbance Ecology, BayCEER, University of Bayreuth, Universitätsstr. 30, 95447 Bayreuth, Germany, 49) Norwegian Institute for Nature Research, FRAM - High North Research Centre for Climate and the Environment, P.O. Box 6606 Langnes, N-9296 Tromsø, Norway, 50) Department of Earth Sciences, University of Gothenburg, P.O. Box 460, SE-40530 Gothenburg, Sweden, 51) Gothenburg Global Biodiversity Centre, P.O. Box 461, SE-405 30 Gothenburg, Sweden, 52) Department of Biological and Environmental Sciences, University of Gothenburg, P.O. Box 461, 43 Gothenburg SE-405 30, Sweden, 53) Department of Environmental Science, Policy, and Management, University of California,

949 Berkeley, CA 94720 USA, 54) Alfred Wegener Institute Helmholtz Center for Polar and Marine Research, Telegrafenberg A45, 14473
 950 Potsdam, Germany, 55) Geography Department, Humboldt-Universität zu Berlin, Germany, 56) Pós-Graduação em Ciências de Florestas
 951 Tropicais, Instituto Nacional de Pesquisas da Amazônia, Manaus, Brasil, CEP: 69060-001, 57) UMR ECOSYS INRAE, AgroParisTech,
 952 Université Paris Saclay, France, 58) Biological Dynamics of Forest Fragments Project, BDFFP, Instituto Nacional de Pesquisas da Amazônia,
 953 Av. André Araújo, 2936 - Petrópolis, Manaus, Amazonas, 69067-375, Brazil, 59) Department of Forest Sciences, Federal University of
 954 Lavras, 37.200-900, Lavras, MG, Brazil, 60) Faculty of Arts and Sciences, Department of Molecular Biology and Genetics, Ordu University,
 955 52200, Ordu, Turkey, 61) Ecological Plant Geography, Faculty of Geography, University of Marburg, Deutschhausstrasse 10, 35032,
 956 Marburg, Germany., 62) Plant Ecology Group, Department of Evolution and Ecology, University of Tübingen, Auf der Morgenstelle 5, 72076
 957 Tübingen, Germany, 63) Department of Science and High Technology, Insubria University, Via Valleggio 11, 22100 Como, Italy, 64)
 958 Department of Chemistry, Life Sciences and Environmental Sustainability, University of Parma, Parco Area delle Scienze 11/A, 43124
 959 Parma, Italy, 65) Department of Evolutionary Biology, Ecology and Environmental Sciences, Biodiversity Research Institute (IRBio),
 960 University of Barcelona, 08028 Barcelona, Catalonia, Spain, 66) CREAF, E08193 Bellaterra (Cerdanyola del Vallès), Catalonia, Spain, 67)
 961 Laboratorio de Ecofisiología Vegetal y Cambio Climático, Laboratorio de Ecofisiología Vegetal y Cambio Climático, Departamento de
 962 Ciencias Veterinarias y Salud Pública, Universidad Católica de Temuco, Campus Luis Rivas del Canto and Núcleo de Estudios Ambientales
 963 (NEA), Facultad de Recursos Naturales, Universidad Católica de Temuco, Temuco, 4780000, Chile, 68) German Centre for Integrative
 964 Biodiversity Research (iDiv) Halle-Jena-Leipzig, Leipzig, Germany, 69) Institute of Biology, Leipzig University, Leipzig, Germany, 70)
 965 Laboratory of Bioclimatology, Department of Ecology and Environmental Protection, Poznan University of Life Sciences, ul. Piatkowska 94,
 966 60-649, Poznan, Poland, 71) Univ. Grenoble Alpes, Univ. Savoie Mont Blanc, CNRS, LECA, F-38000 Grenoble, France, 72) Univ. Grenoble
 967 Alpes, Univ. Savoie Mont Blanc, CNRS, LTSEZ Zone Atelier Alpes, F-38000 Grenoble, France, 73) Securing Antarctica's Environmental
 968 Future, School of Biological Sciences, Monash University, Victoria 3800, Australia, 74) Forest Ecology and Conservation Group, Department
 969 of Plant Sciences, University of Cambridge, Cambridge CB23EA, UK, 75) Faculty of Ecology and Environmental Sciences, Technical
 970 University in Zvolen, T. G. Masaryka 24, 960 01 Zvolen, Slovakia, 76) Sub-Antarctic Biocultural Conservation Program, Universidad de
 971 Magallanes, Pde. Manuel Bulnes 01855, Punta Arenas, Magallanes y la Antártica Chilena, 77) Núcleo Milenio de Salmónidos Invasores,
 972 INVASAL, Concepción, Chile, 78) British Antarctic Survey, NERC, High Cross, Madingley Road, Cambridge CB3 0ET, United Kingdom, 79)
 973 Department of Arctic and Marine Biology, Faculty of Biosciences Fisheries and Economics, UiT-The Arctic University of Norway, N-9037
 974 Tromsø, Norway, 80) Climate Change Unit, Environmental Protection Agency of Aosta Valley, Italy, 81) Department of Biological Sciences,
 975 University of Notre Dame, Notre Dame, IN 46556, USA, 82) Department of Science, University of Roma Tre, 00146 Rome, Italy, 83)
 976 Department of Ecology, Environment and Plant Sciences and Bolin Centre for Climate Research, Stockholm University, 106 91 Stockholm,
 977 Sweden, 84) the County Administrative Board of Västra Götaland, SE-403 40 Gothenburg, Sweden, 85) School of GeoSciences, University
 978 of Edinburgh, King's Buildings, Edinburgh, EH9 3FF, United Kingdom, 86) Department of Geology, Geography and Environment. University
 979 of Alcalá. 28805 Alcalá de Henares, Madrid, Spain., 87) Chair of Geoinformatics, Technische Universität Dresden, Dresden, Germany, 88)
 980 Vegetation Ecology, Institute of Natural Resource Sciences (IUNR), ZHAW Zurich University of Applied Sciences, Grüentalstr. 14, 8820
 981 Wädenswil, Switzerland, 89) Plant Ecology, Bayreuth Center of Ecology and Environmental Research (BayCEER), University of Bayreuth,
 982 Universitätsstr. 30, 95447 Bayreuth, Germany, 90) VITO-TAP, Boeretang 200, 2400-Mol, Belgium, 91) Swiss Federal Research Institute WSL,
 983 8903 Birmensdorf, Switzerland, 92) Majella Seed Bank, Majella National Park, Colle Madonna, 66010 Lama dei Peligni, Italy, 93)
 984 Department of Life, Health and Environmental Sciences, University of L'Aquila, Piazzale Salvatore Tommasi 1, 67100 L'Aquila, Italy, 94)
 985 Grupo de Ecología de Poblaciones de Insectos, IFAB (INTA - CONICET), Modesta Victoria 4450, Bariloche, Argentina, 95) Department of
 986 Biology and Biochemistry, University of Houston, Houston, Texas, 77204 USA, 96) Faculty of Science, Department of Botany, University of
 987 South Bohemia, Na Zlaté Stoe 1, 37005 České Budějovice, Czech Republic, 97) Climate Impacts Research Centre, Department of Ecology
 988 and Environmental Science, Umeå University, Abisko, Sweden, 98) Global Change Research Institute, Academy of Sciences of the Czech
 989 Republic, 99) School of Biological Sciences, The University of Western Australia, Crawley, WA 6009, Australia, 100) Kings Park Science,
 990 Department of Biodiversity, Conservation & Attractions, Kings Park, 6005 WA, Australia, 101) Department of Botany, Faculty of Biology,
 991 University of Innsbruck, Sternwartestraße 15, 6020 Innsbruck, Austria, 102) Imperial College London, Silwood Park Campus, Ascot SL5 7PY,
 992 UK, 103) Operation Wallacea, Wallace House, Old Bolingbroke, Lincolnshire, PE23 4EX, UK, 104) INRAE, Bordeaux Sciences Agro, UMR
 993 1391 ISPA, F-33140 Villenave d'Ornon, France, 105) Department of Life and Environmental Sciences, University of Cagliari, Viale
 994 Sant'Ignazio da Laconi 13, 09123, Cagliari, Italy., 106) Department of Botany, University of Granada, 18071, Granada, Spain, 107) IMIB –
 995 Biodiversity Research Institute, University of Oviedo, Mieres, Spain, 108) Institute for Plant Science and Microbiology, University of
 996 Hamburg, Ohnhorststr. 18, 22609 Hamburg, Germany, 109) Dartmouth College, Hanover, NH, USA, 110) Ecosystems and Global Change
 997 Group, Department of Plant Sciences, University of Cambridge, Cambridge, CB2 3EA, United Kingdom, 111) WSL Institute for Snow and
 998 Avalanche Research SLF, 7260 Davos, Switzerland, 112) Climate Change, Extremes and Natural Hazards in Alpine Regions Research Center
 999 CERC, Flüelastrasse 11, 7260 Davos Dorf, Switzerland, 113) Swiss Federal Research Institute for Forest, Snow and Landscape Research WSL,
 1000 8903 Birmensdorf, Switzerland, 114) Laboratorio de Invasiones Biológicas (LIB), Facultad de Ciencias Forestales, Universidad de
 1001 Concepción, Concepción, Chile, 115) School of Education and Social Sciences, Adventist University of Chile, Chile, 116) Instituto de Ecología
 1002 y Biodiversidad (IEB), Santiago, Chile, 117) Pyrenean Institute of Ecology (CSIC), Av. Montañana 1005, 50059 Zaragoza, Spain, 118)
 1003 Biodiversity and Landscape, TERRA research centre, Gembloux Agro-Bio Tech, University of Liège, Gembloux, 5032, Belgium ; Research
 1004 Group PLECO (Plants and Ecosystems), University of Antwerp, 2610 Wilrijk, Belgium, 119) Department of Geo-information in
 1005 Environmental Management, Mediterranean Agronomic Institute of Chania, PO Box 85, 73100 Chania, Greece, 120) Georgian Institute of
 1006 Public Affairs, department of Environmental management ad policy, Tbilisi, Georgia, 121) Flemish Institute for Technological Research,
 1007 2400 Mol, Belgium, 122) Department of Earth and Environmental Science, Faculty of BioScience Engineering, KULeuven, Belgium, 123)
 1008 Max Planck Institute for Biogeochemistry, Department of Biogeochemical Signals, Jena, Germany, 124) Sustainable Agricultural Sciences
 1009 Department, Rothamsted Research, Harpenden, AL5 2JQ, UK, 125) Department of Biology, Norwegian University of Science and
 1010 Technology, 7034 Trondheim, Norway, 126) Biodiversity, Wildlife and Ecosystem Health, Biomedical Sciences, University of Edinburgh,
 1011 Edinburgh, EH8 9JZ, UK, 127) Department of Ecology, Swedish University of Agricultural Sciences, Box 7042, S-750 07 Uppsala, 128) School
 1012 of Biological Sciences, The University of Hong Kong, Pok Fu Lam Road, Hong Kong SAR, China, 129) Department of Theoretical and Applied
 1013 Sciences, Insubria University, Via Dunant 3, 21100 Varese, Italy, 130) CIRAD, UMR Eco&Sols, 34060 Montpellier, France, 131) Eco&Sols,
 1014 Univ Montpellier, CIRAD, INRAE, IRD, Montpellier SupAgro, 34060 Montpellier, France, 132) Senckenberg Research Institute and Natural

1015 History Museum Frankfurt, 63571 Gelnhausen, Germany, 133) Faculty of Biology, University of Duisburg-Essen, 45141 Essen, Germany,
 1016 134) Institute of Biology / Geobotany and Botanical Garden, Martin Luther University Halle-Wittenberg, Halle (Saale), Germany, 135)
 1017 Department of Biological Sciences and Bjerknes Centre for Climate Research, University of Bergen, N-5020 Bergen, Norway, 136) Centre
 1018 for Biodiversity & Taxonomy, Department of Botany, University of Kashmir, Srinagar - 190006, J&K, India, 137) Department of Ecology,
 1019 University of Innsbruck, 6020 Innsbruck, Austria, 138) INRAE, Univ. Bordeaux, BIOGECO, F-33610 Cestas, France, 139) The Heathland
 1020 Centre, Alver, Norway, 140) TERRA Teaching and Research Center, Faculty of Gembloux Agro-Bio Tech, University of Liege, Passage des
 1021 déportés, 2, 5030 Gembloux, Belgium, 141) UK Centre for Ecology & Hydrology, Penicuik, EH26 0QB, Scotland, UK, 142) Vegetation
 1022 Ecology, Institute of Natural Resource Sciences, ZHAW Zurich University of Applied Sciences, Grüental, 8820 Wädenswil, Switzerland, 143)
 1023 Institute for Botany, University of Natural Resources and Life Sciences Vienna (BOKU), Gregor-Mendel-Straße 33/I, 1180 Vienna, Austria,
 1024 144) Centre for Agrometeorological Research (ZAMF), German Meteorological Service (DWD), Bundesallee 33, 38116 Braunschweig,
 1025 Germany, 145) Dept of Biology, Memorial University, St. John's, NL, A1B 3X9, Canada, 146) Department of Biological Sciences, Simon
 1026 Fraser University, Burnaby, BC, V5A 1S6, Canada, 147) Department of Geography, University of Zaragoza, Pedro Cerbuna 12, 50009
 1027 Zaragoza, Spain, 148) Faculty of Resource Management, HAWK University of Applied Sciences and Arts, 37077 Göttingen, Germany, 149)
 1028 Plant Ecology, Albrecht-von-Haller-Institute for Plant Sciences, Georg-August University of Goettingen, Untere Karspuele 2, 37073
 1029 Goettingen, Germany, 150) Department of Ecoscience and Arctic Research Centre, Aarhus University, Grenåvej 14, 8410 Rønne, Denmark,
 1030 151) Department of Geography, Masaryk University, Faculty of Science, Kotlarska 2, 611 37, Brno, Czech Republic, 152) Department of
 1031 Environmental Science, Shinshu University, Matsumoto, Japan, 153) Department of Ecoscience and Arctic Research Centre, Aarhus
 1032 University, Frederiksborgvej 399, 4000 Roskilde, Denmark, 154) INRAE, University of Bordeaux, BIOGECO, F-33610 Cestas, France, 155)
 1033 Department of Forest Ecology and Management, Swedish University of Agricultural Sciences, 90183 Umeå, Sweden, 156) Forest Research
 1034 Institute, Department of Silviculture and Forest Tree Genetics, Braci Lesnej Street, No 3, Sekocin Stary, 05-090 Raszyn, Poland, 157)
 1035 Bayreuth Center of Ecology and Environmental Research, 158) ARAID/IPE-CSIC, Pyrenean Institute of Ecology, Avda. Llano de la Victoria,
 1036 16, Jaca 22700, Spain, 159) Life and Environmental Sciences, University of Iceland, Sturlugata 7, 102 Reykjavik, Iceland, 160) School of
 1037 Biological Sciences, University of Bristol, Bristol, United Kingdom, 161) Biological and Environmental Sciences, Faculty of Natural Sciences,
 1038 University of Stirling, Scotland, FK9 4LA, 162) Faculty of Environmental Sciences, Czech University of Life Sciences Prague, Kamýcká 129,
 1039 165 21 Prague 6 - Suchbát, Czech Republic, 163) Centre for Environmental and Climate Science, Lund University, Sölvegatan 37, 223 62,
 1040 Lund, Sweden, 164) University of Goettingen, Bioclimatology, Büsgenweg 2, 37077 Göttingen, Germany., 165) Environment Agency
 1041 Austria, Spittelauer Lände 5, 1090 Vienna, Austria, 166) Centre for Ecological Research, Institute of Ecology and Botany, H-2163 Vácrátót,
 1042 Alkotmány út 2-4., Hungary, 167) Experimental Plant Ecology, Institute of Botany and Landscape Ecology, University of Greifswald, D-
 1043 17487 Greifswald, Germany, 168) GLORIA Coordination, Institute for Interdisciplinary Mountain Research, Austrian Academy of Sciences
 1044 (ÖAW) & Department of Integrative Biology and Biodiversity Research, University of Natural Resources and Life Sciences, Vienna (BOKU),
 1045 Silbergasse 30/3, 1190 Vienna, Austria, 169) Department of Arctic Biology, The University Centre in Svalbard (UNIS), 9171 Longyearbyen,
 1046 Svalbard, Norway, 170) Department of Land Resources and Environmental Sciences, Montana State University, Bozeman MT, USA, 59717,
 1047 171) Climate Impacts Research Centre, Department of Ecology and Environmental Sciences, Umeå University, Vetenskapens väg 38, 98107
 1048 Åbo, Sweden, 172) Centre for Polar Ecology, Faculty of Science, University of South Bohemia, Na Zlaté Stěže 3, 370 05, České
 1049 Budějovice, Czech Republic, 173) School of Biological Sciences, Monash University, Victoria 3800, Australia, 174) Terrestrial Ecology Unit,
 1050 Dept. of Biology, Ghent University, B-9000 Ghent, Belgium, 175) Finnish Meteorological Institute, Climate System Research, POB503, 00101
 1051 Helsinki, Finland, 176) INAR Institute for Atmospheric and Earth System Research/Physics, Faculty of Science, POBox 68 FI-00014
 1052 University of Helsinki, Finland, 177) Interuniversity Institute for Earth System Research, University of Granada, Granada 18006 Spain, 178)
 1053 CNR Institute for Agricultural and Forestry Systems in the Mediterranean, P.le Enrico Fermi 1 - Loc. del Granatello, 80055, Portici (Napoli)
 1054 Italy, 179) Faculty of Forestry, Technical University in Zvolen, T.G.Masaryka 24, 960 01 Zvolen, Slovakia, 180) CNR Institute for Agricultural
 1055 and Forestry Systems in the Mediterranean, P.le Enrico Fermi 1 - Loc. del Granatello, 80055, Portici (Napoli) Italy, 181) School of Pure &
 1056 Applied Sciences, Environmental Conservation & Management Programme Open University of Cyprus, PO Box 12794, 2252 Latsia, Nicosia,
 1057 182) Department of Biology - Aquatic Biology, Aarhus University, Ole Worms Allé 1, 8000 Aarhus C, Denmark, 183) Aarhus Institute of
 1058 Advanced Studies, AIAS Høegh-Guldbergs Gade 6B, 8000 Aarhus, Denmark, 184) Department of Forest Botany, Dendrology and
 1059 Geobiocoenology, Faculty of Forestry and Wood Technology, Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czech Republic, 185)
 1060 Regional Centre for Integrated Environmental Monitoring, Odesa National I.I. Mechnikov University, 7 Mayakovskogo lane, 65082 Odesa,
 1061 Ukraine, 186) Department of Agroecology, Aarhus University, 20 Blichers Allé, 8830 Tjele, Denmark, 187) NGO New Energy, 11 Bakulina
 1062 str., 61166 Kharkiv, Ukraine, 188) Biological Dynamics of Forest Fragments Project, Coordenação de Dinâmica Ambiental, Instituto
 1063 Nacional de Pesquisas da Amazônia, Manaus, AM CEP 69067-375, Brazil., 189) Swiss Federal Institute for Forest, Snow and Landscape
 1064 Research (WSL), CH-8903 Birmensdorf, Switzerland., 190) Department of Biology, University of Antwerp, Universiteitsplein 1, 2610 Wilrijk,
 1065 Belgium, 191) Department of Botany and Biodiversity Research Centre, University of British Columbia, Vancouver, BC, Canada, 192)
 1066 Department of Environment, Province of Antwerp, Koningin Elisabethlei 22, 2018 Antwerpen, Belgium, 193) Institute of Plant and Animal
 1067 Ecology of Ural Division of Russian Academy of Science, 8 Marta st., 202, Ekaterinburg, Russia, 194) Department of Earth and
 1068 Environmental Sciences, University of Pavia, Via S. Epifanio 14, Pavia, Italy, 195) Faculty of Science and Technology, Free University of
 1069 Bolzano, Piazza Università 5, 39100 Bolzano, Italy, 196) Climate Change Unit, Environmental Protection Agency of Aosta Valley, Loc. La
 1070 Maladière, 48, 11020 Saint-Christophe, Italy, 197) University of Freiburg, Chair of Geobotany, Schänzlestrasse 1, 79104 Freiburg, Germany,
 1071 198) Environment and Sustainability Institute, University of Exeter, Penryn Campus, Cornwall TR10 9FE, United Kingdom, 199) Centre for
 1072 Ecosystem Science, School of Biological, Earth and Environmental Sciences, UNSW Sydney, NSW 2052, Sydney, Australia, 200) Department
 1073 of Plant Biology and Ecology, University of Seville, 41012 Seville, Spain, 201) Department of Biology, Washington University in St. Louis, St.
 1074 Louis, MO 63130, USA., 202) Department of Animal Biology, Institute of Biology, University of Campinas, Campinas, SP, CEP 13083-862,
 1075 Brazil, 203) CNR Institute of BioEconomy, Via Gobetti 101, 40129 Bologna, Italy, 204) National Wildlife Research Centre, Environment and
 1076 Climate Change Canada, Carleton University, 1125 Colonel by Drive, Ottawa, ON K1A 0H3, Canada, 205) School of Life and Environmental
 1077 Sciences, Deakin University, Burwood, Victoria, Australia, 3125, 206) Institute for Alpine Environment, Eurac Research, Viale Druso 1,
 1078 39100 Bozen/Bolzano, Italy, 207) Institute of Biology, Dept. of Molecular Botany, University of Hohenheim, 70599 Stuttgart, Germany,
 1079 208) Instituto de Matemática Aplicada San Luis, IMASL, CONICET and Universidad Nacional de San Luis, Ejército de los Andes 950,
 1080 D5700HHW San Luis, Argentina, 209) Cátedra de Climatología Agrícola (FCA-UNER), Ruta 11, km 10, Oro Verde, Entre Ríos, Argentina, 210)

1081 Grupo de Ecología de Invasiones, INIBIOMA, CONICET/ Universidad Nacional del Comahue, Av. de los Pioneros 2350, Bariloche 8400,
 1082 Argentina, 211) CSIC, Global Ecology Unit CREA- CSIC-UAB, Bellaterra, 08193, Catalonia, Spain., 212) CREA, E08193, Cerdanyola del
 1083 Vallès, Catalonia, Spain, 213) Mountains of the Moon University, P.O Box 837, Fort Portal, Uganda, 214) National Agricultural Research
 1084 Organisation, Mbarara Zonal Agricultural Research and Development Institute, P.O Box 389, Mbarara , Uganda, 215) Laboratory of
 1085 Meteorology, Department of Construction and Geoengineering, Faculty of Environmental Engineering and Mechanical Engineering,
 1086 Poznan University of Life Sciences, ul. Piatkowska 94, 60-649, Poznan, Poland, 216) Department of Agroecology, Aarhus University, Blichers
 1087 Allé 20, 8830 Tjele, Denmark, 217) Department of Biology, Lund University, SE-223 62 Lund, Sweden, 218) Department of Earth and
 1088 Environmental Sciences, University of Pavia, Via S. Epifanio 14, 27100 Pavia, Italy, 219) Institute of Botany and Landscape Ecology,
 1089 University Greifswald, D-17487 Greifswald, Germany, 220) V.N. Sukachev Institute of Forest SB RAS, Krasnoyarsk, Russia, 221) Institute of
 1090 Ecology and Earth Sciences, University of Tartu, Liivi 2, Tartu 50409, Estonia, 222) Department of Biology , Aarhus University, Ole Worms
 1091 Allé 1, 8000 Aarhus C, Denmark, 223) Department of Biology and Ecology Center, Utah State University, 5305 Old Main Hill, Logan, UT
 1092 84322, USA, 224) Department of Life Sciences, Imperial College, Silwood Park Campus, Ascot, Berkshire SL5 7PY, UK, 225) Landscape
 1093 Ecology, Institute of Terrestrial Ecosystems, Department of Environmental Systems Science, ETH Zürich, 8092 Zürich, Switzerland, 226)
 1094 Unit of Land Change Science, Swiss Federal Research Institute WSL, 8903 Birmensdorf, Switzerland, 227) Department of Biology,
 1095 Washington University in St. Louis, Campus Box 1137, 1 Brookings Drive, St. Louis, MO 63130 USA, 228) CREA, Cerdanyola del Vallès
 1096 08193, Catalonia, Spain, 229) School of Ecology and Environment Studies, Nalanda University, Rajgir, India, 230) School of Biosciences,
 1097 University of Sheffield, Western Bank, Sheffield, S10 2TN, U.K., 231) CESAM & Department of Environment, University of Aveiro, 3810-193
 1098 Aveiro, Portugal, 232) Department of Agronomy, Food, Natural resources, Animals and Environment - University of Padua, 35020 Legnaro,
 1099 Italy, 233) Univ. Savoie Mont Blanc, CNRS, Univ. Grenoble Alpes, EDYTEM, F-73000 Chambéry, France, 234) Universitat Autònoma de
 1100 Barcelona, E08193 Bellaterra (Cerdanyola del Vallès), Catalonia, Spain, 235) Department of Ecology and Biogeography, Faculty of
 1101 Biological and Veterinary Sciences, Nicolaus Copernicus University, Toruń, Poland, 236) Centre for Climate Change Research, Nicolaus
 1102 Copernicus University, Toruń, Poland, 237) A. Borza Botanic Garden, Babeş-Bolyai University, Cluj-Napoca, Romania, 238) Faculty of
 1103 Biology and Geology, Department of Taxonomy and Ecology, Babeş-Bolyai University, Cluj-Napoca, Romania, 239) E. G. Racoviţă Institute,
 1104 Babeş-Bolyai University, Cluj-Napoca, Romania, 240) Centre for Sustainable Ecosystem Solutions, School of Earth, Atmospheric and Life
 1105 Sciences, University of Wollongong, Wollongong, New South Wales, 2522, Australia, 241) University of Applied Sciences Trier,
 1106 Environmental Campus Birkenfeld, 55761 Birkenfeld, Germany, 242) Institut Universitaire de France, 1 Rue Descartes, 75231 Paris cedex
 1107 05, France, 243) Swiss Federal Institute for Forest, Snow and Landscape Research WSL, Zuercherstrasse 111, 8903 Birmensdorf,
 1108 Switzerland, 244) Securing Antarctica's Environmental Future, School of Earth, Atmospheric and Life Sciences, University of Wollongong,
 1109 2522 Australia, 245) Aquatic Ecology & Environmental Biology, Radboud Institute for Biological and Environmental Sciences Water and
 1110 Wetland Research, Faculty of Science, Radboud University Nijmegen, 6525 NJ Nijmegen, The Netherlands., 246) University of Notre Dame,
 1111 Department of Biological Sciences and the Environmental Change Initiative, 247) Swiss National Park, Chastè Planta-Wildenberg, 7530
 1112 Zerne, Switzerland, 248) Remote Sensing Laboratories, Dept. of Geography, University of Zurich, Winterthurerstrasse 190, 8057 Zurich,
 1113 Switzerland, 249) CIRAD, UMR Eco&Sols, BP1386, CP18524, Dakar, Senegal, 250) Eco&Sols, Univ Montpellier, CIRAD, INRAE, IRD, Institut
 1114 Agro, Montpellier, France, 251) LMI IESOL, Centre IRD-ISRA de Bel Air, BP1386, CP18524, Dakar, Senegal, 252) Parc national des Ecrins -
 1115 Domaine de Charance - 05000 GAP - France, 253) Universidad Nacional de San Antonio Abad del Cusco, Cusco, Perú, 254) Centro de
 1116 Investigación de la Biodiversidad Wilhelm L. Johannsen, Cusco, Perú, 255) Biological Dynamics of Forest Fragments Project, PDBFF,
 1117 Instituto Nacional de Pesquisas da Amazônia, Av. André Araújo, 2936 - Petrópolis, Manaus, Amazonas, 69067-375, Brazil, 256) Department
 1118 of Ecology and Environmental Science, Umeå University, 901 87 Umeå, Sweden, 257) Institute of Bio- and Geosciences (IBG-3):
 1119 Agrosphere, Forschungszentrum Jülich GmbH, Jülich, Germany, 258) Chair of Soil Science and Geomorphology, Department of
 1120 Geosciences, University of Tuebingen, 72070 Tuebingen, Germany, 259) Department of Geography, The University of British Columbia,
 1121 Vancouver, BC V6T 1Z2, 260) Department of Botany and Biodiversity Research, Rennweg 14, 1030 Vienna, 261) Princeton School of Public
 1122 and International Affairs, Princeton University, Princeton, NJ 08540, USA, 262) Université de Lorraine, AgroParisTech, INRAE, Silva, 54000
 1123 Nancy, France., 263) Department of Soil Science and Landscape Management, Faculty of Earth Sciences and Spatial Management, Nicolaus
 1124 Copernicus University, Toruń, Poland, 264) Terra Nova National Park, Parks Canada Agency, Glovertown NL, A0G3Y0, 265) Universidade
 1125 Estadual do Norte Fluminense Darcy Ribeiro, Campos dos Goytacazes, Rio de Janeiro, Brazil, 266) National Forest Centre, Forest Research
 1126 Institute Zvolen, T. G. Masaryka 22, 96001 Zvolen, Slovakia, 267) Department of Biology, Norwegian University of Science and Technology,
 1127 7491 Trondheim, Norway, 268) Department of Physical Geography, Stockholm University, 106 91 Stockholm, Sweden, 269) Department of
 1128 Geography, University of British Columbia, 1984 West Mall, Vancouver, BC V6T 1Z2, 270) Department of Earth and Environmental
 1129 Sciences, Celestijnenlaan 200E, 3001 Leuven, Belgium, 271) Soil Science Department, Federal University of Viçosa, Prof. Peter Henry Rolfs
 1130 Ave., 36570-900, Viçosa-MG, Brazil, 272) Universidade Federal da Paraíba, Departamento de Geociências. Cidade Universitária, João
 1131 Pessoa - PB, CEP 58051-900, Brasil, 273) Goethe-Universität Frankfurt, Department of Physical Geography, Altenhöferallee 1, 60438
 1132 Frankfurt am Main, Germany, 274) Department of Evolution, Ecology, and Organismal Biology, University of California Riverside, Riverside,
 1133 CA, 92521, USA, 275) Department of Natural History, NTNU University Museum, Norwegian University of Science and Technology, NO-
 1134 7491 Trondheim Norway, 276) UMR 7058 CNRS 'Écologie et Dynamique des Systèmes Anthropisés' (EDYSAN), Univ. de Picardie Jules
 1135 Verne, Amiens, France, 277) EnvixLab, Dipartimento di Bioscienze e Territorio, Università degli Studi del Molise, Via Duca degli Abruzzi
 1136 s.n.c., 86039 Termoli, Italy, 278) Institute of Meteorology and Climate Research (IMK), Department of Atmospheric Environmental
 1137 Research (IFU), Karlsruhe Institute of Technology (KIT), Kreuzeckbahn Straße 19, 82467 Garmisch-Partenkirchen, Germany, 279) Swedish
 1138 University of Agricultural Sciences, SLU Swedish Species Information Centre, Almas allé 8 E, 75651 Uppsala, Sweden, 280) University
 1139 Duisburg-Essen, Faculty for Biology, Universitätsstr. 5, 45141 Essen, Germany, 281) Department of Geosciences and Natural Resource
 1140 Management, University of Copenhagen, Øster Voldgade 10, DK-1350 Copenhagen, Denmark, 282) Experimental Plant Ecology, Institute
 1141 of Botany and Landscape Ecology, University of Greifswald, partner in the Greifswald Mire Centre, D-17487 Greifswald, Germany, 283)
 1142 Fondation J.-M. Aubert, 1938 Champex-Lac, Switzerland, 284) Département de Botanique et Biologie végétale, Université de Genève, Case
 1143 postale 71, CH-1292 Chambésy, Switzerland, 285) Department of Geography and Earth Sciences, Aberystwyth University, Wales, UK, 286)
 1144 Center for Systematic Biology, Biodiversity and Bioresources - 3B, Babeş-Bolyai University, Cluj-Napoca, Romania, 287) Northern
 1145 Environmental Geoscience Laboratory, Department of Geography and Planning, Queen's University, 288) Finnish Meteorological Inst., P.O.
 1146 Box 503, FI-00101 Helsinki, Finland, 289) Graduate School of Life and Environmental Sciences, Osaka Prefecture University, 599-8531,

1147 Japan, 290) Nature Research Centre, Akademijos 2, 08412 Vilnius, Lithuania, 291) Institute of Biological Research Cluj-Napoca, National
 1148 Institute of Research and Development for Biological Sciences, Bucharest, Romania, 292) CNR Institute for BioEconomy, Via Giovanni
 1149 Caproni, 50144 Firenze, Italy, 293) The Ecosystem Management Research Group (ECOB), University of Antwerp, 2610 Wilrijk
 1150 (Antwerpen), Belgium, 294) Plant Conservation and Population Biology, Department of Biology, KU Leuven, Kasteelpark Arenberg 31, 3001
 1151 Heverlee, Belgium, 295) A.N. Severtsov Institute of Ecology and Evolution, Russian Academy of Sciences, 119071, Leninsky pr.33, Moscow,
 1152 Russia, 296) Netherlands Institute of Ecology, Droevendaalsesteeg 10, 6708 PB, Wageningen, the Netherlands, 297) Plant Ecology &
 1153 Nature Conservation Group Wageningen University, Droevendaalse Steeg 3a 6708 PB Wageningen, 298) Centre for Integrative Ecology,
 1154 School of Life and Environmental Sciences, Deakin University, Burwood, Victoria, Australia, 3125, 299) CAVelab - Computational and
 1155 Applied Vegetation Ecology, Department of Environment, Ghent University, Coupure Links 653, 9000 Gent, Belgium, 300) Earth Surface
 1156 Processes Team, Centre for Environmental and Marine Studies (CESAM), Dept. Environment and Planning, University of Aveiro, 3810-193,
 1157 Aveiro, Portugal, 301) Instituto Pirenaico de Ecología, IPE-CSIC. Av. Llano de la Victoria, 16. 22700 Jaca (Huesca) Spain, 302) CNR - Institute
 1158 for Agricultural and Forestry Systems in the Mediterranean, P.le Enrico Fermi 1- Loc. del Granatello, 80055, Portici, (Napoli), Italy, 303)
 1159 Institute of Earth Surface Dynamics, Faculty of Geosciences and Environment, University of Lausanne, Géopolis, 1015 Lausanne,
 1160 Switzerland, 304) Climate Impacts Research Centre, Department of Ecology and Environmental Sciences, Umeå University, Abisko,
 1161 Sweden, 305) Forest Research, Northern Research Station, Roslin, EH25 9SY, UK, 306) Institute of Mountain Hazards and Environment,
 1162 Chinese Academy of Sciences, Chengdu, P.R. China, 307) MOE Key Laboratory of Geographical Processes and Ecological Security in
 1163 Changbai Mountains, School of Geographical Sciences, Northeast Normal University, Changchun, Jilin 130024, China, 308) Department of
 1164 Earth and Environmental Sciences, Lehigh University, Bethlehem, PA 18015, United States, 309) High Meadows Environmental Institute,
 1165 Princeton University, NJ 08544, USA, 310) Zhejiang Tiantong Forest Ecosystem National Observation and Research Station, School of
 1166 Ecological and Environmental Sciences, East China Normal University, Shanghai 200241, China, 311) University of Bayreuth, Ecological-
 1167 Botanical Gardens, Universitaetsstr. 30, Bayreuth, Germany, 312) Key Laboratory of Geographical Processes and Ecological Security in
 1168 Changbai Mountains, Ministry of Education, School of Geographical Sciences, Northeast Normal University, Changchun 130024, China.

- 1170 Jonas J. Lembrechts: <https://orcid.org/0000-0002-1933-0750>. Johan van den Hoogen: <https://orcid.org/0000-0001-6624-8461>. Juha Aalto:
- 1171 <https://orcid.org/0000-0001-6819-4911>. Pieter De Frenne: <https://orcid.org/0000-0002-8613-0943>. Julia Kemppinen:
- 1172 <https://orcid.org/0000-0001-7521-7229>. Martin Kopecký: <https://orcid.org/0000-0002-1018-9316>. Miska Luoto: <https://orcid.org/0000-0001-6203-5143>. Ilya M. D. Maclean: <https://orcid.org/0000-0001-8030-9136>. Thomas W. Crowther: <https://orcid.org/0000-0001-5674-8913>. Joseph J. Bailey: <https://orcid.org/0000-0002-9526-7095>. Stef Haesen: <https://orcid.org/0000-0002-4491-4213>. David H. Klings:
- 1175 <https://orcid.org/0000-0002-7900-9379>. Pekka Niittynen: <https://orcid.org/0000-0002-7290-029X>. Brett R. Scheffers:
- 1176 <https://orcid.org/0000-0003-2423-3821>. Koenraad Van Meerbeek: <https://orcid.org/0000-0002-9260-3815>. Peter Aartsma:
- 1177 <https://orcid.org/0000-0001-5086-856X>. Otar Abdalaze: <https://orcid.org/0000-0001-8140-0900>. Mehdi Abedi: <https://orcid.org/0000-0002-1499-0119>. Rien Aerts: <https://orcid.org/0000-0001-6694-0669>. Negar Ahmadian: <https://orcid.org/0000-0002-7427-7198>. Antje Ahrends: <https://orcid.org/0000-0002-5083-7760>. Juha M. Alatalo: <https://orcid.org/0000-0001-5084-850X>. Jake M. Alexander:
- 1180 <https://orcid.org/0000-0003-2226-7913>. Camille Nina Allonsius: <https://orcid.org/0000-0003-2599-9941>. Jan Altman:
- 1181 <https://orcid.org/0000-0003-4879-5773>. Christof Ammann: <https://orcid.org/0000-0002-0783-5444>. Christian Andres:
- 1182 <https://orcid.org/0000-0003-0576-6446>. Christopher Andrews: <https://orcid.org/0000-0003-2428-272X>. Jonas Ardö:
- 1183 <https://orcid.org/0000-0002-9318-0973>. Nicola Arriga: <https://orcid.org/0000-0001-5321-3497>. Alberto Arzac: <https://orcid.org/0000-0002-3361-5349>. Valeria Aschero: <https://orcid.org/0000-0003-3865-4133>. Rafael L. Assis: <https://orcid.org/0000-0001-8468-6414>. Jakob Johann Assmann: <https://orcid.org/0000-0002-3492-8419>. Maaike Y. Bader: <https://orcid.org/0000-0003-4300-7598>. Khadijeh Bahalkeh:
- 1186 <https://orcid.org/0000-0003-1485-0316>. Peter Barančok: <https://orcid.org/0000-0003-1171-2524>. Isabel C. Barrio: <https://orcid.org/0000-0002-8120-5248>. Agustina Barros: <https://orcid.org/0000-0002-6810-2391>. Edmund W. Basham: <https://orcid.org/0000-0002-0167-7908>. Marijn Bauters: <https://orcid.org/0000-0003-0978-6639>. Manuele Bazzichetto: <https://orcid.org/0000-0002-9874-5064>. Luca Belevi
- 1189 Marchesini: <https://orcid.org/0000-0001-8408-4675>. Michael C. Bell: <https://orcid.org/0000-0002-3401-7746>. Juan C. Benavides:
- 1190 <https://orcid.org/0000-0002-9694-2195>. José Luis Benito Alonso: <https://orcid.org/0000-0003-1086-8834>. Bernd J. Berauer:
- 1191 <https://orcid.org/0000-0002-9472-1532>. Jarle W. Bjerke: <https://orcid.org/0000-0003-2721-1492>. Robert G. Björk: <https://orcid.org/0000-0001-7346-666X>. Mats P. Björkman: <https://orcid.org/0000-0001-5768-1976>. Katrin Björnsdóttir: <https://orcid.org/0000-0001-7421-9441>. Benjamin Blonder: <https://orcid.org/0000-0002-5061-2385>. Pascal Boeckx: <https://orcid.org/0000-0003-3998-0010>. Julia Boike:
- 1194 <https://orcid.org/0000-0002-5875-2112>. Stef Bokhorst: <https://orcid.org/0000-0003-0184-1162>. Bárbara N. S. Brum:
- 1195 <https://orcid.org/0000-0002-8421-3200>. Josef Brůna: <https://orcid.org/0000-0002-4839-4593>. Nina Buchmann: <https://orcid.org/0000-0003-0826-2980>. José Luis Camargo: <https://orcid.org/0000-0003-0370-9878>. Otávio C. Campoe: <https://orcid.org/0000-0001-9810-8834>. Onur Candan: <https://orcid.org/0000-0002-9254-4122>. Rafaella Canessa: <https://orcid.org/0000-0002-6979-9880>. Nicoletta Cannone:
- 1198 <https://orcid.org/0000-0002-3390-3965>. Michele Carbognani: <https://orcid.org/0000-0001-7701-9859>. Jofre Carnicer:
- 1199 <https://orcid.org/0000-0001-7454-8296>. Angélica Casanova-Katny: <https://orcid.org/0000-0003-3860-1445>. Simone Cesarz:
- 1200 <https://orcid.org/0000-0003-2334-5119>. Bogdan Chojnicki: <https://orcid.org/0000-0002-9012-4060>. Philippe Choler:
- 1201 <https://orcid.org/0000-0002-9062-2721>. Steven L. Chown: <https://orcid.org/0000-0001-6069-5105>. Edgar F. Cifuentes:
- 1202 <https://orcid.org/0000-0001-5918-5861>. Marek Čiliak: <https://orcid.org/0000-0002-6720-9365>. Tamara Contador: <https://orcid.org/0000-0002-0250-9877>. Peter Convey: <https://orcid.org/0000-0001-8497-9903>. Elisabeth J. Cooper: <https://orcid.org/0000-0002-0634-1282>. Edoardo Cremonese: <https://orcid.org/0000-0002-6708-8532>. Salvatore R. Curasi: <https://orcid.org/0000-0002-4534-3344>. Maurizio Cutini: <https://orcid.org/0000-0002-8597-8221>. C. Johan Dahlberg: <https://orcid.org/0000-0003-0271-3306>. Gergana N. Daskalova:
- 1206 <https://orcid.org/0000-0002-5674-5322>. Miguel Angel de Pablo: <https://orcid.org/0000-0002-4496-2741>. Stefano Della Chiesa:
- 1207 <https://orcid.org/0000-0002-6693-2199>. Jürgen Dengler: <https://orcid.org/0000-0003-3221-660X>. Patrice Descombes:
- 1208 <https://orcid.org/0000-0002-3760-9907>. Valter Di Cecco: <https://orcid.org/0000-0001-9862-1267>. Michele Di Musciano:
- 1209 <https://orcid.org/0000-0002-3130-7270>. Jan Dick: <https://orcid.org/0000-0002-4180-9338>. Jiri Dolezal: <https://orcid.org/0000-0002-5829-4051>. Ellen Dorrepaal: <https://orcid.org/0000-0002-0523-2471>. Jiří Dušek: <https://orcid.org/0000-0001-6119-0838>. Nico Eisenhauer:
- 1211 <https://orcid.org/0000-0002-0371-6720>. Lars Eklundh: <https://orcid.org/0000-0001-7644-6517>. Todd E. Erickson: <https://orcid.org/0000-0003-4537-0251>. Brigitta Erschbamer: <https://orcid.org/0000-0002-6792-1395>. Werner Eugster: <https://orcid.org/0000-0001-6067-0741>. Dan A. Exton: <https://orcid.org/0000-0001-8885-5828>. Nicolas Fanin: <https://orcid.org/0000-0003-4195-855X>. Fatih Fazlioglu:
- 1214 <https://orcid.org/0000-0002-4723-3640>. Iris Feigenwinter: <https://orcid.org/0000-0001-7493-6790>. Giuseppe Fenu:
- 1215 <https://orcid.org/0000-0003-4762-5043>. Olga Ferlian: <https://orcid.org/0000-0002-2536-7592>. Eduardo Fernández-Pascual:
- 1216 <https://orcid.org/0000-0002-4743-9577>. Manfred Finckh: <https://orcid.org/0000-0003-2186-0854>. Rebecca Finger Higgins:
- 1217 <https://orcid.org/0000-0002-7645-504X>. T'ai G. W. Forte: <https://orcid.org/0000-0002-8685-5872>. Erika C. Freeman:
- 1218 <https://orcid.org/0000-0001-7161-6038>. Esther R. Frei: <https://orcid.org/0000-0003-1910-7900>. Eduardo Fuentes-Lillo:
- 1219 <https://orcid.org/0000-0001-5657-954X>. Rafael A. García: <https://orcid.org/0000-0002-0591-0391>. María B. García:
- 1220 <https://orcid.org/0000-0003-4231-6006>. Charly Géron: <https://orcid.org/0000-0001-7912-4708>. Mana Gharun: <https://orcid.org/0000-0003-0337-7367>. Dany Ghosn: <https://orcid.org/0000-0003-1898-9681>. Khatuna Gigauri: <https://orcid.org/0000-0002-6707-0818>. Anne Gobin: <https://orcid.org/0000-0002-3742-7062>. Ignacio Goded: <https://orcid.org/0000-0002-1912-325X>. Mathias Goeckede:
- 1223 <https://orcid.org/0000-0003-2833-8401>. Felix Gottschall: <https://orcid.org/0000-0002-1247-8728>. Keith Goulding: <https://orcid.org/0000-0002-6465-1465>. Sanne Govaert: <https://orcid.org/0000-0002-8939-1305>. Bente Jessen Graae: <https://orcid.org/0000-0002-5568-4759>. Sarah Greenwood: <https://orcid.org/0000-0001-9104-7936>. Caroline Greiser: <https://orcid.org/0000-0003-4023-4402>. Achim Grelle:
- 1226 <https://orcid.org/0000-0003-3468-9419>. Benoit Guénard: <https://orcid.org/0000-0002-7144-1175>. Joannès Guillemot:
- 1227 <https://orcid.org/0000-0003-4385-7656>. Peter Haase: <https://orcid.org/0000-0002-9340-0438>. Sylvia Haider: <https://orcid.org/0000-0002-2966-0534>. Aud H. Halbritter: <https://orcid.org/0000-0003-2597-6328>. Maroof Hamid: <https://orcid.org/0000-0003-3406-5008>. Albin Hammerle: <https://orcid.org/0000-0003-1963-5906>. Arndt Hampe: <https://orcid.org/0000-0003-2551-9784>. Siri V. Haugum:
- 1229 <https://orcid.org/0000-0003-4958-7132>. Lucia Hederová: <https://orcid.org/0000-0003-1283-0952>. Bernard Heinesch:
- 1231 <https://orcid.org/0000-0001-7594-6341>. Carole Helfter: <https://orcid.org/0000-0001-5773-4652>. Daniel Hepenstrick:
- 1232 <https://orcid.org/0000-0003-1090-6888>. Maximiliane Herberich: <https://orcid.org/0000-0003-0716-1520>. Luise Hermanutz:

1233 <https://orcid.org/0000-0003-0706-7067>. David S. Hik: <https://orcid.org/0000-0002-8994-9305>. Raúl Hoffrén: <https://orcid.org/0000-0002-9123-304X>. Jürgen Homeier: <https://orcid.org/0000-0001-5676-3267>. Lukas Hörtnagl: <https://orcid.org/0000-0002-5569-0761>. Toke T.
 1234 Høye: <https://orcid.org/0000-0001-5387-3284>. Filip Hrbacek: <https://orcid.org/0000-0001-5032-9216>. Kristoffer Hylander:
 1235 <https://orcid.org/0000-0002-1215-2648>. Hiroki Iwata: <https://orcid.org/0000-0002-8962-8982>. Marcin Antoni Jackowicz-Korczynski:
 1236 <https://orcid.org/0000-0002-6574-5703>. Hervé Jactel: <https://orcid.org/0000-0002-8106-5310>. Järvi Järveoja: <https://orcid.org/0000-0001-6317-660X>. Szymon Jastrzębowski: <https://orcid.org/0000-0003-1239-4847>. Anke Jentsch: <https://orcid.org/0000-0002-2345-8300>.
 1237 Juan J. Jiménez: <https://orcid.org/0000-0003-2398-0796>. Ingibjörg S. Jónsdóttir: <https://orcid.org/0000-0003-3804-7077>. Tommaso Jucker:
 1238 <https://orcid.org/0000-0002-0751-6312>. Alistair S. Jump: <https://orcid.org/0000-0002-2167-6451>. Radosław Juszczak:
 1239 <https://orcid.org/0000-0002-5212-7383>. Róbert Kanka: <https://orcid.org/0000-0002-7071-7280>. Vít Kašpar: <https://orcid.org/0000-0002-0879-0137>. Julia Kelly: <https://orcid.org/0000-0002-7370-1401>. Anzar A. Khuroo: <https://orcid.org/0000-0002-0251-2793>. Leif
 1240 Klemedtsson: <https://orcid.org/0000-0002-1122-0717>. Marcin Klisz: <https://orcid.org/0000-0001-9486-6988>. Natascha Kljun:
 1241 <https://orcid.org/0000-0001-9650-2184>. Alexander Knohl: <https://orcid.org/0000-0002-7615-8870>. Johannes Kobler:
 1242 <https://orcid.org/0000-0003-0052-4245>. Jozef Kollár: <https://orcid.org/0000-0002-0069-4220>. Martyna M. Kotowska:
 1243 <https://orcid.org/0000-0002-2283-5979>. Bence Kovács: <https://orcid.org/0000-0002-8045-8489>. Juergen Kreyling: <https://orcid.org/0000-0001-8489-7289>. Andrea Lamprecht: <https://orcid.org/0000-0002-8719-026X>. Simone I. Lang: <https://orcid.org/0000-0002-6812-2528>.
 1244 Christian Larson: <https://orcid.org/0000-0002-7567-4953>. Keith Larson: <https://orcid.org/0000-0001-7089-524X>. Kamil Laska:
 1245 <https://orcid.org/0000-0002-5199-9737>. Guerric le Maire: <https://orcid.org/0000-0002-5227-958X>. Rachel I. Leihy: <https://orcid.org/0000-0001-9672-625X>. Luc Lens: <https://orcid.org/0000-0002-0241-2215>. Bengt Liljebladh: <https://orcid.org/0000-0002-2998-5865>. Annalea
 1246 Lohila: <https://orcid.org/0000-0003-3541-672X>. Juan Lorite: <https://orcid.org/0000-0003-4617-8069>. Benjamin Loubet:
 1247 <https://orcid.org/0000-0001-8825-8775>. Joshua Lynn: <https://orcid.org/0000-0002-7190-7991>. Martin Macek: <https://orcid.org/0000-0002-5609-5921>. Roy Mackenzie: <https://orcid.org/0000-0001-6620-1532>. Enzo Magliulo: <https://orcid.org/0000-0001-5505-6552>. Regine
 1248 Maier: <https://orcid.org/0000-0003-3158-4136>. Francesco Malfasi: <https://orcid.org/0000-0002-2660-8327>. František Máliš:
 1249 <https://orcid.org/0000-0003-2760-6988>. Matěj Man: <https://orcid.org/0000-0002-4557-8768>. Giovanni Manca: <https://orcid.org/0000-0002-9376-0310>. Antonio Manco: <https://orcid.org/0000-0002-3677-4134>. Paraskevi Manolaki: <https://orcid.org/0000-0003-3958-0199>.
 1250 Radim Matula: <https://orcid.org/0000-0002-7460-0100>. Sergiy Medinets: <https://orcid.org/0000-0001-5980-1054>. Volodymyr Medinets:
 1251 <https://orcid.org/0000-0001-7543-7504>. Camille Meeussen: <https://orcid.org/0000-0002-5869-4936>. Sonia Merinero:
 1252 <https://orcid.org/0000-0002-1405-6254>. Rita de Cássia Guimarães Mesquita: <https://orcid.org/0000-0003-1746-3215>. Katrin Meusburger:
 1253 <https://orcid.org/0000-0003-4623-6249>. Filip J. R. Meysman: <https://orcid.org/0000-0001-5334-7655>. Sean T. Michaletz:
 1254 <https://orcid.org/0000-0003-2158-6525>. Ann Milbau: <https://orcid.org/0000-0003-3555-8883>. Pavel Moiseev: <https://orcid.org/0000-0003-4808-295X>. Andrea Mondoni: <https://orcid.org/0000-0002-4605-6304>. Leonardo Montagnani: <https://orcid.org/0000-0003-2957-9071>. Mikel Moriana-Armendariz: <https://orcid.org/0000-0001-8251-1338>. Umberto Morra di Cella: <https://orcid.org/0000-0003-4250-9705>. Martin Mörsdorf: <https://orcid.org/0000-0002-3903-2021>. Jonathan R. Mosedale: <https://orcid.org/0000-0001-9008-5439>. Lena Muffler: <https://orcid.org/0000-0001-8227-7297>. Miriam Muñoz-Rojas: <https://orcid.org/0000-0002-9746-5191>. Jonathan A.
 1255 Myers: <https://orcid.org/0000-0002-2058-8468>. Isla H. Myers-Smith: <https://orcid.org/0000-0002-8417-6112>. Marianna Nardino:
 1256 <https://orcid.org/0000-0001-9466-8340>. Ilona Naujokaitis-Lewis: <https://orcid.org/0000-0001-9504-4484>. Lena Nicklas:
 1257 <https://orcid.org/0000-0002-9337-4153>. Georg Niedrist: <https://orcid.org/0000-0002-7511-6273>. Mats B. Nilsson: <https://orcid.org/0000-0003-3765-6399>. Signe Normand: <https://orcid.org/0000-0002-8782-4154>. Marcelo D. Nosetto: <https://orcid.org/0000-0002-9428-490X>.
 1258 Yann Nouvellon: <https://orcid.org/0000-0003-1920-3847>. Martin A. Nuñez: <https://orcid.org/0000-0003-0324-5479>. Romà Ogaya:
 1259 <https://orcid.org/0000-0003-4927-8479>. Jérôme Ogée: <https://orcid.org/0000-0002-3365-8584>. Joseph Okello: <https://orcid.org/0000-0003-4462-3923>. Janusz Olejnik: <https://orcid.org/0000-0001-5305-1045>. Jørgen Eivind Olesen: <https://orcid.org/0000-0002-6639-1273>.
 1260 Øystein Opedal: <https://orcid.org/0000-0002-7841-6933>. Simone Orsenigo: <https://orcid.org/0000-0003-0348-9115>. Andrej Palaj:
 1261 <https://orcid.org/0000-0001-7054-4183>. Timo Pampuch: <https://orcid.org/0000-0002-6290-9661>. Meelis Pärtel: <https://orcid.org/0000-0002-5874-0138>. Ada Pastor: <https://orcid.org/0000-0002-7114-770X>. Aníbal Pauchard: <https://orcid.org/0000-0003-1284-3163>. Harald
 1262 Pauli: <https://orcid.org/0000-0002-9842-9934>. Marian Pavelka: <https://orcid.org/0000-0002-7339-3410>. William D. Pearse:
 1263 <https://orcid.org/0000-0002-6241-3164>. Matthias Peichl: <https://orcid.org/0000-0002-9940-5846>. Rachel M. Penczykowski:
 1264 <https://orcid.org/0000-0003-4559-0609>. Josep Penuelas: <https://orcid.org/0000-0002-7215-0150>. Matteo Petit Bon:
 1265 <https://orcid.org/0000-0001-9829-8324>. Alessandro Petraglia: <https://orcid.org/0000-0003-4632-2251>. Shyam S. Phartyal:
 1266 <https://orcid.org/0000-0003-3266-6619>. Gareth K. Phoenix: <https://orcid.org/0000-0002-0911-8107>. Casimiro Pio: <https://orcid.org/0000-0002-3531-8620>. Andrea Pitacco: <https://orcid.org/0000-0002-7260-6242>. Camille Pitteloud: <https://orcid.org/0000-0002-4731-0079>.
 1267 Roman Plichta: <https://orcid.org/0000-0003-2442-8522>. Francesco Porro: <https://orcid.org/0000-0001-9855-2468>. Miguel Portillo-Estrada:
 1268 <https://orcid.org/0000-0002-0348-7446>. Jérôme Poulenard: <https://orcid.org/0000-0003-0810-0308>. Rafael Poyatos:
 1269 <https://orcid.org/0000-0003-0521-2523>. Anatoly S. Prokushkin: <https://orcid.org/0000-0001-8721-2142>. Radosław Puchalka:
 1270 <https://orcid.org/0000-0002-4764-0705>. Mihai Pușcaș: <https://orcid.org/0000-0002-2632-640X>. Dajana Radujković:
 1271 <https://orcid.org/0000-0003-4981-5879>. Krystal Randall: <https://orcid.org/0000-0003-2507-1000>. Amanda Ratier Backes:
 1272 <https://orcid.org/0000-0002-7229-578X>. David Renault: <https://orcid.org/0000-0003-3644-1759>. Anita C. Risch: <https://orcid.org/0000-0003-0531-8336>. Christian Rixen: <https://orcid.org/0000-0002-2486-9988>. Sharon A. Robinson: <https://orcid.org/0000-0002-7130-9617>. Bjorn J.M. Robroek: <https://orcid.org/0000-0002-6714-0652>. Adrian V. Rocha: <https://orcid.org/0000-0002-4618-2407>.
 1273 Christian Rossi: <https://orcid.org/0000-0002-4618-2407>. Graziano Rossi: <https://orcid.org/0000-0002-5102-5019>. Olivier Rouspard:
 1274 <https://orcid.org/0000-0002-1319-142X>. Alexey V. Rubtsov: <https://orcid.org/0000-0002-9663-4344>. Patrick Saccone:
 1275 <https://orcid.org/0000-0001-8820-593X>. Jhonatan Sallo Bravo: <https://orcid.org/0000-0001-9007-4959>. Cinthya C. Santos:
 1276 <https://orcid.org/0000-0001-7042-5993>. Judith M. Sarneel: <https://orcid.org/0000-0001-6187-499X>. Tobias Scharnweber:
 1277 <https://orcid.org/0000-0002-4933-5296>. Marius Schmidt: <https://orcid.org/0000-0001-5292-7092>. Thomas Scholten:
 1278 <https://orcid.org/0000-0002-4875-2602>. Max Schuchardt: <https://orcid.org/0000-0003-3103-8063>. Tony Scott: <https://orcid.org/0000-0002-6631-0672>. Julia Seeber: <https://orcid.org/0000-0003-0189-7377>. Tim Seipel: <https://orcid.org/0000-0001-6472-2975>. Philipp
 1279 Semenchuk: <https://orcid.org/0000-0002-1949-6427>. Rebecca A. Senior: <https://orcid.org/0000-0002-8208-736X>. Josep M. Serra-Diaz:
 1280 <https://orcid.org/0000-0003-1988-1154>. Piotr Sewerniak: <https://orcid.org/0000-0002-3071-3963>. Ankit Shekhar: <https://orcid.org/0000-0002-3071-3963>.

1299 0003-0802-2821. Laura Siegwart Collier: <https://orcid.org/0000-0003-0985-9615>. Elizabeth Simpson: <https://orcid.org/0000-0002-6107-0286>. David P. Siqueira: <https://orcid.org/0000-0002-0756-0153>. Zuzana Sitková: <https://orcid.org/0000-0001-6354-6105>. Johan Six: <https://orcid.org/0000-0001-9336-4185>. Marko Smiljanic: <https://orcid.org/0000-0002-2324-0723>. Stuart W. Smith: <https://orcid.org/0000-0001-9396-6610>. Ben Somers: <https://orcid.org/0000-0002-7875-107X>. José João L. L. Souza: <https://orcid.org/0000-0003-4670-6626>. Bartolomeu Israel Souza: <https://orcid.org/0000-0003-2173-8314>. Arildo Souza Dias: <https://orcid.org/0000-0002-5495-3435>. Marko J. Spasojevic: <https://orcid.org/0000-0003-1808-0048>. James D. M. Speed: <https://orcid.org/0000-0002-0633-5595>. Fabien Spicher: <https://orcid.org/0000-0002-9999-955X>. Angela Stanisci: <https://orcid.org/0000-0002-5302-0932>. Klaus Steinbauer: <https://orcid.org/0000-0002-3730-9920>. Rainer Steinbrecher: <https://orcid.org/0000-0002-5931-4210>. Michael Steinwandter: <https://orcid.org/0000-0001-8545-6047>. Michael Stemkovski: <https://orcid.org/0000-0002-9854-887X>. Jörg G. Stephan: <https://orcid.org/0000-0001-6195-7867>. Christian Stiegler: <https://orcid.org/0000-0002-0130-2401>. Stefan Stoll: <https://orcid.org/0000-0002-3656-417X>. Martin Svátek: <https://orcid.org/0000-0003-2328-4627>. Miroslav Svoboda: <https://orcid.org/0000-0003-4050-3422>. Torbern Tagesson: <https://orcid.org/0000-0003-3011-1775>. Andrew J. Tanentzap: <https://orcid.org/0000-0002-2883-1901>. Franziska Tanneberger: <https://orcid.org/0000-0002-4184-9671>. Jean-Paul Theurillat: <https://orcid.org/0000-0002-1843-5809>. Haydn J. D. Thomas: <https://orcid.org/0000-0001-9099-6304>. Andrew D. Thomas: <https://orcid.org/0000-0002-1360-1687>. Marcello Tomaselli: <https://orcid.org/0000-0003-4208-3433>. Urs Albert Treier: <https://orcid.org/0000-0003-4027-739X>. Mario Trouillier: <https://orcid.org/0000-0001-9151-7686>. Pavel Dan Turtureanu: <https://orcid.org/0000-0002-7422-3106>. Vilna A. Tyystjärvi: <https://orcid.org/0000-0002-1175-5463>. Masahito Ueyama: <https://orcid.org/0000-0002-4000-4888>. Karol Ujházy: <https://orcid.org/0000-0002-0228-1737>. Mariana Ujházyová: <https://orcid.org/0000-0002-5546-1547>. Domas Uogintas: <https://orcid.org/0000-0002-3937-1218>. Josef Urban: <https://orcid.org/0000-0003-1730-947X>. Marek Urbaniak: <https://orcid.org/0000-0002-1225-9170>. Tudor-Mihai Ursu: <https://orcid.org/0000-0002-4898-6345>. Francesco Primo Vaccari: <https://orcid.org/0000-0002-5253-2135>. Stijn Van de Vondel: <https://orcid.org/0000-0002-0223-7330>. Liesbeth van den Brink: <https://orcid.org/0000-0003-0313-8147>. Maarten Van Geel: <https://orcid.org/0000-0001-8688-6225>. Vigdis Vandvik: <https://orcid.org/0000-0003-4651-4798>. Pieter Vangansbeke: <https://orcid.org/0000-0002-6356-2858>. Andrej Varlagin: <https://orcid.org/0000-0002-2549-5236>. G.F. (Ciska) Veen: <https://orcid.org/0000-0001-7736-9998>. Elmar Veenendaal: <https://orcid.org/0000-0001-8230-2501>. Susanna E. Venn: <https://orcid.org/0000-0002-7433-0120>. Hans Verbeeck: <https://orcid.org/0000-0003-1490-0168>. Erik Verbruggen: <https://orcid.org/0000-0001-7015-1515>. Frank G.A. Verheijen: <https://orcid.org/0000-0001-6741-4249>. Luca Vitale: <https://orcid.org/0000-0002-7637-264X>. Pascal Vitzthum: <https://orcid.org/0000-0003-4218-4517>. Maria Vives-Ingla: <https://orcid.org/0000-0003-4887-8392>. Jonathan von Oppen: <https://orcid.org/0000-0001-6346-2964>. Josefine Walz: <https://orcid.org/0000-0002-0715-8738>. Runxi Wang: <https://orcid.org/0000-0003-4902-169X>. Yifeng Wang: <https://orcid.org/0000-0003-2660-7874>. Robert G. Way: <https://orcid.org/0000-0003-4763-7685>. Ronja E. M. Wedegårtnær: <https://orcid.org/0000-0003-4633-755X>. Robert Weigel: <https://orcid.org/0000-0001-9685-6783>. Jan Wild: <https://orcid.org/0000-0003-3007-4070>. Matthew Wilkinson: <https://orcid.org/0000-0002-3858-553X>. Martin Wilmking: <https://orcid.org/0000-0003-4964-2402>. Lisa Wingate: <https://orcid.org/0000-0003-1921-1556>. Manuela Winkler: <https://orcid.org/0000-0002-8655-9555>. Sonja Wipf: <https://orcid.org/0000-0002-3492-1399>. Georg Wohlfahrt: <https://orcid.org/0000-0003-3080-6702>. Georgios Xenakis: <https://orcid.org/0000-0002-2950-4101>. Yan Yang: <https://orcid.org/0000-0003-0858-7603>. Zicheng Yu: <https://orcid.org/0000-0003-2358-2712>. Kailiang Yu: <https://orcid.org/0000-0003-4223-5169>. Florian Zellweger: <https://orcid.org/0000-0003-1265-9147>. Jian Zhang: <https://orcid.org/0000-0003-0589-6267>. Peng Zhao: <https://orcid.org/0000-0003-3289-5067>. Klaudia Ziemlińska: <https://orcid.org/0000-0003-4070-6553>. Reiner Zimmermann: <https://orcid.org/0000-0002-8724-941X>. Shengwei Zong: <https://orcid.org/0000-0002-3583-6110>. Viacheslav I. Zyryanov: <https://orcid.org/0000-0002-1748-4801>. Ivan Nijis: <https://orcid.org/0000-0003-3111-680X>. Jonathan Lenoir: <https://orcid.org/0000-0003-0638-9582>. Juha Aalto: <https://orcid.org/0000-0001-6819-4911>. Martin Kopecký: <https://orcid.org/0000-0002-1018-9316>. David H. Klimes: <https://orcid.org/0000-0002-7900-9379>. Valeria Aschero: <https://orcid.org/0000-0003-3865-4133>. Jakob Johann Assmann: <https://orcid.org/0000-0002-3492-8419>. Bernd J. Berauer: <https://orcid.org/0000-0002-9472-1532>. Robert G. Björk: <https://orcid.org/0000-0001-7346-666X>. Mats P. Björkman: <https://orcid.org/0000-0001-5768-1976>. Julia Boike: <https://orcid.org/0000-0002-5875-2112>. Rafaella Canessa: <https://orcid.org/0000-0002-6979-9880>. Jofre Carnicer: <https://orcid.org/0000-0001-7454-8296>. Simone Cesarz: <https://orcid.org/0000-0003-2334-5119>. Bogdan Chojnicki: <https://orcid.org/0000-0002-9012-4060>. Philippe Choler: <https://orcid.org/0000-0002-9062-2721>. Tamara Contador: <https://orcid.org/0000-0002-0250-9877>. C. Johan Dahlberg: <https://orcid.org/0000-0003-0271-3306>. Jürgen Dengler: <https://orcid.org/0000-0003-3221-660X>. Jiri Dolezal: <https://orcid.org/0000-0002-5829-4051>. Nico Eisenhauer: <https://orcid.org/0000-0002-0371-6720>. Todd E. Erickson: <https://orcid.org/0000-0003-4537-0251>. Olga Ferlian: <https://orcid.org/0000-0002-2536-7592>. Esther R. Frei: <https://orcid.org/0000-0003-1910-7900>. Eduardo Fuentes-Lillo: <https://orcid.org/0000-0001-5657-954X>. Rafael A. García: <https://orcid.org/0000-0002-0591-0391>. Anne Gobin: <https://orcid.org/0000-0002-3742-7062>. Felix Gottschall: <https://orcid.org/0000-0002-1247-8728>. Joannès Guillemot: <https://orcid.org/0000-0003-4385-7656>. Peter Haase: <https://orcid.org/0000-0002-9340-0438>. Sylvia Haider: <https://orcid.org/0000-0002-2966-0534>. Siri V. Haugum: <https://orcid.org/0000-0003-4958-7132>. Jürgen Homeier: <https://orcid.org/0000-0001-5676-3267>. Marcin Antoni Jackowicz-Korczynski: <https://orcid.org/0000-0002-6574-5703>. Anke Jentsch: <https://orcid.org/0000-0002-2345-8300>. Vít Kašpar: <https://orcid.org/0000-0002-0879-0137>. Kamil Laska: <https://orcid.org/0000-0002-5199-9737>. Guerric le Maire: <https://orcid.org/0000-0002-5227-958X>. Annalea Lohila: <https://orcid.org/0000-0003-3541-672X>. Juan Lorite: <https://orcid.org/0000-0003-4617-8069>. Paraskevi Manolaki: <https://orcid.org/0000-0003-3958-0199>. Radim Matula: <https://orcid.org/0000-0002-7460-0100>. Sergiy Medinets: <https://orcid.org/0000-0001-5980-1054>. Miriam Muñoz-Rojas: <https://orcid.org/0000-0002-9746-5191>. Signe Normand: <https://orcid.org/0000-0002-8782-4154>. Marcelo D. Nosetto: <https://orcid.org/0000-0002-9428-490X>. Yann Nouvellon: <https://orcid.org/0000-0003-1920-3847>. Martin A. Nuñez: <https://orcid.org/0000-0003-0324-5479>. Romà Ogaya: <https://orcid.org/0000-0003-4927-8479>. Joseph Okello: <https://orcid.org/0000-0003-4462-3923>. Ada Pastor: <https://orcid.org/0000-0002-7114-770X>. Anibal Pauchard: <https://orcid.org/0000-0003-1284-3163>. William D. Pearse: <https://orcid.org/0000-0002-6241-3164>. Josep Penuelas: <https://orcid.org/0000-0002-7215-0150>. Matteo Petit Bon: <https://orcid.org/0000-0001-9829-8324>. Camille Pitteloud: <https://orcid.org/0000-0002-4731-0079>. Rafael Poyatos: <https://orcid.org/0000-0003-0521-2523>. Anatoly S. Prokushkin: <https://orcid.org/0000-0001-8721-2142>. Radosław Puchalka: <https://orcid.org/0000-0002-4764-0705>. Mihai Pușcaș: <https://orcid.org/0000-0002-2632-640X>. Amanda Ratier Backes: <https://orcid.org/0000-0002-7229-578X>. David Renault: <https://orcid.org/0000-0003-3644-1759>. Christian Rossi: <https://orcid.org/0000-0003-3644-1759>.

1365 0002-4618-2407. Olivier Rouspard: <https://orcid.org/0000-0002-1319-142X>. Jhonatan Sallo Bravo: <https://orcid.org/0000-0001-9007-4959>. Julia Seeber: <https://orcid.org/0000-0003-0189-7377>. Laura Siegwart Collier: <https://orcid.org/0000-0003-0985-9615>. Stuart W. Smith: <https://orcid.org/0000-0001-9396-6610>. Arildo Souza Dias: <https://orcid.org/0000-0002-5495-3435>. Stefan Stoll: <https://orcid.org/0000-0002-3656-417X>. Torbern Tagesson: <https://orcid.org/0000-0003-3011-1775>. Jean-Paul Theurillat: <https://orcid.org/0000-0002-1843-5809>. Urs Albert Treier: <https://orcid.org/0000-0003-4027-739X>. Pavel Dan Turtureanu: <https://orcid.org/0000-0002-7422-3106>. Vilna A. Tyystjärvi: <https://orcid.org/0000-0002-1175-5463>. Josef Urban: <https://orcid.org/0000-0003-1730-947X>. Jonathan von Oppen: <https://orcid.org/0000-0001-6346-2964>. Jan Wild: <https://orcid.org/0000-0003-3007-4070>. Sonja Wipf: <https://orcid.org/0000-0002-3492-1399>. Zicheng Yu: <https://orcid.org/0000-0003-2358-2712>. Jian Zhang: <https://orcid.org/0000-0003-0589-6267>. Reiner Zimmermann: <https://orcid.org/0000-0002-8724-941x>. Jürgen Dengler: <https://orcid.org/0000-0003-3221-660X>. Esther R. Frei: <https://orcid.org/0000-0003-1910-7900>. Eduardo Fuentes-Lillo: <https://orcid.org/0000-0001-5657-954X>. Paraskevi Manolaki: <https://orcid.org/0000-0003-3958-0199>. Sergiy Medinets: <https://orcid.org/0000-0001-5980-1054>. Joseph Okello: <https://orcid.org/0000-0003-4462-3923>. Matteo Petit Bon: <https://orcid.org/0000-0001-9829-8324>. Mihai Pușcaș: <https://orcid.org/0000-0002-2632-640X>. Olivier Rouspard: <https://orcid.org/0000-0002-1319-142X>. Pavel Dan Turtureanu: <https://orcid.org/0000-0002-7422-3106>

1379 References

1380 Abatzoglou JT, Dobrowski SZ, Parks SA, Hegewisch KC (2018) TerraClimate, a high-resolution global
1381 dataset of monthly climate and climatic water balance from 1958–2015. *Scientific data*, **5**,
1382 170191.

1383 Amatulli G, Domisch S, Tuanmu M-N, Parmentier B, Ranipeta A, Malczyk J, Jetz W (2018) A suite of
1384 global, cross-scale topographic variables for environmental and biodiversity modeling.
1385 *Scientific data*, **5**, 180040.

1386 Antão LH, Bates AE, Blowes SA, Waldock C, Supp SR, Magurran AE, Dornelas M, Schipper AM (2020)
1387 Temperature-related biodiversity change across temperate marine and terrestrial systems.
1388 *Nature ecology & evolution*, **4**, 927-933.

1389 Ashcroft MB, Cavanagh M, Eldridge MDB, Gollan JR (2014) Testing the ability of topoclimatic grids of
1390 extreme temperatures to explain the distribution of the endangered brush-tailed rock-
1391 wallaby (*Petrogale penicillata*). *Journal of biogeography*, **41**, 1402-1413.

1392 Ashcroft MB, Chisholm LA, French KO (2008) The effect of exposure on landscape scale soil surface
1393 temperatures and species distribution models. *Landscape Ecology*, **23**, 211-225.

1394 Ashcroft MB, Gollan JR (2012) Fine-resolution (25 m) topoclimatic grids of near-surface (5 cm)
1395 extreme temperatures and humidities across various habitats in a large (200 x 300 km) and
1396 diverse region. *International Journal of Climatology*, **32**, 2134-2148.

1397 Barnes R, Sahr K, Evenden G, Johnson A, Warmerdam F (2017) dggridR: discrete global grids for R. R
1398 package version 0.1.12.

1399 Bergstrom DM, Wienecke BC, Van Den Hoff J, Hughes L, Lindenmayer DB, Ainsworth TD, Baker CM,
1400 Bland L, Bowman DM, Brooks ST (2021) Combating ecosystem collapse from the tropics to
1401 the Antarctic. *Global change biology*, **27**, 1692-1703.

1402 Berner LT, Massey R, Jantz P, Forbes BC, Macias-Fauria M, Myers-Smith I, Kumpula T, Gauthier G,
1403 Andreu-Hayles L, Gaglioti BV (2020) Summer warming explains widespread but not uniform
1404 greening in the Arctic tundra biome. *Nature Communications*, **11**, 1-12.

1405 Bond-Lamberty B, Thomson A (2018) A Global Database of Soil Respiration Data, Version 4.0. ORNL
1406 DAAC.

1407 Booth TH, Nix HA, Busby JR, Hutchinson MF (2014) BIOCLIM: the first species distribution modelling
1408 package, its early applications and relevance to most current MAXENT studies. *Diversity and*
1409 *Distributions*, **20**, 1-9.

1410 Bramer I, Anderson B, Bennie J, Bladon A, De Frenne P, Hemming D, Hill RA, Kearney MR, Körner C,
1411 Korstjens AH, Lenoir J, Maclean IMD, Marsh CD, Morecroft MD, Ohlemüller R, Slater HD,
1412 Suggitt AJ, Zellweger F, Gillingham PK (2018) Advances in monitoring and modelling climate
1413 at ecologically relevant scales. *Advances in Ecological Research*, **58**, 101-161.

1414 Breiman L (2001) Random forests. *Machine learning*, **45**, 5-32.

1415 Bruelheide H, Dengler J, Purschke O, Lenoir J, Jiménez-Alfaro B, Hennekens SM, Botta-Dukát Z,
1416 Chytrý M, Field R, Jansen F (2018) Global trait–environment relationships of plant
1417 communities. *Nature ecology & evolution*, **2**, 1906.

- Bütikofer L, Anderson K, Bebbler DP, Bennie JJ, Early RI, Maclean IM (2020) The problem of scale in predicting biological responses to climate. *Global change biology*, **26**, 6657-6666.
- Chen L, Aalto J, Luoto M (2021) Significant shallow–depth soil warming over Russia during the past 40 years. *Global and Planetary Change*, **197**, 103394.
- Cooper EJ (2014) Warmer shorter winters disrupt Arctic terrestrial ecosystems. *Annual Review of Ecology, Evolution, and Systematics*, **45**, 271-295.
- Copernicus Climate Change Service (C3s) (2019) C3S ERA5-Land reanalysis. (ed Copernicus Climate Change Service).
- Coûteaux M-M, Bottner P, Berg B (1995) Litter decomposition, climate and litter quality. *Trends in ecology & evolution*, **10**, 63-66.
- Crowther TW, Todd-Brown KE, Rowe CW, Wieder WR, Carey JC, Machmuller MB, Snoek B, Fang S, Zhou G, Allison SD (2016) Quantifying global soil carbon losses in response to warming. *Nature*, **540**, 104-108.
- Daly C (2006) Guidelines for assessing the suitability of spatial climate data sets. *International Journal of Climatology*, **26**, 707-721.
- Davis E, Trant A, Hermanutz L, Way RG, Lewkowicz AG, Collier LS, Cuerrier A, Whitaker D (2020) Plant–Environment Interactions in the Low Arctic Torngat Mountains of Labrador. *Ecosystems*, 1-21.
- De Frenne P, Lenoir J, Luoto M, Scheffers BR, Zellweger F, Aalto J, Ashcroft M, Christiansen D, Decocq G, De Pauw K, Govaert S, Greiser C, Gril E, Hampe A, Jucker T, Klimes D, Koelemeijer I, Lembrechts J, Marrec R, Meeussen C, Ogee J, Tyystjarvi V, Vangansbeke P, Hylander K (2021) Forest microclimates and climate change: importance, drivers and future research agenda. *Global change biology*, **In press**.
- De Frenne P, Rodríguez-Sánchez F, Coomes DA, Baeten L, Verstraeten G, Vellend M, Bernhardt-Römermann M, Brown CD, Brunet J, Cornelis J (2013) Microclimate moderates plant responses to macroclimate warming. *Proceedings of the National Academy of Sciences*, **110**, 18561-18565.
- De Frenne P, Zellweger F, Rodríguez-Sánchez F, Scheffers BR, Hylander K, Luoto M, Vellend M, Verheyen K, Lenoir J (2019) Global buffering of temperatures under forest canopies. *Nature ecology & evolution*, **3**, 744-749.
- Dinerstein E, Olson D, Joshi A, Vynne C, Burgess ND, Wikramanayake E, Hahn N, Palminteri S, Hedao P, Noss R (2017) An ecoregion-based approach to protecting half the terrestrial realm. *BioScience*, **67**, 534-545.
- Du E, Terrer C, Pellegrini AF, Ahlström A, Van Lissa CJ, Zhao X, Xia N, Wu X, Jackson RB (2020) Global patterns of terrestrial nitrogen and phosphorus limitation. *Nature Geoscience*, **13**, 221-226.
- Fick SE, Hijmans RJ (2017) WorldClim 2: new 1-km spatial resolution climate surfaces for global land areas. *International Journal of Climatology*, **37**, 4302-4315.
- Geiger R (1950) *The climate near the ground*, Cambridge, Massachusetts, USA, Harvard University Press.
- Gistemp Team (2021) GISS Surface Temperature Analysis (GISTEMP), version 4. NASA Goddard Institute for Space Studies.
- Gorelick N, Hancher M, Dixon M, Ilyushchenko S, Thau D, Moore R (2017) Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, **202**, 18-27.
- Gottschall F, Davids S, Newiger-Dous TE, Auge H, Cesarz S, Eisenhauer N (2019) Tree species identity determines wood decomposition via microclimatic effects. *Ecology and evolution*, **9**, 12113-12127.
- Graae BJ, Vandvik V, Armbruster WS, Eiserhardt WL, Svenning J-C, Hylander K, Ehrlén J, Speed JD, Klanderud K, Bråthen KA, Milbau A, Opedal OH, Alsos IG, Ejrnaes R, Bruun HH, Birks HJB, Westergaard KB, Birks HH, Lenoir J (2018) Stay or go—how topographic complexity influences

1468 alpine plant population and community responses to climate change. Perspectives in plant
1469 ecology, evolution and systematics, **30**, 41-50.

1470 Greiser C, Meineri E, Luoto M, Ehrlén J, Hylander K (2018) Monthly microclimate models in a
1471 managed boreal forest landscape. Agricultural and Forest Meteorology, **250**, 147-158.

1472 Grünberg I, Wilcox EJ, Zwieback S, Marsh P, Boike J (2020) Linking tundra vegetation, snow, soil
1473 temperature, and permafrost. Biogeosciences, **17**, 4261-4279.

1474 Grundstein A, Todhunter P, Mote T (2005) Snowpack control over the thermal offset of air and soil
1475 temperatures in eastern North Dakota. Geophysical Research Letters, **32**.

1476 Hall DK, Riggs GA, Salomonson VV, Digirolamo NE, Bayr KJ (2002) MODIS snow-cover products.
1477 Remote Sensing of Environment, **83**, 181-194.

1478 Hengl T, De Jesus JM, Heuvelink GB, Gonzalez MR, Kilibarda M, Blagotić A, Shangguan W, Wright
1479 MN, Geng X, Bauer-Marschallinger B (2017) SoilGrids250m: Global gridded soil information
1480 based on machine learning. Plos One, **12**, e0169748.

1481 Hengl T, Nussbaum M, Wright MN, Heuvelink GB, Gräler B (2018) Random forest as a generic
1482 framework for predictive modeling of spatial and spatio-temporal variables. PeerJ, **6**, e5518.

1483 Hennon PE, D'amore DV, Witter DT, Lamb MB (2010) Influence of forest canopy and snow on
1484 microclimate in a declining yellow-cedar forest of Southeast Alaska. Northwest Science, **84**,
1485 73-87.

1486 Holden ZA, Klene AE, Keefe RF, Moisen GG (2013) Design and evaluation of an inexpensive radiation
1487 shield for monitoring surface air temperatures. Agricultural and Forest Meteorology, **180**,
1488 281-286.

1489 Hursh A, Ballantyne A, Cooper L, Maneta M, Kimball J, Watts J (2017) The sensitivity of soil
1490 respiration to soil temperature, moisture, and carbon supply at the global scale. Global
1491 change biology, **23**, 2090-2103.

1492 Jian J, Steele MK, Zhang L, Bailey VL, Zheng J, Patel KF, Bond-Lamberty BP (2021) On the use of air
1493 temperature and precipitation as surrogate predictors in soil respiration modelling.
1494 European Journal of Soil Science.

1495 Johnston AS, Meade A, Ardö J, Arriga N, Black A, Blanken PD, Bonal D, Brümmer C, Cescatti A, Dušek
1496 J (2021) Temperature thresholds of ecosystem respiration at a global scale. Nature ecology
1497 & evolution, **5**, 487-494.

1498 Karger DN, Conrad O, Böhner J, Kawohl T, Kreft H, Soria-Auza RW, Zimmermann NE, Linder HP,
1499 Kessler M (2017a) Climatologies at high resolution for the earth's land surface areas.
1500 Scientific data, **4**, 170122.

1501 Karger DN, Conrad O, Böhner J, Kawohl T, Kreft H, Soria-Auza RW, Zimmermann NE, Linder HP,
1502 Kessler M (2017b) Data from: Climatologies at high resolution for the earth's land surface
1503 areas. In: *Dryad Digital Repository*.

1504 Kattge J, Bönsch G, Diaz S, Lavorel S, Prentice IC, Leadley P, Tautenhahn S, Werner G, Günther A
1505 (2019) TRY plant trait database-enhanced coverage and open access. Global change biology,
1506 **26**, 119-188.

1507 Kearney M, Porter W (2009) Mechanistic niche modelling: combining physiological and spatial data
1508 to predict species' ranges. Ecology letters, **12**, 334-350.

1509 Kearney M, Shine R, Porter WP (2009) The potential for behavioral thermoregulation to buffer "cold-
1510 blooded" animals against climate warming. Proceedings of the National Academy of
1511 Sciences, **106**, 3835-3840.

1512 Kearney MR, Gillingham PK, Bramer I, Duffy JP, Maclean IM (2019) A method for computing hourly,
1513 historical, terrain-corrected microclimate anywhere on Earth. Methods in Ecology and
1514 Evolution, **11**, 38-43.

1515 Kissling WD, Walls R, Bowser A, Jones MO, Kattge J, Agosti D, Amengual J, Basset A, Van Bodegom
1516 PM, Cornelissen JH (2018) Towards global data products of Essential Biodiversity Variables
1517 on species traits. Nature ecology & evolution, **2**, 1531-1540.

- Körner C, Hiltbrunner E (2018) The 90 ways to describe plant temperature. Perspectives in plant ecology, evolution and systematics, **30**, 16-21.
- Körner C, Paulsen J (2004) A world-wide study of high altitude treeline temperatures. Journal of biogeography, **31**, 713-732.
- Lembrechts J, Aalto J, Ashcroft M, De Frenne P, Kopecký M, Lenoir J, Luoto M, Maclean IM, Consortium S, Nijs I (2020) SoilTemp: call for data for a global database of near-surface temperature. Global change biology, **26**, 6616-6629.
- Lembrechts J, Lenoir J, Scheffers BR, De Frenne P (2021) Time for countrywide microclimate networks. Global Ecology and Biogeography.
- Lembrechts JJ, Lenoir J (2019) Microclimatic conditions anywhere at any time! Global change biology.
- Lembrechts JJ, Lenoir J, Roth N, Hattab T, Milbau A, Haider S, Pellissier L, Pauchard A, Ratier Backes A, Dimarco RD (2019) Comparing temperature data sources for use in species distribution models: From in-situ logging to remote sensing. Global Ecology and Biogeography, **28**, 1578-1596.
- Lembrechts JJ, Nijs I (2020) Microclimate shifts in a dynamic world. Science, **368**, 711-712.
- Lenoir J, Bertrand R, Comte L, Bourgeaud L, Hattab T, Murienne J, Grenouillet G (2020) Species better track climate warming in the oceans than on land. Nature ecology & evolution, **4**, 1044-1059.
- Luoju K, Pulliainen J, Takala M, Derksen C, Rott H, Nagler T, Solberg R, Wiesmann A, Metsamaki S, Malnes E (2010) Investigating the feasibility of the GlobSnow snow water equivalent data for climate research purposes. In: *2010 IEEE International Geoscience and Remote Sensing Symposium*. IEEE.
- Maclean IM, Duffy JP, Haesen S, Govaert S, De Frenne P, Vanneste T, Lenoir J, Lembrechts JJ, Rhodes MW, Van Meerbeek K (2021) On the measurement of microclimate. Methods in Ecology and Evolution.
- Maclean IM, Klimes DH (2021) Microclimc: A mechanistic model of above, below and within-canopy microclimate. Ecological Modelling, **451**, 109567.
- Maclean IM, Mosedale JR, Bennie JJ (2019) Microclima: An R package for modelling meso-and microclimate. Methods in Ecology and Evolution, **10**, 280-290.
- Myers-Smith IH, Kerby JT, Phoenix GK, Bjerke JW, Epstein HE, Assmann JJ, John C, Andreu-Hayles L, Angers-Blondin S, Beck PS (2020) Complexity revealed in the greening of the Arctic. Nature Climate Change, **10**, 106-117.
- Niittynen P, Heikkinen RK, Aalto J, Guisan A, Kemppinen J, Luoto M (2020) Fine-scale tundra vegetation patterns are strongly related to winter thermal conditions. Nature Climate Change, **10**, 1143-1148.
- Niittynen P, Luoto M (2018) The importance of snow in species distribution models of arctic vegetation. Ecography, **41**, 1024-1037.
- O'donnell MS, Ignizio DA (2012) Bioclimatic predictors for supporting ecological applications in the conterminous United States. US Geological Survey Data Series, **691**, 4-9.
- Obu J, Westermann S, Bartsch A, Berdnikov N, Christiansen HH, Dashtseren A, Delaloye R, Elberling B, Etzelmüller B, Kholodov A (2019) Northern Hemisphere permafrost map based on TTOP modelling for 2000–2016 at 1 km² scale. Earth-Science Reviews, **193**, 299-316.
- Olden JD, Lawler JJ, Poff NL (2008) Machine learning methods without tears: a primer for ecologists. The Quarterly review of biology, **83**, 171-193.
- Opedal OH, Armbruster WS, Graae BJ (2015) Linking small-scale topography with microclimate, plant species diversity and intra-specific trait variation in an alpine landscape. Plant Ecology & Diversity, **8**, 305-315.
- Overland JE, Wang M, Walsh JE, Stroeve JC (2014) Future Arctic climate changes: Adaptation and mitigation time scales. Earth's Future, **2**, 68-74.

- Pastorello G, Papale D, Chu H, Trotta C, Agarwal D, Canfora E, Baldocchi D, Torn M (2017) A new data set to keep a sharper eye on land-air exchanges. *Eos, Transactions American Geophysical Union (Online)*, **98**.
- Perera-Castro AV, Waterman MJ, Turnbull JD, Ashcroft MB, Mckinley E, Watling JR, Bramley-Alves J, Casanova-Katny A, Zuniga G, Flexas J (2020) It is hot in the sun: Antarctic mosses have high temperature optima for photosynthesis despite cold climate. *Frontiers in Plant Science*, **11**, 1178.
- Pincebourde S, Murdock CC, Vickers M, Sears MW (2016) Fine-scale microclimatic variation can shape the responses of organisms to global change in both natural and urban environments. *Integrative and Comparative Biology*, **56**, 45-61.
- Pleim JE, Gilliam R (2009) An indirect data assimilation scheme for deep soil temperature in the Pleim–Xiu land surface model. *Journal of Applied Meteorology and Climatology*, **48**, 1362-1376.
- Portillo-Estrada M, Pihlatie M, Korhonen JFJ, Levula J, Frumau AKF, Ibrom A, Lembrechts JJ, Morillas L, Horvath L, Jones SK, Niinemets U (2016) Climatic controls on leaf litter decomposition across European forests and grasslands revealed by reciprocal litter transplantation experiments. *Biogeosciences*, **13**, 1621-1633.
- Potter KA, Woods HA, Pincebourde S (2013) Microclimatic challenges in global change biology. *Global change biology*, **19**, 2932-2939.
- R Core Team (2020) R: a language and environment for statistical computing, R Foundation for Statistical Computing.
- Richardson LF (1922) *Weather prediction by numerical process*, Cambridge university press.
- Rosenberg NJ, Kimball B, Martin P, Cooper C (1990) From climate and CO2 enrichment to evapotranspiration. *Climate change and US water resources.*, 151-175.
- Santoro M (2018) GlobBiomass—Global datasets of forest biomass. *PANGAEA10*, **1594**.
- Scherrer D, Schmid S, Körner C (2011) Elevational species shifts in a warmer climate are overestimated when based on weather station data. *International journal of Biometeorology*, **55**, 645-654.
- Schimel DS, Braswell B, Mckeown R, Ojima DS, Parton W, Pulliam W (1996) Climate and nitrogen controls on the geography and timescales of terrestrial biogeochemical cycling. *Global Biogeochemical Cycles*, **10**, 677-692.
- Schimel JP, Bilbrough C, Welker JM (2004) Increased snow depth affects microbial activity and nitrogen mineralization in two Arctic tundra communities. *Soil Biology and Biochemistry*, **36**, 217-227.
- Senior RA, Hill JK, Edwards DP (2019) Global loss of climate connectivity in tropical forests. *Nature Climate Change*, **9**, 623-626.
- Smith M, Riseborough D (1996) Permafrost monitoring and detection of climate change. *Permafrost and Periglacial Processes*, **7**, 301-309.
- Smith M, Riseborough D (2002) Climate and the limits of permafrost: a zonal analysis. *Permafrost and Periglacial Processes*, **13**, 1-15.
- Soudzilovskaia NA, Douma JC, Akhmetzhanova AA, Van Bodegom PM, Cornwell WK, Moens EJ, Treseder KK, Tibbett M, Wang YP, Cornelissen JH (2015) Global patterns of plant root colonization intensity by mycorrhizal fungi explained by climate and soil chemistry. *Global Ecology and Biogeography*, **24**, 371-382.
- Stefan V, Levin S (2018) Plotbiomes: Plot Whittaker biomes with ggplot2. R package version 0.0.0.9001.
- Steidinger BS, Crowther TW, Liang J, Van Nuland ME, Werner GD, Reich PB, Nabuurs G-J, De-Miguel S, Zhou M, Picard N (2019) Climatic controls of decomposition drive the global biogeography of forest-tree symbioses. *Nature*, **569**, 404-408.

- Terando AJ, Youngsteadt E, Meineke EK, Prado SG (2017) Ad hoc instrumentation methods in ecological studies produce highly biased temperature measurements. *Ecology and evolution*, **7**, 9890-9904.
- Van Den Hoogen J, Geisen S, Routh D, Ferris H, Traunspurger W, Wardle DA, De Goede RG, Adams BJ, Ahmad W, Andriuzzi WS (2019) Soil nematode abundance and functional group composition at a global scale. *Nature*, **572**, 194-198.
- Van Den Hoogen J, Robmann N, Routh D, Lauber T, Van Tiel N, Danylo O, Crowther TW (2021) A geospatial mapping pipeline for ecologists. *bioRxiv*, <https://doi.org/10.1101/2021.07.07.451145>.
- Wang K, Dickinson RE (2012) A review of global terrestrial evapotranspiration: Observation, modeling, climatology, and climatic variability. *Reviews of Geophysics*, **50**.
- Way RG, Lewkowicz AG (2018) Environmental controls on ground temperature and permafrost in Labrador, northeast Canada. *Permafrost and Periglacial Processes*, **29**, 73-85.
- White HJ, León-Sánchez L, Burton VJ, Cameron EK, Caruso T, Cunha L, Dirilgen T, Jurburg SD, Kelly R, Kumaresan D (2020) Methods and approaches to advance soil macroecology. *Global Ecology and Biogeography*, **29**, 1674-1690.
- Whiteman CD (1982) Breakup of temperature inversions in deep mountain valleys: Part I. Observations. *Journal of Applied Meteorology*, **21**, 270-289.
- Wild J, Kopecký M, Macek M, Šanda M, Jankovec J, Haase T (2019) Climate at ecologically relevant scales: A new temperature and soil moisture logger for long-term microclimate measurement. *Agricultural and Forest Meteorology*, **268**, 40-47.
- Wood S (2012) mgcv: Mixed GAM Computation Vehicle with GCV/AIC/REML smoothness estimation.
- World Meteorological Organization (2008) *Guide to Meteorological Instruments and Methods of Observation*, Geneva, WMO-No. 8.
- Xu T, Hutchinson M (2011) ANUCLIM version 6.1 user guide. The Australian National University, Fenner School of Environment and Society, Canberra.
- Xu Y, Ramanathan V, Victor DG (2018) Global warming will happen faster than we think. *Nature*.
- Zellweger F, De Frenne P, Lenoir J, Vangansbeke P, Verheyen K, Bernhardt-Römermann M, Baeten L, Hédli R, Berki I, Brunet J, Van Calster H, Chudomelová M, Decocq G, Dirnböck T, Durak T, Heinken T, Jaroszewicz B, Kopecký M, Malis F, Macek M, Marek M, Naaf T, Nagel TA, Ortmann-Ajkai A, Petrik P, Pielech R, Reczynska K, Schmidt W, Standovár T, Swierkosz K, Teleki B, Vild O, Wulf M, Coomes D (2020) Forest microclimate dynamics drive plant responses to warming. *Science*, **368**, 772-775.
- Zhang Y, Sherstiukov AB, Qian B, Kokelj SV, Lantz TC (2018) Impacts of snow on soil temperature observed across the circumpolar north. *Environmental Research Letters*, **13**, 044012.
- Zhang Y, Wang S, Barr AG, Black T (2008) Impact of snow cover on soil temperature and its simulation in a boreal aspen forest. *Cold Regions Science and Technology*, **52**, 355-370.
- Zhou S, Williams AP, Lintner BR, Berg AM, Zhang Y, Keenan TF, Cook BI, Hagemann S, Seneviratne SI, Gentile P (2021) Soil moisture–atmosphere feedbacks mitigate declining water availability in drylands. *Nature Climate Change*, 1-7.
- Zomer RJ, Trabucco A, Bossio DA, Verchot LV (2008) Climate change mitigation: A spatial analysis of global land suitability for clean development mechanism afforestation and reforestation. *Agriculture, ecosystems & environment*, **126**, 67-80.

1666 **Tables**


1667 **Table 1:** Overview of soil bioclimatic variables as calculated in this study.

Bioclimatic variable	Meaning
S BIO1	annual mean temperature
S BIO2	mean diurnal range (mean of monthly (max temp - min temp))
S BIO3	isothermality (S BIO2/S BIO7) (×100)
S BIO4	temperature seasonality (standard deviation ×100)
S BIO5	max temperature of warmest month
S BIO6	min temperature of coldest month
S BIO7	temperature annual range (S BIO5-S BIO6)
S BIO8	mean temperature of wettest quarter
S BIO9	mean temperature of driest quarter
S BIO10	mean temperature of warmest quarter
S BIO11	mean temperature of coldest quarter

1668

1669

1670




1672

1673 **Figure 1: Temperature offsets between soil and air temperature differed significantly among**
1674 **biomes.** (a) Distribution of in-situ measurement locations across the globe, coloured by the mean
1675 annual temperature offset (in °C) between in situ measured soil temperature (topsoil, 0–5 cm depth)
1676 and gridded air temperature (ERA5L). Offsets were averaged per hexagon, each with a size of
1677 approximately 70,000 km². Mollweide projection. (b) Mean annual temperature offsets per Whittaker
1678 biome (adapted from Whittaker 1970, based on geographic location of sensors averaged at 1 km²; 0–
1679 5 cm depth), ordered by mean temperature offset and coloured by mean annual precipitation. (c–d)

1680 *Distribution of sensors in 2D climate space for the topsoil (c, 0–5 cm depth, N = 4530) and the second*
1681 *layer (d, 5–15 cm depth, N = 3989). Colours of hexagons indicate the number of sensors at each climatic*
1682 *location, with a 40 × 40 km resolution. Grey dots in the background represent the global variation in*
1683 *climatic space (obtained by sampling 1,000,000 random locations from the CHELSA world maps).*
1684 *Overlay with grey lines depicts a delineation of Whittaker biomes.*

1685



1687

1688 **Figure 2: Global modelled temperature offsets between soil and air temperature show strong**
1689 **spatiotemporal variation across months.** Modelled annual (a) and monthly (b–m) temperature
1690 offset (in °C) between in situ measured soil temperature (topsoil, 0–5 cm) and gridded air
1691 temperature. Positive (red) values indicate soils that are warmer than the air. Dark grey represents
1692 regions outside the modelling area.

1693




Figure 3: Soil bioclimatic variables. Global maps of bioclimatic variables for topsoil (0–5 cm depth) climate, calculated using the maps of monthly soil climate (see Fig. 2), and the bioclimatic variables for air temperature from CHELSA.




Figure 4: Mean annual soil temperature shows significantly lower spatial variability than air temperature. (a) Global map of mean annual topsoil temperature (SBIO1, 0–5 cm depth, in °C), created by adding the monthly offset between soil and air temperature for the period 2000–2020 (Fig. 2) to the monthly air temperature from CHELSA. A black mask is used to exclude regions where our models are extrapolating (i.e., interpolation values in Fig. 5 are < 0.9, 18% of pixels). Dark grey represents regions outside the modelling area. (b–c) Density plots of mean annual soil temperature across the globe (b) and for each Whittaker biome separately (c) for SBIO1 (dark grey, soil temperature), compared with BIO1 from CHELSA (light grey, air temperature), created by extracting 1 000 000 random points from the 1-km² gridded bioclimatic products. The numbers in (c) represent the standard deviations of air temperature (light grey) and soil temperature (dark grey). Biomes are ordered according to the median annual soil temperature values (vertical black line) from the highest temperature (subtropical desert) to the lowest (tundra).




Figure 5: Models of the temperature offset between soil and air temperature have low standard deviations and good global coverage. Analyses for the temperature offset between in situ measured topsoil (0–5 cm depth) temperature and gridded air temperature. (a) Standard deviation (in °C) over the predictions from a cross-validation analysis that iteratively varied the set of covariates (explanatory data layers) and model hyperparameters across 100 models and evaluated model strength using 10-fold cross-validation, for January (left) and July (right), as examples of the two most contrasting months. (b) The fraction of axes in the multidimensional environmental space for which the pixel lies inside the range of data covered by the sensors in the database. Low values indicate increased extrapolation.




Figure 6: The mean annual soil temperature (SBIO1, 1 x 1 km resolution) modelled here is consistently cooler than ERA5L (9 x 9 km) soil temperature in forested areas. (a) Spatial representation of the difference between SBIO1 based on our model and based on ERA5L soil temperature data. Negative values (blue colours) indicate areas where our model predicts cooler soil temperature. Dark grey areas (Greenland and Antarctica) are excluded from our models. Asterisk in Scandinavia indicates the highlighted area in panels d to f (see below). (b) Distribution of the difference between SBIO1 and ERA5L along the macroclimatic gradient (represented by SBIO1 itself) based on a random subsample of 50 000 points from the map in a). Red line from a Generalized Additive Model (GAM) with $k=4$. (c-e) High-resolution zoomed panels of an area of high elevational contrast in Norway (from 66.0-66.4° N, 15.0-16.0° E) visualizing SBIO1 (c), ERA5L (d) and their difference (e), to highlight the higher spatial resolution as obtained with SBIO1.