Est. 1841	YORK
	ST JOHN
	UNIVERSITY

Dunn, Victoria, Petty, Stephanie ORCID

logoORCID: https://orcid.org/0000-0002-1453-3313 and Laver Fawcett, Alison ORCID logoORCID: https://orcid.org/0000-0002-9924-1319 (2024) Provenance of a 'sense-sational' wait: A call for introducing sensory processing differences into diagnostic criteria for Attention Deficit Hyperactivity Disorder. Brain and Behavior, 14 (5).

Downloaded from: https://ray.yorksj.ac.uk/id/eprint/9890/

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version: https://doi.org/10.1002/brb3.3501

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. Institutional Repository Policy Statement



Research at the University of York St John For more information please contact RaY at <u>ray@yorksj.ac.uk</u>

COMMENTARY

Open Access WILEY

Provenance of a "sense-sational" wait: A call for introducing sensory processing differences into diagnostic criteria for attention-deficit/hyperactivity disorder

Victoria Sally Dunn¹ Victoria Sally Dunn¹ Stephanie Petty² Alison Laver-Fawcett²

 $^1\mathrm{Humber}$ Foundation NHS Teaching Trust, York St John University, Lord Mayor's Walk, York, UK

²York St John University, Lord Mayor's Walk, York, UK

Correspondence

Victoria Dunn, Humber Foundation NHS Teaching Trust, York St John University, Lord Mayor's Walk, York, UK. Email: victoria.dunn@yorksj.ac.uk

Funding information

Institute for Health and Care Improvement, York St John University

Attention-deficit/hyperactivity disorder (ADHD) is predominantly understood as a neurodevelopmental disorder (Scandurra et al., 2019). which has been renamed and refined with progressive versions of the Diagnostic and Statistical Manual of Mental Disorders (DSM). In this paper, we advocate for further research into sensory processing differences experienced by people with ADHD and a possible future revision to diagnostic criteria to recognize sensory processing differences. The DSM-II (American Psychiatric Association, APA, 1968) first presented ADHD as a "hyperkinetic reaction of childhood," with "excessive motor activity" as a prominent symptom (Epstein & Loren, 2013, pp. 455). Between the DSM-II and DSM-5 Text Revision (DSM-5-TR, APA, 2022), re-conceptualizations of ADHD have been transformed. Each revision has had implications for sociological understanding and consequent diagnostic decision making, with the application of new criteria (Kooij et al., 2019; Sibley et al., 2013) and expanding awareness of diagnostic overshadowing (Hatch et al., 2023). The shifting lens through which individuals view their condition is subject to changes beyond their control (Honkasilta & Koutsoklenis, 2022). It has been proposed that when the conceptualization of a condition alters so dramatically as to change its diagnostic criteria, this creates the potential to change people's life paths (Cooper, 2018).

ADHD currently has three distinct presentations, including predominantly inattentive, hyperactive, or combined inattentive and hyperactive-impulsive types (DSM-5-TR, APA, 2022). Over time, symptom descriptors have been expanded and symptom thresholds have been reduced (Lange et al., 2010). These changes partly reflect a shifting acknowledgment that characteristics of ADHD are present across the lifespan (Kooij et al., 2019). In addition, there has been increased recognition that ADHD sometimes co-occurs with autism (Coghill & Seth, 2011; Rong et al., 2021). These changes highlight the importance of robust diagnostic identification of what characterizes ADHD (Pehlivandis et al., 2021), alongside essential re-conceptualization of ADHD based on lived experiences (Eccleston et al., 2019).

A systematic review of 11 studies conducted in 2011 concluded that "sensory processing problems in children with ADHD are more common than in typically developing children" (Ghanizadeh, 2011, p. 89). Later research presents complementary evidence for significant sensory processing differences for children with ADHD and the implications for support options (Lane & Reynolds, 2019; Shimizu et al., 2014). Personal accounts expand the emerging research literature. People with ADHD are reporting sensory processing challenges and are seeking advice and support for managing these (for example, Attention Deficit Disorder Association, ADDA, 2023; Burch, 2023; Maguire, 2021). However, online literature written to support individuals with ADHD and their families offers information of variable quality and credibility, including unreferenced recommendations with unclear authorship (Yeung et al., 2022). Furthermore, people are being directed to online assessments (for example, ADDitude Editors, 2019), which may not provide essential information about the validity of the tests or the processes of standardization (Neff, n.d).

As sensory processing differences are now recognized for autistic people (Patil & Kaple, 2023), a challenge for practitioners is how to accurately formulate the sensory needs of people with ADHD whilst minimizing additional assessments and potential co-occurring diag-

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

^{© 2024} The Authors. Brain and Behavior published by Wiley Periodicals LLC.

noses. Neurodivergent people frequently receive multiple diagnostic labels that overlap to explain underpinning characteristics (Kooij et al., 2019; Werkhoven et al., 2022), which has negative implications for resource management of waiting lists, risks associated with delayed pharmacological and/or nonpharmacological interventions, and difficulty managing patients' expectations (Al-Khudairi et al., 2019). When individuals do not receive the appropriate support for ADHD-related difficulties because of delayed assessment or delayed treatment, identified risks have included increased harm to self, substance misuse, unemployment, and criminality (Assayag et al., 2022; Johnson et al., 2021). Improving the specificity and sensitivity of the diagnostic criteria for ADHD through revisions and refinements should enable the right diagnosis, at the right time. Sensory processing differences understood as being ubiquitous and lifelong would also contribute to how co-occurring emotional distress is approached, including, for example, where links have been identified between sensory processing differences and anxiety and depression (Lane & Reynolds, 2019; Paquet et al., 2022).

As healthcare services experience increasing demand that often outstrips capacity (Cahill, 2023), valid and reliable diagnostic criteria remain the backbone of clinical decision-making. The DSM-5-TR (APA, 2022) and International Classification of Diseases Eleventh Revision (ICD-11; World Health Organisation, 2019) must, therefore, fairly represent all individuals with ADHD and the diversity of their clinical profiles. Any amendment to diagnostic criteria or changes in service provision must be supported by research evidence and consultation with key stakeholders (Kaap & Ne'eman, 2020; NHS England, 2022; Young et al., 2021). A paradigm shift towards neurodiversity affirmative practice is also an important point of reference, whereby differences are validated, positive neurodivergent identity is supported, and self-advocacy is foregrounded (Pellicano & Houting, 2022).

Through examining the process and rationale used to evidence the inclusion of sensory processing differences as part of the diagnostic criteria for Autism Spectrum Disorder (ASD), it was hoped a path would be outlined for expediting this process, if appropriate, for revising the criteria for ADHD. Between the DSM-IV and DSM-5 (Rosen et al., 2021) ASD became an umbrella term, replacing previous diagnostic categories including Asperger's Syndrome, Childhood Disintegrative Disorder, Pervasive Developmental Disorder, and Autistic Disorder. These changes, as discussed by Cooper (2018), had significant implications for access to support services (Kent *et al.*, 2013) and for how individuals and society adjusted to the changed representation of being autistic (Gensler, 2012).

In February 2011, sensory processing sensitivities were recognized within diagnostic criteria for ASD (APA, 2010b). The DSM-5 revision process aimed to: "use evidence from clinical practice and existing epidemiological, neurobiological, clinical, and genetics literature to develop revised or new diagnostic criteria that better capture[s] the various mental disorders to help clinicians provide more accurate diagnoses," (Clarke et al., 2013, p. 43). Unlike the transition from DSM-III to DSM-IV, which published four "sourcebooks" (Widiger et al., 1998) containing archived information about the revision process, the DSM-5 source materials do not provide this detail.

As a team of practicing clinicians and researchers, we found it difficult to identify the process followed through which sensory processing differences were recognized as a characteristic of being autistic, through to their inclusion in diagnostic criteria. Literature searches did not identify evidence sources and seeking insights from the DSM-5 Neurodevelopmental workgroup documentation was not fruitful. An internet archive search, using Wayback Machine, provided access to the DSM-5 Development website (APA, 2010a) and identified the only reference to the rationale for including sensory processing differences in the revised ASD criteria. It stated that the revision to recognize sensory processing differences within diagnostic criteria was based on "literature review, expert consultations, and workgroup discussions; confirmed by the results of secondary analyses of data ... " (APA, 2010c; Rationale tab 2, bullet point 5).

Acknowledging that sensory processing differences are part of being autistic has taken decades and opened the door to alternative intervention options that focus on people's individual functional needs. For instance, Schaaf et al. (2014) reported that families of autistic children who participated in a sensory integration program described reduced dependence in self-care and social activities. Different approaches are evident for a wide range of priority needs for autistic people, such as providing school-based support (Pastor-Cerezuela *et al.*, 2020) or interventions for eating difficulties (Nimbley et al., 2022). The addition of sensory processing differences in the diagnostic criteria for ADHD might similarly provide alternative support options.

Clinical research with people who have ADHD has primarily reflected on issues of mis- and over-diagnosis, financial implications of inaccurate diagnosis, possible reasonable adjustments to support individuals with ADHD, and pharmacological interventions (Sibley & Kurivan, 2016). We advocate that clinicians and academics should note the emerging evidence of sensory processing differences for people with ADHD and should contribute to further exploration of their place within diagnostic criteria. The benefits of including sensory processing differences within diagnostic criteria may be threefold. First, this would ensure that people presenting with sensory processing differences are not erroneously excluded from an assessment of ADHD. Second, resources would be saved from unnecessary assessments of other neurodivergent and mental health conditions. Finally, individuals with ADHD and sensory processing differences that are affecting daily functioning could receive the tailored support needed. Personal interest and academic interest in improving understanding of sensory processing differences for people with ADHD is clear. The potential cost of overlooking their place in diagnostic criteria is high.

We suggest that it would be wise to learn from the process of introducing sensory processing differences into the diagnostic criteria for ASD in order to engage in a timely review of all available stakeholder perspectives and research evidence that represents sensory processing differences as a characteristic of ADHD.

FUNDING INFORMATION

The first author's PhD studies are funded by a York St John Fee Scholarship for post-graduate research course, from the Institute of Health and Care Improvement.

CONFLICT OF INTEREST STATEMENT

The authors declare no conflict of interest.

DATA AVAILABILITY STATEMENT

Data sharing is not applicable to this paper as no datasets were generated or analyzed in the production of this paper.

ORCID

Victoria Sally Dunn b https://orcid.org/0009-0005-0986-7473

PEER REVIEW

The peer review history for this article is available at https://publons. com/publon/10.1002/brb3.3501.

PATIENT CONSENT STATEMENT

Patient consent statement was not required for this paper.

PERMISSION TO REPRODUCE MATERIAL FROM OTHER SOURCES

All sources of information used are cited and referenced.

CLINICAL TRIAL REGISTRATION

Not applicable.

REFERENCES

- ADDA Editorial Team. (2023). ADHD and sensory overload: Managing overstimulation in a fast-paced world. Attention Deficit Disorder Association. https://add.org/sensory-overload-adhd/ [Accessed March 7, 2023]
- ADDitude authors. (2019). [Self-Test] Sensory processing disorder in children. https://www.additudemag.com/screener-sensory-processingdisorder-symptoms-test-children/?src=embed link [Accessed March 11,2023]
- Al-Khudairi, R., Perera, B., Solomou, S., & Courtenay, K. (2019). Adults with intellectual disability and Attention Deficit Hyperactivity Disorder: Clinical characteristics and medication profiles. British Journal of Learning Disabilities, 47(2), 145–152. Portico. https://doi.org/10.1111/bld.12265
- American Psychiatric Association (APA). (1968). Diagnostic and statistical manual of mental disorders: Second edition (DSM-II). Washington, DC: American Psychiatric Association.
- American Psychiatric Association (APA). (2010a). DSM-5 Development. https://web.archive.org/web/20100323204954/ http://www.dsm5.org/ Pages/Default.aspx [Accessed on July 3, 2023]
- American Psychiatric Association (APA). (2010b). DSM-5 Development. https://web.archive.org/web/20110202233348/ http://www.dsm5.org/ ProposedRevisions/Pages/proposedrevision.aspx?rid=94 [Accessed on July 3, 2023]
- American Psychiatric Association (APA). (2022). Diagnostic and statistical manual of mental disorders 5th Edition-Text Revision (DSM-5-TR). American Psychiatric Association.
- American Psychiatric Association. (2010c). DSM-5 Development. https://web.archive.org/web/20100215193952/ http://www.dsm5.org/ ProposedRevisions/Pages/proposedrevision.aspx?rid=94# [Accessed on July 3, 2023]
- Assayag, N., Berger, I., Parush, S., Mell, H., & Bar-Shalita, T. (2022). Attention-deficit/hyperactivity disorder symptoms, sensation-seeking, and sensory modulation dysfunction in substance use disorder: A cross sectional two-group comparative study. International Journal of Environmental Research and Public Health, 19(5), 2541, 1-12. https://doi.org/10. 3390/ijerph19052541

- Burch, K. (2023). How to Manage Sensory Overload in ADHD. https://www. verywellhealth.com/sensory-overload-and-adhd-5209861 [Accessed
- March 11. 2024] Cahill, T. (2023). A national framework to deliver improved outcomes in allage autism assessment pathways: Guidance for integrated care boards. https://www.england.nhs.uk/long-read/a-national-framework-todeliver-improved-outcomes-in-all-age-autism-assessment-pathwaysguidance-for-integrated-care-boards/ [Accessed July 3, 2023]
- Clarke, D. E., Narrow, W. E., Regier, D. A., Kuramoto, S. J., Kupfer, D. J., Kuhl, E. A., Greiner, L., & Kraemer, H. C. (2013). DSM-5 field trials in the United States and Canada, Part I: Study design, sampling strategy, implementation, and analytic approaches. American Journal of Psychiatry, 170(1), 43-58
- Coghill, D., & Seth, S. (2011). Do the diagnostic criteria for ADHD need to change? Comments on the preliminary proposals of the DSM-5 ADHD and Disruptive Behaviour Disorders Committee. European Child and Adolescent Psychiatry, 20(2), 75-81.
- Cooper, R. (2018). Understanding the DMS-5: Stasis and change. History of Psychiatry, 29(1), 49-65. https://doi.org/10.1177/0957154x17741783
- Eccleston, L., Williams, J., Knowles, S., & Soulsby, L. (2019). Adolescent experiences of living with a diagnosis of ADHD: A systematic review and thematic synthesis. Emotional and Behavioural Difficulties, 24(2), 119-135. https://doi.org/10.1080/13632752.2019.1582762
- Epstein, L. N., & Loren, R. E. A. (2013). Changes in the definition of ADHD in DSM-5: Subtle but important. Neuropsychiatry (London), 3(5), 455-458. https://doi.org/10.2217/npy.13.59
- Gensler, D. (2012). Autism spectrum disorder in DSM-V: Differential diagnosis and boundary conditions. Journal of Infant, Child, and Adult Psychotherapy, 11(2), 86-95. https://doi.org/10.1080/15289168.2012. 676339
- Ghanizadeh, A. (2011). Sensory processing problems in children with ADHD, a systematic review. Psychiatry Investigation, 8(2), 89-94. https:// doi.org/10.4306/pi.2011.8.2.89
- Hatch, B., Kadlaskar, G., & Miller, M. (2023). Diagnosis and treatment of children and adolescents with autism and ADHD. Psychology in the Schools, 6, 295-311. https://doi.org/10.1002/pits.22808
- Honkasilta, J., & Koutsoklenis, A. (2022). The (Un)real existence of ADHD-Criteria, functions, and forms of the diagnostic entity. Frontiers in Sociology, 7, 1-15. https://doi.org/10.3389/fsoc.2022.814763
- Johnson, J., Morris, S., & George, S. (2021). Misdiagnosis and missed diagnosis of adult attention-deficit hyperactivity disorder. British Journal of Psychological Advances, 27(1), 60-61. https://doi.org/10.1192/bja.2020. 34
- Kapp, S. K., & Ne'eman, A. (2020). Lobbying autism's diagnostic revision in the DSM-5. In S. Kapp (eds) Autistic community and the neurodiversity movement. Palgrave Macmillan.
- Kent, R. G., Carrington, S. J., Le Couteur, A., Gould, J., Wing, L., Maljaars, J., Noens, I., van Berckelaer-Onnes, I., & Leekam, S. R. (2013). Diagnosing autism spectrum disorder: Who will get a DSM-5 diagnosis? Journal of Child Psychology and Psychiatry, 54(11), 1242-1250.
- Kooij, J. J. S., Bijlenga, D., Salerno, L., Jaeschke, R., Bitter, I., Balázs, J., Thome, J., Dom, G., Kasper, S., Nunes Filipe, C., Stes, S., Mohr, P., Leppämäki, S., Casas, M., Bobes, J., Mccarthy, J. M., Richarte, V., Kjems Philipsen, A., Pehlivanidis, A., & Asherson, P. (2019). Updated European Consensus Statement on diagnosis and treatment of adult ADHD. European Psychiatry, 56, 14-34. https://doi.org/10.1016/j.eurpsy.2018.11. 001
- Lane, S. J., & Reynolds, S. (2019). Sensory over-responsivity as an added dimension in ADHD. Frontiers of Integrated Neuroscience, 13(40), 1-12. https://doi.org/10.3389/fnint.2019.00040
- Lange, K. W., Reichl, S., Lange, K. M., Tucha, L., & Tucha, O. (2010). The history of attention deficit hyperactivity disorder. Attention Deficit Hyperactivity Disorders, 2(4), 241-255. https://doi.org/10.1007/s12402-010-0045-8
- Maguire, C. (2021). Coping with sensory overload. ADHD Newsstand, Children and Adults with Attention-Deficit/Hyperactivity Disorder

3 of 4

(CHADD). https://chadd.org/adhd-news/adhd-news-adults/copingwith-sensory-overload/ [Accessed March 11, 2024]

- Neff, M. A. (n.d.) Understanding sensory overload and its impact on emotions. https://neurodivergentinsights.com/blog/sensory-overload-andemotions?rq=sensory [Accessed March 11, 2024]
- NHS England. (2022). Working in partnership with people and communities: Statutory guidance [Internet]. Available from: https://www.england.nhs.uk/publication/working-in-partnershipwith-people-and-communities-statutory-guidance/ [Accessed March 11.2024]
- Nimbley, E., Golds, L., Sharpe, H., Gillespie-Smith, K., & Duffy, F. (2022). Sensory processing and eating behaviours in autism: A systematic review. *European Eating Disorders Review*, 30(5), 538–559.
- Paquet, A., Calvet, B., Lacroix, A., & Girard, M. (2022). Sensory processing in depression: Assessment and intervention perspective. *Clinical Psychology* and Psychotherapy, 29(5), 1567–1579.
- Pastor-Cerezuela, G., Fernández-Andrés, M. I., Sanz-Cervera, P., & Marín-Suelves, D. (2020). The impact of sensory processing on executive and cognitive functions in children with autism spectrum disorder in the school context. *Research in Developmental Disabilities*, 96, 103540, 1–10. https://doi.org/10.1016/j.ridd.2019.103540
- Patil, O., & Kaple, M. (2023). Sensory processing differences in individuals with autism spectrum disorder: A narrative review of underlying mechanisms and sensory-based interventions. *Cureus*, 15(10), 48020. https:// doi.org/10.7759/cureus.48020
- Pehlivanidis, A., Papanikolaou, K., Korobili, K., Kalantzi, E., Mantas, V., Pappa, D., & Papageorgiou, C. (2021). Trait-based dimensions discriminating adults with attention deficit hyperactivity disorder (ADHD), autism spectrum disorder (ASD) and, co-occurring ADHD/ASD. *Brain Sciences*, 11(15), 1–15. https://doi.org/10.3390/brainsci11010018
- Pellicano, E., & den Houting, J. (2022). Annual Research Review: Shifting from 'normal science' to neurodiversity in autism science. *Journal of Child Psychology and Psychiatry*, 63(4), 381–396.
- Rong, Y., Yang, C.-J., Jin, Y., & Wang, Y. (2021). Prevalence of attentiondeficit/hyperactivity disorder in individuals with autism spectrum disorder: A meta-analysis. *Research in Autism Spectrum Disorders*, 83(3), 101759, 1–13. https://doi.org/10.1016/j.rasd.2021.101759
- Rosen, N. E., Lord, C., & Volkmar, F. R. (2021). The diagnosis of autism: From Kanner to DSM-III to DSM-5 and beyond. *Journal of Autism and Developmental Disorders*, 51(12), 4253–4270.
- Scandurra, V., Leonardo, E. G., Francesca, B., Rosaria, S. R., Angelo, P., & Roberto, C. (2019). Neurodevelopmental disorders and adaptive functions: A study of children with autism spectrum disorders (ASD)

and/or attention deficit and hyperactivity disorder (ADHD). Frontiers in Psychiatry, 10, 1–7. https://doi.org/10.3389/fpsyt.2019.00673

- Schaaf, R. C., Benevides, T., Mailloux, Z., Faller, P., Hunt, J., van Hooydonk, E., Freeman, R., Leiby, B., Sendecki, J., & Kelly, D. (2014). An intervention for sensory difficulties in children with Autism: A randomized trial. *Journal of Autism and Developmental Disorders*, 44, 1493–1506.
- Shimizu, V. T., Orlando, F. A., Bueno, O. F. A., & Miranda, M. C. (2014). Sensory processing abilities of children with ADHD. *Brazilian Journal of Physical Therapy*, 18(4), 343–352. https://doi.org/10.1590/bjpt-rbf.2014.0043
- Sibley, M. H., & Kuriyan, A. B. (2016). DSM-5 changes enhance parent identification of symptoms in adolescents with ADHD. *Psychiatry Research*, 242, 180–185.
- Sibley, M. H., Waxmonsky, J. G., Robb, J. A., & Pelham, W. E. (2013). Implications of changes or the field: ADHD. *Journal of Learning Disabilities*, 46, 34–42. https://doi.org/10.1177/0022219412464350
- Werkhoven, S., Anderson, J. H., & Robeyns, I. A. M. (2022). Who benefits from diagnostic labels for developmental disorders? *Developmental Medicine and Child Neurology*, 64(8), 944–949.
- Widiger, T. A., Frances, A. J., Pincus, H. A., Ross, R., First, M. B., Davis, W., & Kline, M. (Eds.). (1998). DSM-IV sourcebook, Vol. 4. American Psychiatric Publishing, Inc.
- World Health Organization (WHO). (2019). International classification of diseases, Eleventh Revision (ICD-11). Geneva, World Health Organization (WHO). ICD-11 (who.int) [Accessed December 31, 2023].
- Yeung, A., Ng, E., & Abi-Jaoude, E. (2022). TikTok and attentiondeficit/Hyperactivity disorder: A cross-sectional study of social media content quality. *Canadian Journal of Psychiatry*, 67(12), 899–906.
- Young, S., Asherson, P., Lloyd, T., Absoud, M., Arif, M., Colley, W. A., Cortese, S., Cubbin, S., Doyle, N., Morua, S. D., Ferreira-Lay, P., Gudjonsson, G., Ivens, V., Jarvis, C., Lewis, A., Mason, P., Newlove-Delgado, T., Pitt, S. M., Read, H., ... Skirrow, C. (2021). Failure of healthcare provision for attention-deficit/hyperactivity disorder in the United Kingdom: A consensus statement. *Frontiers in Psychiatry*, *19*(12), 649399, 1–16. https:// doi.org/10.3389/fpsyt.2021.649399

How to cite this article: Dunn, V. S., Petty, S., & Laver-Fawcett, A. (2024). Provenance of a "sense-sational" wait: A call for introducing sensory processing differences into diagnostic criteria for attention-deficit/hyperactivity disorder. *Brain and Behavior*, 14, e3501. https://doi.org/10.1002/brb3.3501