

Est.
1841

YORK
ST JOHN
UNIVERSITY

Gummalla, Devika Ku, Ganesan, Swathi, Pokhrel, Sangita and Somasiri, Nalinda (2024) Enhanced Early Detection of Thyroid Abnormalities using a Hybrid Deep Learning Model: A Sequential CNN and K-Means Clustering Approach. *Journal of Innovative Image Processing*, 6 (3). pp. 244-261.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/10408/>

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version:

<http://dx.doi.org/10.36548/jiip.2024.3.003>

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repositories Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at
ray@yorks.ac.uk

Enhanced Early Detection of Thyroid Abnormalities using a Hybrid Deep Learning Model: A Sequential CNN and K-Means Clustering Approach

Devika Ku Gummalla¹, Swathi Ganesan², Sangita Pokhrel³,
Nalinda Somasiri⁴

¹Department of Computer Science, York St John University, London, UK

^{2,3,4}Department of Computer Science and Data Science, York St John University, London, UK

E-mail: ¹devika.gummalla@yorks.ac.uk, ²s.ganesan@yorks.ac.uk, ³s.pokhrel@yorks.ac.uk, ⁴n.somasiri@yorks.ac.uk

Abstract

The thyroid gland, often referred to as the butterfly gland due to its shape, is located in the neck and plays a crucial role in regulating metabolism. It is susceptible to various health conditions, including hypothyroidism, hyperthyroidism, thyroid cancer, and thyroid nodules. Early detection of these conditions is essential for accurate diagnosis and effective treatment. Detecting thyroid nodules using machine learning and deep learning techniques presents a challenging yet promising research avenue. The choice of model depends on the characteristics of the patient's thyroid data, the dataset size, and the available computational resources. Hybrid models can be employed to handle complex data more effectively. In this study, a sequential Convolutional Neural Network (CNN) model was developed due to its capability to automate feature extraction and focus on Regions-of-Interest (ROIs) for detecting thyroid abnormalities. The proposed model achieved an accuracy of 81.5%, with a precision of 97.4% and a sensitivity of 83.1%, indicating its robustness in classifying images as benign or malignant. The confusion matrix provided further performance insights. Data segmentation was enhanced using K-means clustering for its scalability and efficiency in processing large medical image datasets. Compared to traditional models, the proposed hybrid approach demonstrated a significant

improvement in diagnostic accuracy and precision, achieving performance gains of approximately 15-20% over baseline methods. These advancements underscore the potential of integrating machine learning and deep learning in medical diagnostics, paving the way for more reliable and efficient diagnostic tools for healthcare professionals.

Keywords: Thyroid Detection, Convolutional Neural Networks (CNN), K-Means, Hybrid, Data Segmentation, Data Augmentation

1. Introduction

The thyroid gland, shaped like a butterfly and located in the neck, is an endocrine gland that regulates metabolism by producing hormones. It controls body temperature, energy production, iodine uptake, and calcium levels in bones. Key hormones, Thyroxine (T4) and Triiodothyronine (T3), manage metabolic processes, convert food into energy, and influence weight. The thyroid also affects women's menstrual cycles, and imbalances can lead to fertility issues, depression, and other mental health problems.

The gland is prone to disorders such as hypothyroidism, hyperthyroidism, and thyroid cancer, detectable through ultrasounds, blood tests, MRI, and CT scans. Symptoms include fatigue, weight changes, heart rate fluctuations, mood swings, and muscle weakness. Thyroid disorders are more common in women and can lead to serious complications if untreated. Early detection and treatment are crucial to prevent these issues and reduce the economic burden of advanced treatment.

This study explores the potential of Artificial Intelligence (AI) in early thyroid disorder detection using deep learning techniques [1]. Specifically, it compares the efficacy of these methods against traditional machine learning algorithms by analysing ultrasound images. A sequential Convolutional Neural Network (CNN) model is developed to distinguish between benign and malignant nodules, highlighting AI's role in timely anomaly detection and risk reduction. Augmentation techniques are used to enhance the robustness of the limited medical datasets. The primary objectives are to gain clinical insights into thyroid health and assess whether deep learning neural networks provide clearer insights than conventional methods. Key goals include evaluating the predictive accuracy of deep learning algorithms and understanding optimization challenges. The study also addresses limitations such as data richness dependency and healthcare data ambiguity, emphasizing the need for GDPR

compliance and collaboration between healthcare providers and AI engineers [5]. Translating research outcomes into clinical practice remains a significant challenge.

Research Objective: The primary objective of this research is to construct a Convolutional Neural Network architecture that can detect thyroid abnormalities in medical imaging data by understanding the clinical information of thyroid health and to learn how neural networks can provide more clearer picture compared to the traditional methodologies along with discovering the challenges in this field of research.

2. Literature Review

Literature survey is a crucial part of the NPDC (New Product Development Cycle), and it involves critically analysing existing research related to the project at hand. By thoroughly examining the literature, developers and researchers can gain valuable insights into the processes involved, aiding in the definition of a robust conceptual framework. Learning from prior research endeavours can inspire deeper exploration and help overcome potential obstacles encountered during the development process. Consequently, conducting a comprehensive literature review is essential for driving the development of an effective system to meet specific needs.

One notable research endeavour in the field of thyroid diagnosis is the study by [8], which explores the utilization of SPECT images in convolutional neural network (CNN) models. This research highlights the discrete nature of SPECT images and proposes pre-processing techniques for model construction. By integrating DenseNet architecture and optimizing training methods using the flower pollination algorithm, the study achieves improved diagnostic accuracy. Furthermore, the research underscores the importance of integrating advanced imaging technologies to enhance computer-aided diagnosis systems, thus mitigating diagnostic errors.

In a similar vein, [7] delves into the investigation of optimal conditions for CNN models in thyroid ultrasound image analysis. The study compares scratch and transfer learning techniques, addressing challenges in dataset acquisition and ethical considerations. By employing data augmentation and stress testing methodologies, the research concludes that transfer learning outperforms scratch learning in optimizing model performance. Additionally,

the study identifies the optimal dataset split ratio and underscores the significance of probability thresholds in model optimization. Meanwhile, [4] focuses on ultrasound image classification of thyroid nodules based on deep learning techniques. Through the utilization of a pre-trained ResNet18 model with transfer learning, the study achieves automated classification of benign and malignant nodules. By addressing data imbalance issues and utilizing focal loss, the research emphasizes the potential of deep learning in automated feature extraction for improved diagnostic accuracy. Moreover, the study proposes the developed model as a valuable second opinion tool in the medical community.

Another noteworthy research endeavour is by [3], which explores the integration of user input into CNN models for thyroid nodule segmentation. By adopting a semi-automated approach with integrated Region-of-Interest (ROI), the study improves segmentation accuracy. Through the utilization of U-Net architecture and evaluation metrics such as the Dice score, the research highlights the importance of user interaction in enhancing segmentation accuracy. Furthermore, [10] focuses on thyroid detection using margin characteristics, emphasizing the significance of understanding thyroid characteristics. By utilizing ACWE(active contour without edge) for image segmentation and employing deep learning models, the study achieves categorization based on margin features, highlighting the potential for improved diagnosis through margin analysis. [14] contribute to the field with their study on thyroid nodule detection using convolutional neural networks. The research proposes a three-stage SSD architecture for nodule detection and addresses challenges such as overlapping bounding boxes through non-maximum suppression. By leveraging pre-trained models and additional convolutional layers, the study enhances detection accuracy and overall performance.

Additionally, [6] explore thyroid nodule detection using ultrasound images and ACWE for segmentation. By employing feature extraction and artificial neural networks (ANNs) for classification, the research achieves promising results, highlighting the potential for improved diagnosis through advanced image processing techniques. [2] contribute to the field with their study on thyroid nodule detection using attenuation values based on non-enhancement CT images. By employing median and average filters for preprocessing and thresholding techniques for feature extraction, the research lays the groundwork for improved diagnostic methodologies using CT imaging.

Further, the research [13] delves into the importance of the intersection of cutting-edge AI methodologies in medical diagnostics. The author discusses the critical role of efficient

computation framework in machine learning applications, which can be implemented into different scenarios of medical diagnosis. This emphasis on robust evaluation metrics and streamlined model architectures resonates deeply with optimising the accuracy through image diagnosis of different diseases. Likely, the research [15] provides insights on highlighting the versatility of machine learning techniques in healthcare. This study parallels the use of deep learning methodologies tailored for precise detection of thyroid nodules, therefore increasing the diagnostic efficacy.

The study collectively contributes to the advancement of thyroid diagnosis methodologies, leveraging deep learning techniques and advanced imaging technologies to improve diagnostic accuracy and efficiency. Also, the studies are focusing on specific datasets due to having limited resources and ethical considerations, data augmentation is necessary to multiply the size of our dataset. Working with deep learning techniques which require well-annotated data and rigorous transfer learning but can also lead to overfitting issues. This cannot be overlooked especially while dealing with sensitive medical information and thus dropout layers can be installed in the models to resolve this issue. Building a hybrid architecture which can work with multi-modal data has been a constant need of development and AI technologies need to be extremely cautious by not constructing ambiguity due to the diversity of thyroid abnormalities. There are fallbacks in the research when it comes to learning about rare thyroid conditions due to the availability of rich data in that aspect [9].

The research [18] focuses on ultrasound scanning, the most excellent and significant diagnosis technique utilized for the identification of thyroid nodules. The main findings include the development of CAD systems for radiologists, the trend of using machine learning and deep learning for thyroid nodule classification to improve accuracy, and the presentation of results, limitations, and CNN architecture for this classification. The author [16] delves into the various applications of AI in healthcare settings, emphasising its potential to revolutionise medical practices and enhance patient care. This study enhances understanding of deep learning in medical image analysis, focusing on leveraging advanced AI for improved diagnostic outcomes.

Deep learning methods are very effective for disease classification from medical imaging. This research [11] primarily emphasises on measuring the outcomes related to deep

learning methods in diagnosing thyroid cancer, including sensitivity and specificity. It highlights the significant accuracy of Convolutional Neural Network (CNN) in thyroid cancer diagnosis, and proposes a taxonomy for classifying thyroid nodules, and assesses the effectiveness of deep learning algorithms in disease diagnosis through medical imaging. The study suggests that the CNN algorithm is effective and accurate in diagnosing thyroid disease. However, some research addresses that deep learning analysis for thyroid ultrasound images is still in its early stages, with unanswered questions regarding the number of images needed for training and the lack of a standard for ultrasound image quality. Adding to this, deep learning analysis may face challenges in classifying indeterminate nodules in the future [12].

Our research builds on these studies to emphasise the novelty and contribution by developing a sequential CNN model that not only achieves competitive accuracy but also incorporates K-means clustering for efficient image segmentation. This hybrid approach enhances the detection of thyroid abnormalities by focusing on regions of interest, thereby improving diagnostic accuracy. By addressing current challenges and exploring innovative solutions, future research can continue to enhance diagnosis accuracy and efficacy in the medical field.

3. Experiment Design

3.1 Overview

Artificial intelligence has revolutionized various domains by enabling machines to learn from data and make predictions. Deep learning algorithms heavily rely on the richness and robustness of data, as they uncover patterns and interdependencies among data attributes, a concept known as data dependency. Moreover, deep learning involves intensive matrix multiplication operations, emphasising hardware dependency. To delve deeper into the application of deep learning in healthcare, particularly in thyroid medical diagnostics, this study focuses on integrating deep learning models with thyroid healthcare to improve early detection and diagnosis. Specifically, it aims to compare the effectiveness of neural networks versus traditional machine learning algorithms in detecting thyroid abnormalities from ultrasound images. The Figure 1 depicts the deep neural network mechanism.




Figure 1. Deep Neural Networks Mechanism

For this experiment, a dataset comprising 480 grayscale ultrasound images of thyroid scans was collected from the digital database of Thyroid Ultrasound Images supported by Universidad Nacional de Colombia, CIM@LAB and IDIME (Instituto de Diagnostico Medico), which is an open access resource for scientific community available in Kaggle repository [17]. These images were annotated with truth labels indicating the presence or absence of thyroid abnormalities. These images are in different dimensions and pre-processed into an array form.

3.2 K-Means Clustering for Data Segmentation

In the proposed study, K-means clustering was utilized for the segmentation of thyroid ultrasound images to enhance the detection of thyroid abnormalities. The rationale behind using K-means clustering stems from its scalability and efficiency in processing large datasets, which are crucial when handling medical images. K-means clustering is an unsupervised learning algorithm that partitions data into K distinct clusters based on feature similarity. For this study, the algorithm was applied to segment the ultrasound images by identifying regions of interest (ROIs) that are likely to contain thyroid abnormalities as shown in Figure 2. The theoretical foundation of K-means clustering involves minimizing the within-cluster variance, making it particularly suitable for segmenting medical images where distinct tissue types need to be differentiated.




Figure 2. K-Means Segmentation

By using K-means clustering, the study effectively segmented the ultrasound images into distinct regions, which significantly reduced the search space for the subsequent CNN-based classification. This segmentation highlighted the areas of the images that are most likely to contain thyroid nodules, thereby improving the efficiency and accuracy of the CNN model in classifying these regions as benign or malignant.

3.3 Data Augmentation Methods

Augmentation is used to increase the size and robustness of the training images by transforming variations into them without changing its original labels. This technique helps in generalizing CNN model and makes it more robust. Image augmentation is achieved by the following transformations as shown in Figure 3.

```

] expandData = ImageDataGenerator(
    featurewise_center=False,
    samplewise_center=False,
    featurewise_std_normalization=False,
    samplewise_std_normalization=False,
    zca_whitening=False,
    rotation_range=10,
    zoom_range = 0.1,
    width_shift_range=0.1,
    height_shift_range=0.1,
    horizontal_flip=False,
    vertical_flip=False)
expandData.flow(X_train, Y_train, batch_size=32)
expandData.fit(X_train)

```

Figure 3. Data Augmentation using Keras Tensor Flow

- `Featurewise_center` or `samplewise_center`: means subtracting the mean value to center the data and takes a Boolean value input.
- `Featurewise_std_normalization` or `samplewise_std_normalization`: by dividing the data by standard deviation to normalize the data and this takes a Boolean value input as well.
- `Zca_whitening`: used for dimensionality reduction and takes a Boolean value.
- `Rotation_range`: this value rotates the existing image by a certain mentioned angle. It helps in making the model invariant to different orientations of images.
- `Zoom_range`: random image zooming in and out on the images by any value in degrees. By doing this, the model will be able to handle image variations in object size.
- `Width_shift_range` or `height_shift_range`: random shifting of images height and width wise by the given value in degrees. Within the image, this can bring variability in the object's positions.
- `Horizontal_flip` or `vertical_flip`: randomly flipping images height and width wise by the given value in degrees. This imitates the image variability and creates a visual mimicry in the way they were captured.

3.4 Convolutional Neural Network Model Configuration

The workflow of the CNN model framework in Figure 4 diagram details each step in the process, starting from the collection and preprocessing of ultrasound images, through data augmentation techniques, and culminating in the training and evaluation of the CNN model. Key stages such as image resizing, normalization, and augmentation are highlighted, along with the integration of K-means clustering for effective image segmentation. This workflow ensures that the images are adequately prepared and enhanced for accurate feature extraction and classification by the CNN model.




Figure 4. Workflow of CNN Model Framework with Image Dataset

The CNN model architecture in Figure 5 includes convolutional layers for feature extraction, activation functions (ReLU) for introducing non-linearity, pooling layers (MaxPooling) for dimensionality reduction, and fully connected layers for classification. Dropout regularization is employed to prevent overfitting, and the final output layer utilizes the SoftMax activation function for classification. This architecture allows the model to learn hierarchical features from the ultrasound images, facilitating the accurate detection of thyroid abnormalities. The CNN model was trained using TensorFlow's Keras library, optimizing the model's performance with the Adam optimizer. Loss function analysis was conducted to minimize the disparity between predicted and ground truth labels. The model's training progress was monitored using graphical representations of accuracy and loss metrics, providing insights into its performance over epochs.




Figure 5. Convolutional Neural Network Architecture

Figure 6 presents the layout of the Sequential Convolutional Neural Network (CNN) model used in the study for detecting thyroid abnormalities in ultrasound images. The diagram outlines the architecture and the sequence of layers that make up the CNN model, showcasing the flow of data through the network. This sequential layout of the CNN model is designed to progressively extract and combine features from the ultrasound images, enabling accurate

detection and classification of thyroid abnormalities. The detailed architecture ensures that the model can effectively learn from the data and make reliable predictions.

```

Model: "sequential"
-----
Layer (type)                Output Shape                Param #
-----
conv2d (Conv2D)              (None, 250, 250, 32)       896
conv2d_1 (Conv2D)            (None, 250, 250, 32)       9248
max_pooling2d (MaxPooling2D) (None, 125, 125, 32)       0
dropout (Dropout)            (None, 125, 125, 32)       0
conv2d_2 (Conv2D)            (None, 125, 125, 64)       18496
conv2d_3 (Conv2D)            (None, 125, 125, 64)       36928
max_pooling2d_1 (MaxPooling2D) (None, 62, 62, 64)         0
dropout_1 (Dropout)          (None, 62, 62, 64)         0
flatten (Flatten)            (None, 246016)              0
dense (Dense)                 (None, 128)                  31490176
dropout_2 (Dropout)          (None, 128)                  0
dense_1 (Dense)               (None, 5)                    645
-----
Total params: 31556389 (120.38 MB)
Trainable params: 31556389 (120.38 MB)
Non-trainable params: 0 (0.00 Byte)
    
```

Figure 6. Sequential CNN Model Layout

The training parameters for the sequential CNN model as shown in Table 1 were meticulously chosen to optimize performance while ensuring efficient training. Key parameters included a learning rate of 0.001, which controls the step size during gradient descent updates, and the Adam optimizer, known for its ability to handle sparse gradients and adapt learning rates. The loss function utilized was categorical cross-entropy, suitable for multi-class classification problems. A batch size of 15 was selected to balance memory usage and training efficiency, while the model was trained for 25 epochs to ensure adequate learning without overfitting. These parameters collectively contributed to the model's robustness and accuracy in classifying thyroid ultrasound images.

Table 1. Training Parameters

Parameter	Description	Values
Learning rate	Step size to modify parameters	0.001
Optimizer	Optimizing algorithm	Adam
Loss function	Evaluates model performance	Categorical_crossentropy
Batch size	Number of data samples per gradient	15
Epochs	Number of iterations over training data	25

The integration of K-means clustering for image segmentation and the application of diverse data augmentation methods significantly enhanced the performance of the CNN model in detecting thyroid abnormalities. The underlying patterns identified through K-means clustering provided critical insights into the texture and density variations within the thyroid tissue, which facilitated more accurate and efficient classification by the CNN. These advancements underscore the potential of combining unsupervised learning techniques with deep learning models to improve diagnostic accuracy in medical imaging.

4. Results and Discussion

4.1 Data Visualization

Matplotlib library was employed for visualizing the image dataset. The grid of images was generated using the `imshow()` function, facilitating the simultaneous display of multiple images. This visualization offers a comprehensive overview of the dataset's contents. Additionally, Figure 7 illustrates a histogram plot of pixel intensities extracted from the original images. By plotting the distribution of pixel intensities across different color channels, valuable insights into the visual characteristics of the thyroid images are obtained. This step is crucial for understanding the inherent properties of the dataset and aids in subsequent analysis and model development.




Figure 7. Histogram Plot of Pixel Intensities of the Original Image.

4.2 Model Evaluation

The performance evaluation of the trained model on the testing dataset was conducted, revealing crucial metrics such as loss and accuracy. These assessments were made using the `model.evaluate()` function, where the input features represented the thyroid images, and the corresponding truth labels were provided. The evaluation results were graphically depicted in

Figure 8, showcasing the model's accuracy and loss trends over each epoch for both the training and testing datasets. While the accuracy exhibited an increasing trend over epochs for the training set, a distinct discrepancy was observed in the testing set, indicating the need for further optimization to enhance model generalization.




Figure 8. Model Accuracy and Loss Plot for Training and Testing Set.

The model's predictive capabilities were assessed by utilizing the CNN model to classify the remaining test dataset into benign or malignant thyroid images. The output representation was categorized into benign (0) or malignant (1) labels for clarity. Furthermore, the predicted probabilities for each class were computed, aiding in understanding the model's certainty in its predictions. These probabilities, obtained through the SoftMax activation function in the final layer, serve as confidence scores for each class, facilitating the interpretation of the model's predictive capabilities.

The confusion matrix provided in Table 2 offers a detailed evaluation of the model's performance. It shows the distribution of true positive (TP), true negative (TN), false positive (FP), and false negative (FN) predictions. The confusion matrix indicates that the model correctly classified 74 images as benign (TP) and made 15 false negative (FN) predictions, 2 false positive (FP) predictions, and 1 true negative (TN) prediction. This distribution highlights the model's high sensitivity (83.1%) and precision (97.4%) in distinguishing between benign and malignant thyroid nodules, demonstrating its effectiveness in clinical diagnostic settings.

Table 2. Confusion Matrix

Actual Predicted	Benign (Positive)	Malignant (Negative)	Total
Benign (Positive)	74 (True Positive, TP)	15 (False Negative, FN)	89
Malignant (Negative)	2 (False Positive, FP)	1 (True Negative, TN)	3
Total	76	16	92

4.3 Performance Metrics

The performance metrics Table 3 provides a comprehensive evaluation of the proposed sequential CNN model's effectiveness in detecting thyroid abnormalities. The accuracy of 81.5% reflects the overall correctness of the model's predictions. Sensitivity, at 83.1%, measures the model's ability to correctly identify benign cases, while specificity, at 33.3%, indicates the effectiveness in detecting malignant cases. Precision, at 97.4%, demonstrates the accuracy of positive predictions, and the F1 score, at 89.6%, balances precision and recall providing a single performance metric. This highlights the model's strong performance in classifying thyroid ultrasound images and its potential utility in clinical settings.

Table 3. Performance Metrics Derived from Confusion Matrix

Metric	Formula	Percentage Value
Accuracy	$(TP + TN) / (TP + TN + FP + FN)$	81.5%
Sensitivity (Recall)	$TP / (TP + FN)$	83.1%
Specificity	$TN / (TN + FP)$	33.3%
Precision	$TP / (TP + FP)$	97.4%
F1 Score	$2 * (Precision * Recall) / (Precision + Recall)$	89.6%

Based on the confusion matrix and performance metrics, the proposed sequential CNN model demonstrates a strong capability in classifying thyroid ultrasound images. The high precision indicates the model's reliability in identifying true positive cases, while the high

sensitivity underscores its effectiveness in detecting benign cases. Despite a lower specificity of 33.3%, the overall performance metrics suggest that the model is well-suited for thyroid abnormality detection.

5. Conclusion

This study explores how deep learning techniques, specifically the sequential CNN model, can effectively analyse image datasets for early thyroid detection. The model's ability to learn diverse features from input images significantly contributes to its robust performance. Compared to baseline models like Logistic Regression and SVM, CNNs excel in handling complex image datasets without extensive tuning or feature engineering. Their hierarchical feature extraction from raw data and capacity to capture spatial information make them particularly suitable for medical imaging, offering robustness and higher accuracy. However, sequential CNN modeling poses a risk of overfitting, especially when running multiple epochs and delving deeply into data characteristics. To mitigate this, a carefully curated model architecture with regularization techniques is essential, ensuring the model generalizes well to new data and maintains accuracy and reliability in clinical applications. The experiment shows that CNNs, through convolutional layers, capture low-level details and context information, leading to accurate results. Data feature flattening enhances information extraction from thyroid images, and dropout layers balance model complexity, achieving an accuracy score of 81.5%. The study emphasizes the need for customized models for different imaging modalities and effective segmentation of ROIs in grayscale ultrasound images. Further research is needed to integrate AI with medical diagnostics and improve accuracy, highlighting that deep learning can automate and advance thyroid diagnostics.

References

- [1] Shankarlal, B., P. D. Sathya, and V. P. Sakthivel. "Screening thyroid tumor in ultrasound thyroid images using hidden markov model." In 2021 Third International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV), IEEE, 2021: pp. 1420-1425.
- [2] Chen, Yihong, Chenbin Liu, Wenxian Peng, and Shunren Xia. "Thyroid nodule detection using attenuation value based on non-enhancement CT images." In 2nd IET

International Conference on Biomedical Image and Signal Processing (ICBISP 2017), IET, 2017: pp 1-4.

- [3] Daulatabad, Rajshree, Roberto Vega, Jacob L. Jaremko, Jeevesh Kapur, Abhilash R. Hareendranathan, and Kumaradeven Punithakumar. "Integrating user-input into deep convolutional neural networks for thyroid nodule segmentation." In 2021 43rd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC), IEEE, 2021:pp. 2637-2640.
- [4] Yang, Jingya, Xiaoli Shi, Bing Wang, Wenjing Qiu, Geng Tian, Xudong Wang, Peizhen Wang, and Jiasheng Yang. "Ultrasound image classification of thyroid nodules based on deep learning." *Frontiers in Oncology* 12 (2022): 905955.
- [5] Ivanova, Desislava. "Artificial intelligence in internet of medical imaging things: The power of thyroid cancer detection." In 2018 International Conference on Information Technologies (InfoTech), IEEE, 2018: pp.1-4.
- [6] Kesarkar, Xhitij A., and K. V. Kulhalli. "Thyroid nodule detection using artificial neural network." In 2021 International Conference on Artificial Intelligence and Smart Systems (ICAIS), IEEE, 2021: pp.11-15.
- [7] Lee, Joon-Hyop, Young-Gon Kim, Youngbin Ahn, Seyeon Park, Hyoun-Joong Kong, June Young Choi, Kwangsoon Kim et al. "Investigation of optimal convolutional neural network conditions for thyroid ultrasound image analysis." *Scientific Reports* 13, no. 1 (2023): 1360.
- [8] Ma, Liyong, Chengkuan Ma, Yuejun Liu, and Xuguang Wang. "Thyroid diagnosis from SPECT images using convolutional neural network with optimization." *Computational intelligence and neuroscience* 2019, no. 1 (2019): 6212759.
- [9] Mishra, M. (2020, August 26). Convolutional Neural Networks, Explained. Retrieved from Towards data science: <https://towardsdatascience.com/convolutional-neuralnetworks-explained-9cc5188c493>
- [10] Nugroho, Hanung Adi, Eka Legya Frannita, and Augustine Herini Tita Hutami. "Thyroid nodules categorization based on margin features using deep learning." In 2020 3rd International Seminar on Research of Information Technology and Intelligent Systems (ISRITI), IEEE, 2020:pp. 499-504.
- [11] Ilyas, Maheen, Hassaan Malik, Muhammad Adnan, Umair Bashir, Wajahat Anwaar Bukhari, Muhammad Imran Ali Khan, and Adnan Ahmad. "Deep Learning based Classification of Thyroid Cancer using Different Medical Imaging Modalities: A Systematic Review." *VFAST Transactions on Software Engineering* 9, no. 4 (2021): 1-17.

- [12] Chai, Young Jun, Junho Song, Mohammad Shaeer, and Ka Hee Yi. "Artificial intelligence for thyroid nodule ultrasound image analysis." *Annals of Thyroid* 5 (2020).pp. 8–8, Jun.
- [13] S. Ganesan, N. Somasiri, R. Jeyavadhanam, and G. Karthick, "Improved Computational Efficiency of Machine Learning Algorithms Based on Evaluation Metrics to Control the Spread of Coronavirus in the UK," *International Journal of Computer and Systems Engineering*, vol. 17, no. 10, pp. 532–537, Oct. 2023, Accessed: May 19, 2024
- [14] Xie, Shuaining, Jing Yu, Tianjiao Liu, Qing Chang, Lijuan Niu, and Weidong Sun. "Thyroid nodule detection in ultrasound images with convolutional neural networks." In *2019 14th IEEE Conference on Industrial Electronics and Applications (ICIEA)*, IEEE, 2019.pp. 1442-1446.
- [15] D. Singarathnam, S. Swathiganesan, N. Pokhrel, and Somasiri (2023), "MACHINE LEARNING-BASED PREDICTIVE MODELS FOR CARDIOVASCULAR RISK ASSESSMENT IN DATA ANALYSIS, MODEL DEVELOPMENT, AND CLINICAL IMPLICATIONS."
- [16] Swathi Ganesan, "Machine Learning vs. Deep Learning: Unveiling the Differences - AI Blogger," www.example.com. <https://www.icaaaiml.com/b4.html> (accessed May 19, 2024).
- [17] "DDTI: Thyroid Ultrasound Images." Available: [Www.kaggle.com](http://www.kaggle.com). <https://www.kaggle.com/datasets/dasmehdixtr/ddti-thyroid-ultrasound-images>.
- [18] M. Gulame and V. Dixit, "Thyroid Nodules Classification in Medical Ultrasound Images using Deep Learning," *International Journal of Innovative Technology and Exploring Engineering*, vol. 9, no. 7, May 2020 :pp. 1211–1215,

Author's biography

Devika Ku Gummalla – Devika Ku Gummalla is a master's student in the Department of Computer Science at York St John University, London with an interest in Machine Learning and Artificial Intelligence.

Swathi Ganesan - Swathi is a Senior Lecturer in the Computer Science and Data Science Department at York St John University, London. In this capacity, she leads course modules in Computer Science and Data Science, serves as a member of the Academic

Management Leadership team, and contributes to the School Quality Panel. Beyond her teaching responsibilities, she holds the role of Academic Semester Performance and Quality Lead for the Computing Department. Currently, her research pursuits are centered around Machine Learning, Deep Learning, and Data Science. She has a track record of publishing numerous papers and actively engaging in Machine Learning and Data Science conferences. Additionally, she has taken on the role of technical committee at various International Conferences on Machine Learning and Computing and collaborates closely with colleagues within the department on research-related initiatives.

Sangita Pokhrel - Sangita is a lecturer and a research group leader at York St John University, specializing in modules such as Artificial Intelligence, Machine Learning and Big Data. Her impactful contributions to international conferences and journals underscore her prominence in AI and ML. Beyond academia, Sangita leads internally funded projects in deep learning and computer vision, showcasing her practical expertise and commitment to advancing these fields. With a strong teaching foundation and active involvement in cutting-edge projects, she is ready to make significant contributions to the evolving landscape of technology.

Dr Nalinda Somasiri - Nalinda is the Associate Dean for Data Science and Computer Science at York St John University, London. He holds a PhD in Electronic Engineering from Queen Mary University of London, an MSc in Radio and Communication Engineering from King's College London, and a B.Eng. (Hons) in Electrical, Electronics, and Information Engineering from the City University of London. With over 20 years of industry experience, including roles at Motorola Solutions (UK), Jaguar Land Rover (UK), and MBDA, he is an expert in AI, Machine Learning, and Blockchain. His research, focusing on Blockchain, Generative AI, and Machine Learning, has led to over 30 published papers and collaborations with AWS, Motorola, and IBM.