

Bolarinwa, Obasanjo ORCID logoORCID:
<https://orcid.org/0000-0002-9208-6408>, Tadokera, Rebecca ORCID
logoORCID: <https://orcid.org/0000-0001-5195-2376> and Tiwari,
Ritika ORCID logoORCID: <https://orcid.org/0000-0002-5078-8989>
(2025) A policy brief on improving reproductive and maternity
services utilisation among women of reproductive age in Nigeria.
Frontiers in Global Women's Health, 6.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/12677/>

The version presented here may differ from the published version or version of record. If
you intend to cite from the work you are advised to consult the publisher's version:
<https://doi.org/10.3389/fgwh.2025.1608774>

Research at York St John (RaY) is an institutional repository. It supports the principles of
open access by making the research outputs of the University available in digital form.
Copyright of the items stored in RaY reside with the authors and/or other copyright
owners. Users may access full text items free of charge, and may download a copy for
private study or non-commercial research. For further reuse terms, see licence terms
governing individual outputs. [Institutional Repository Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at ray@yorks.ac.uk



OPEN ACCESS

EDITED BY

Negussie Boti Sidamo,
Arba Minch University, Ethiopia

REVIEWED BY

Omotade Adebimpe Ijarotimi,
Obafemi Awolowo University, Nigeria
Aboluwaji Daniel Ayinmoro,
University of Ibadan, Nigeria

*CORRESPONDENCE

Obasanjo Bolarinwa
✉ bolarinwaobasanjo@gmail.com

RECEIVED 09 April 2025

ACCEPTED 25 August 2025

PUBLISHED 05 September 2025

CITATION

Bolarinwa O, Tadokera R and Tiwari R (2025) A policy brief on improving reproductive and maternity services utilisation among women of reproductive age in Nigeria. *Front. Glob. Women's Health* 6:1608774. doi: 10.3389/fgwh.2025.1608774

COPYRIGHT

© 2025 Bolarinwa, Tadokera and Tiwari. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

A policy brief on improving reproductive and maternity services utilisation among women of reproductive age in Nigeria

Obasanjo Bolarinwa^{1,2*}, Rebecca Tadokera³ and Ritika Tiwari¹

¹Department of Business, Management and Health, York St. John University, London, United Kingdom,

²Department of Demography and Population Studies, University of Witwatersrand, Johannesburg, South Africa, ³Department of Health Sciences, York St. John University, York, United Kingdom

Nigeria continues to struggle with high maternal and child mortality despite its large economy. Reproductive and maternity services are underutilised, contributing to poor maternal and newborn outcomes. Barriers include geographic, socio-demographic, and economic factors. Northern and south-south regions show particularly low service utilisation. Young maternal age, low education, rural location, and Hausa ethnicity are key socio-demographic barriers. Non-Christian religious affiliation and limited mass media exposure also reduce service uptake. Poverty, unemployment, and lack of health insurance are major economic challenges. Community engagement and culturally sensitive care are essential. The use of religious and traditional leaders for advocacy could improve outreach. Expanding insurance and financial incentives, like vouchers or cash transfers, can reduce cost-related barriers

KEYWORDS

policy brief, reproductive service, maternity service, women, Nigeria

Highlights

- Nigeria continues to struggle with high maternal and child mortality despite its large economy.
- Reproductive and maternity services are underutilised, contributing to poor maternal and newborn outcomes.
- Barriers include geographic, socio-demographic, and economic factors
- Northern and south-south regions show particularly low service utilisation
- Young maternal age, low education, rural location, and Hausa ethnicity are key socio-demographic barriers
- Non-Christian religious affiliation and limited mass media exposure also reduce service uptake
- Poverty, unemployment, and lack of health insurance are major economic challenges
- Community engagement and culturally sensitive care are essential
- The use of religious and traditional leaders for advocacy could improve outreach
- Expanding insurance and financial incentives, like vouchers or cash transfers, can reduce cost-related barriers

1 Introduction

Reproductive and maternity services utilisation is important in preventing poor maternal and child outcomes, including maternal and newborn mortalities. Despite having one of the largest economies in Africa and a vast amount of human and material resources, Nigeria remains one of the few countries with an extremely high burden of maternal and newborn deaths in the world. In 2020, for instance, Nigeria was the only lower-middle-income country among the top three countries with extremely high maternal mortality rates in the world, recording 1,047 deaths per 100,000 live births, with the other two countries being Chad and South Sudan, both low-income countries (1). Besides, Nigeria alone accounted for 12% of the global share of maternal deaths, stillbirths, and neonatal deaths in 2020, recording 82,000 maternal deaths, 181,000 stillbirths, and 277,000 neonatal deaths (2). Meanwhile, most of these maternal and newborn deaths are preventable with adequate access to and utilisation of reproductive and maternity services, including antenatal care (ANC), skilled deliveries, and the use of modern contraceptives.

Women in Nigeria continue to face several barriers to accessing and utilising reproductive and maternity services. These include socio-demographic barriers such as lower educational attainment and younger maternal age (3), geographic factors such as long distance from healthcare facilities and rural residency, and economic barriers like poverty (4). Cultural and traditional beliefs also influence reproductive and maternal healthcare practices and health-seeking behaviour, promoting the use of traditional care during pregnancy and childbirth, including traditional birth deliveries (5). Besides, systemic barriers such as limited availability of services in some healthcare facilities, poor quality of care, stigma, and discriminatory and abusive practices of some healthcare workers also curtail the utilisation of reproductive and maternity services in Nigeria (4, 6).

Addressing the barriers to reproductive and maternity services utilisation is important not only in enhancing maternal and child health outcomes (7, 8) but also in ensuring economic, social, and community development, as well as gender empowerment and equality (9). A number of policies have been implemented to address the limited utilisation of reproductive and maternity services in Nigeria, including the Free Maternal and Child Health Services (not available in all states) (10), the Mothercare Nigeria Project (11), Integrated Maternal, Neonatal and Child Health (12), and the National Reproductive Health Policy and Strategy (13). Although these and similar policy interventions contributed to a decline in maternal morbidities and mortalities in Nigeria (10, 13, 14), the persistently high maternal and child morbidities and mortalities suggest policy deficiencies or gaps in addressing the problem (14). For instance, some of the policy interventions have been criticised for a lack of a targeted approach in addressing particular barriers hindering the use of reproductive and maternity services among specific segments of the population (13). Besides, limited resources, stakeholder engagements, and a lack of effective monitoring and

coordination often hinder the implementation of policy interventions, contributing to policy failures (15). Although the recently launched multi-million dollar Nigeria Health Sector Renewable Investment Initiative, a partnership between the World Bank and the Nigerian government, aims to drastically reduce preventable deaths through targeted investment in primary healthcare (16), the scope of the initiative is too broad to address some of the specific barriers associated with reproductive and maternity services utilisation in Nigeria.

The recent maternal and newborn mortality estimates of Nigeria highlight the urgent need for targeted interventions to address the issues of reproductive and maternal healthcare in the country. Therefore, in this policy brief, we present a framework for improving reproductive and maternity services using evidence-based strategies.

2 Rationale and aim of the policy brief

This policy brief aims to advocate for measures to improve reproductive and maternity services utilisation in Nigeria. This will be realised by analysing the main barriers associated with low utilisation of reproductive and maternity services and recommending evidence-based policy interventions to effectively address the identified barriers. We envisage that the successful implementation of these recommendations will significantly improve reproductive and maternity services utilisation in Nigeria and enhance maternal and child well-being in the country.

The utilisation of reproductive and maternity services among women in Nigeria is a critical issue that needs urgent attention. For instance, an analysis of the 2018 Nigeria Demographic and Health Survey (NDHS) revealed that less than half (41%) of pregnant women in Nigeria were delivered by skilled birth attendants (17), and only 12% of women of reproductive age use modern contraceptives (18), emphasising the urgency of interventions to promote utilisation of reproductive and maternity services in the country. Whilst recent efforts and interventions to promote access and utilisation of reproductive and maternity services yielded some positive results (10, 12, 13), the persistently low utilisation levels suggest existing policy gaps and calls for renewed efforts and strategies to address the problem. For instance, the National Reproductive Health Policy of 2010 did not achieve its intended objectives due to its inability to effectively reach hard-to-reach communities and address population-specific needs (19). Addressing these gaps is essential in enhancing reproductive and maternal health outcomes among women, minimising the health, social and economic burden associated with poor maternal health.

3 Recommendations for policy reforms

In this section, evidence-based recommendations targeted at enhancing reproductive and maternity services utilisation through policy reforms are presented. The recommendations

rely on current research findings and available best practices from various reputable sources, including the WHO, to provide effective and actionable interventions for implementation.

3.1 Providing geographically tailored interventions

Evidence shows wide geographic disparities in the utilisation of reproductive and maternity services, including ANC (20), skilled deliveries (17), and modern contraceptives (21), with a higher burden of non-use observed in the northern (22) and south-south regions (23) of Nigeria. This pattern of non-use has been attributed to factors such as cultural norms and geographic disparities (22, 23). Policymakers need to implement comprehensive measures targeted at these areas to promote the use of reproductive and maternal services in the country. Besides limitations in the physical distribution of healthcare facilities, evidence suggests that differences in cultural and religious beliefs also contribute to the geographical disparities in the utilisation of reproductive and maternity services in Nigeria (17, 20, 21). Therefore, policy interventions should focus on community engagement and awareness creation, enhanced advocacy through local leaders and community influencers such as religious leaders, chiefs, and traditional birth attendants (15). Additionally, building the capacity of healthcare workers, especially in providing culturally and religious sensitive reproductive and maternity services, could also enhance utilisation (24, 25).

3.2 Addressing socio-demographic barriers

The role of socio-demographic factors in hindering the utilisation of reproductive and maternity services (17, 20, 21) emphasises the need for interventions to mitigate the socio-demographic challenges and improve the utilisation of services. Policies should be targeted at addressing key socio-demographic barriers to promote access and utilisation. For instance, the WHO recommends the use of mobile health clinics to provide healthcare to individuals in hard-to-reach areas or those affected by a crisis (26). Thus, the deployment of mobile clinics to provide reproductive and maternity services in rural areas could enhance utilisation. Also, enhancing health literacy programmes and peer education using local language could promote the use of reproductive and maternity services among women with lower or no education (27).

3.3 Eliminating economic barriers and providing incentives

Studies show that economic factors such as poverty and unemployment are major contributors to the low utilisation of reproductive and maternity services in Nigeria (17, 20, 21). Policies aimed at eliminating economic barriers to healthcare

access and utilisation need to be enhanced. For example, whilst evidence shows that health insurance coverage enhances women's utilisation of reproductive and maternity services in Nigeria (28), out-of-pocket payments remain a major policy gap in the implementation of health insurance packages in Nigeria and many other countries in sub-Saharan Africa (29, 30). Aside from curtailing healthcare utilisation and universal health coverage, out-of-pocket payments also push millions of Africans into poverty (31), increasing their inability to access and use healthcare services. Thus, policymakers should strengthen the monitoring and enforcement of health insurance policies, enhance public education and awareness, and ensure inclusive benefits of insurance policies for reproductive and maternity services to eliminate out-of-pocket payments (32). Also, ensuring that the free maternal healthcare policy is implemented in every state in Nigeria could enhance utilisation and improve maternal health outcomes (33). Although the World Bank recommends the provision of financial incentives through vouchers and conditional cash transfer systems to enhance the utilisation of reproductive and maternity services, particularly among poor women, it argues that increasing the income of women through employment and other income-generating activities including women-led small, medium-scale enterprises, and vocational training for girls and women could better enhance utilisation and health outcomes (34).

3.4 Enhancing the use of digital healthcare

Research has shown that utilisation of reproductive and maternity services in Nigeria is often limited by physical accessibility barriers due to geographic, socio-demographic, and economic difficulties (17, 20, 21). Policymakers should advocate and promote the use of digital healthcare platforms, including artificial intelligence (AI), among women of reproductive health age to circumvent some of the physical accessibility barriers and enhance utilisation and improve the health system in the country (35). In Rwanda, for instance, the integration of AI into its digital healthcare system has significantly enhanced the utilisation of healthcare services (36). Similar initiatives in Nigeria, targeted at reproductive and maternal healthcare, could significantly enhance utilisation in the country, reducing poor maternal and child health outcomes.

4 Conclusion

Ensuring adequate utilisation of reproductive and maternity services is essential in promoting the health and well-being of women and children and significantly contributes towards reducing maternal and newborn morbidities and mortalities in Nigeria. Addressing the identified reproductive and maternity services utilisation barriers and implementing new measures or enhancing existing measures could significantly contribute towards enhanced utilisation of reproductive and maternity

services in Nigeria and thereby improve maternal and child health outcomes.

To adequately address the barriers to utilisation of reproductive and maternity services in Nigeria, this policy brief concluded that envisaged interventions should be targeted at addressing geographical, socio-demographic, and economic challenges associated with utilisation. Interventions focusing on community engagement and awareness creation, increased advocacy through local leaders and community influencers such as religious leaders, chiefs, and traditional birth attendants, and building the capacity of healthcare workers, especially in providing culturally and religious sensitive reproductive and maternity care, could enhance utilisation of services. Also, the use of mobile health clinics and health literacy programmes (using local language) could enhance reproductive and maternity services utilisation among women in rural areas and those with limited education, respectively. Addressing economic barriers by improving health insurance coverage, preventing out-of-pocket payments, and providing financial incentives through vouchers and conditional cash transfers could enhance utilisation.

Author contributions

OB: Software, Formal analysis, Visualization, Resources, Data curation, Writing – original draft, Project administration, Funding acquisition, Validation, Methodology, Conceptualization, Investigation, Writing – review & editing, Supervision. RTa: Project administration, Validation, Writing – review & editing. RTi: Writing – review & editing, Project administration, Validation.

Funding

The author(s) declare that no financial support was received for the research and/or publication of this article.

References

1. World Health Organisation. *Maternal Mortality: The Urgency of a Systemic and Multisectoral Approach in Mitigating Maternal Deaths in Africa*. Geneva: World Health Organisation (2023).
2. World Health Organisation. *Improving Maternal and Newborn Health and Survival and Reducing Stillbirth: Progress Report 2023*. Geneva: World Health Organisation (2023).
3. Emelumadu O, Ukegbu A, Ezeama N, Kanu O, Ifeadike C, Onyeonoro U. Socio-demographic determinants of maternal health-care service utilization among rural women in Anambra state, South East Nigeria. *Ann Med Health Sci Res*. (2014) 4(3):374–82. doi: 10.4103/2141-9248.133463
4. Kehinde AN. Socio-demographic barriers to utilization of modern maternal healthcare services (MHCS) among reproductive age women utilizing the services of traditional birth attendants (TBAs) in Southwestern Nigeria. *Nigerian J Med Sociol*. (2020) 2(1):20–7.
5. Ikechukwu HU, Ofonime NU, Kofoworola O, Asukwo DE. Influence of cultural and traditional beliefs on maternal and child health practices in rural and urban communities in Cross River state, Nigeria. *Ann Med Res Pract*. (2020) 1(4):1. doi: 10.25259/ANMRP_4_2019
6. Fagbamigbe AF, Idemudia ES. Barriers to antenatal care use in Nigeria: evidences from non-users and implications for maternal health programming. *BMC Pregnancy Childbirth*. (2015) 15:1–10. doi: 10.1186/s12884-015-0527-y
7. Moyer CA, Dako-Gyeke P, Adanu RM. Facility-based delivery and maternal and early neonatal mortality in sub-saharan Africa: a regional review of the literature. *Afr J Reprod Health*. (2013) 17(3):30–43.
8. Konje ET, Magoma MTN, Hatfield J, Kuhn S, Sauve RS, Dewey DM. Missed opportunities in antenatal care for improving the health of pregnant women and newborns in Geita district, Northwest Tanzania. *BMC Pregnancy Childbirth*. (2018) 18:1–13. doi: 10.1186/s12884-018-2014-8
9. Sully EA, Biddlecom A, Darroch JE, Riley T, Ashford LS, Lince-Deroche N, et al. *Adding it up: Investing in Sexual and Reproductive Health 2019*. New York: Guttmacher Institute (2020).
10. Ozumba BC, Onyeneho NG, Chalupowski M, Subramanian S. Inequities in access to maternal health care in enugu state: implications for universal health coverage to meet vision 2030 in Nigeria. *Int Q Community Health Educ*. (2019) 39(3):163–73. doi: 10.1177/0272684X18819977

Acknowledgments

The authors acknowledged Dr Amir Keshtiban for his review of this manuscript prior to publication. We also acknowledge that the NDHS dataset used in the studies referenced in this policy brief was collected in 2018 and may not fully capture the current situation in Nigeria.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The author(s) declared that they were an editorial board member of Frontiers, at the time of submission. This had no impact on the peer review process and the final decision.

Generative AI statement

The author(s) declare that no Generative AI was used in the creation of this manuscript.

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

11. Moeteke N. Maternal mortality and its inequality: effectiveness of programme and policy interventions in Nigeria. *Acad Letters*. (2021) 2:2591–6. doi: 10.20935/AL2591
12. Etiaba E, Eboeime EA, Dalglish SL, Lehmann U. Aspirations and realities of intergovernmental collaboration in national-level interventions: insights from maternal, neonatal and child health policy processes in Nigeria, 2009–2019. *BMJ Glob Health*. (2023) 8(2):e010186. doi: 10.1136/bmjgh-2022-010186
13. Uneke CJ, Sombie I, Keita N, Lokossou V, Johnson E, Ongolo-Zogo P, et al. Promoting evidence informed policy making in Nigeria: a review of the maternal, newborn and child health policy development process. *Health Promot Perspect*. (2017) 7(4):181. doi: 10.15171/hpp.2017.33
14. Kana MA, Doctor HV, Peleteiro B, Lunet N, Barros H. Maternal and child health interventions in Nigeria: a systematic review of published studies from 1990 to 2014. *BMC public Health*. (2015) 15:1–12. doi: 10.1186/s12889-015-1688-3
15. World Health Organisation. *An Evidence map of Social, Behavioural and Community Engagement Interventions for Reproductive, Maternal, Newborn and Child Health*. Geneva: World Health Organisation (2017). Report No.: 9240697268.
16. World Bank Group. *Partnering for Progress: Defeating Maternal and Child Mortality in Nigeria*. Geneva: World Bank (2024). Available online at: <https://www.worldbank.org/en/news/feature/2024/10/03/afw-partnering-for-progress-defeating-maternal-and-child-mortality-in-nigeria>
17. Bolarinwa OA, Fortune E, Aboagye RG, Seidu A-A, Olagunju OS, Nwagbara UI, et al. Health facility delivery among women of reproductive age in Nigeria: does age at first birth matter? *PLoS One*. (2021) 16(11):e0259250. doi: 10.1371/journal.pone.0259250
18. Bolarinwa OA. Inequality gaps in modern contraceptive use and associated factors among women of reproductive age in Nigeria between 2003 and 2018. *BMC Womens Health*. (2024) 24(1):317. doi: 10.1186/s12905-024-03167-z
19. (Nigeria) FMOH. *National Reproductive Health Policy*. Abuja: Federal Ministry of Health (2010).
20. Bolarinwa OA, Sakyi B, Ahinkorah BO, Ajayi KV, Seidu A-A, Hagan JE Jr, et al. Spatial patterns and multilevel analysis of factors associated with antenatal care visits in Nigeria: insight from the 2018 Nigeria demographic health survey. *Healthcare*. (2021) 9:1389. MDPI. doi: 10.3390/healthcare9101389
21. Bolarinwa OA, Tessema ZT, Frimpong JB, Seidu A-A, Ahinkorah BO. Spatial distribution and factors associated with modern contraceptive use among women of reproductive age in Nigeria: a multilevel analysis. *PLoS One*. (2021) 16(12):e0258844. doi: 10.1371/journal.pone.0258844
22. Babalola S, Oyenubi O. Factors explaining the north–south differentials in contraceptive use in Nigeria: a nonlinear decomposition analysis. *Demogr Res*. (2018) 38:287–308. doi: 10.4054/DemRes.2018.38.12
23. Meh C, Thind A, Ryan B, Terry A. Levels and determinants of maternal mortality in Northern and Southern Nigeria. *BMC Pregnancy Childbirth*. (2019) 19(1):417. doi: 10.1186/s12884-019-2471-8
24. Ganle JK. Why muslim women in northern Ghana do not use skilled maternal healthcare services at health facilities: a qualitative study. *BMC Int Health Hum Rights*. (2015) 15:1–16. doi: 10.1186/s12914-015-0048-9
25. Arousell J, Carlom A. Culture and religious beliefs in relation to reproductive health. *Best Pract Res Clin Obstet Gynaecol*. (2016) 32:77–87. doi: 10.1016/j.bpobgyn.2015.08.011
26. World Health Organisation. *Delivering Health in Some of the Worlds' worst Crises Through mobile Clinics and Medical Teams*. Geneva: World Health Organisation (2019).
27. Udenigwe O, Okonofua FE, Ntoimo LF, Yaya S. Seeking maternal health care in rural Nigeria: through the lens of negofeminism. *Reprod Health*. (2023) 20(1):103. doi: 10.1186/s12978-023-01647-3
28. Bolarinwa OA, Babalola TO, Adebayo OA, Ajayi KV. Health insurance coverage and modern contraceptive use among sexually active women in Nigeria: further analysis of 2018 Nigeria demographic health survey. *Contracept Reprod Med*. (2022) 7(1):22. doi: 10.1186/s40834-022-00187-8
29. Derkyi-Kwarteng ANC, Agyepong IA, Enyimayew N, Gilson L. A narrative synthesis review of out-of-pocket payments for health services under insurance regimes: a policy implementation gap hindering universal health coverage in sub-Saharan Africa. *Int J Health Policy Manag*. (2021) 10(7):443.
30. Adebisi SA, Odiachi JM, Chikere NA. The national health insurance scheme (NHIS) in Nigeria: has the policy achieved its intended objectives? *Acad J Econ Stud*. (2019) 5(3):97–104.
31. World Health Organisation. *UHC Day: High Health-care costs in Africa Continue to Push Over 150 Million into Poverty: New WHO Report*. Geneva: World Health Organisation (2024). Available online at: <https://www.afro.who.int/news/uhc-day-high-health-care-costs-africa-continue-push-over-150-million-poverty-new-who-report#>
32. Jalali FS, Bikineh P, Delavari S. Strategies for reducing out of pocket payments in the health system: a scoping review. *Cost Eff Resour Alloc*. (2021) 19:1–22. doi: 10.1186/s12962-021-00301-8
33. Ajayi AI, Akpan W. Maternal health care services utilisation in the context of 'abiye'(safe motherhood) programme in Ondo state, Nigeria. *BMC Public Health*. (2020) 20:1–9. doi: 10.1186/s12889-020-08512-z
34. Neelsen S, de Walque D, Friedman J, Wagstaff A. *Financial Incentives to Increase Utilization of Reproductive, Maternal, and Child Health Services in low- and Middle-income countries: A Systematic Review and Meta-analysis*. Washington, DC: World Bank (2021).
35. Bolarinwa OA, Mohammed A, Igharo V. The role of artificial intelligence in transforming maternity services in Africa: prospects and challenges. *Ther Adv Reprod Health*. (2024) 18:26334941241288587. doi: 10.1177/26334941241288587
36. Hoffmann Institute. *Harnessing AI for Healthcare in Rwanda*. Fontainebleau: World Health Organisation (2021). Available online at: <https://www.insead.edu/blog/hoffmann-global-institute-business-and-society/harnessing-ai-healthcare-rwanda>

Appendix

The supplementary materials for this article can be found online at:

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0258844>

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0259250>

<https://www.mdpi.com/2227-9032/9/10/1389>

<https://link.springer.com/article/10.1186/s40834-022-00187-8>

<https://link.springer.com/article/10.1186/s12905-024-03167-z>