

Bolarinwa, Obasanjo and GBD 2023 LMIC Mental Disorders Collaborators (2026) Burden of 10 mental disorders in low- and middle-income countries, 1990–2023, with forecasts to 2050: a Global Burden of Disease Study. *Med*, 7 (8).

Downloaded from: <https://ray.yorks.j.ac.uk/id/eprint/16246/>

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version:
<https://doi.org/10.1016/j.medj.2026.101224>

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repositories Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at
ray@yorks.j.ac.uk

Original Article

Burden of 10 mental disorders in low and middle-income countries, 1990-2023, with forecasts to 2050: a Global Burden of Disease Study

Subtitle: **Burden of mental disorders in LMICs and LICs**

GBD 2023 LMIC Mental Disorders Collaborators^{1,2}

¹Further details can be found in the supplementary information

²Lead contact: Dong Keon Yon (E-mail: yonkkang@gmail.com)

Corresponding author

Dong Keon Yon, MD, PhD, FAAAAI, FACAAI, ATSF

Department of Pediatrics, Kyung Hee University Medical Center, Kyung Hee University, 23
Kyungheedaero, Dongdaemun-gu, Seoul 02447, South Korea

Tel: 82-2-958-8491, Fax: 82-2-958-8490

E-mail: yonkkang@gmail.com;

GBD 2023 LMIC Mental Disorders Collaborators

Jiseung Kang,^{1,2,*} Hyeon Jin Kim,^{3,*} Jaeyu Park,^{4,*} Min Seo Kim,^{5,6,*} Seoyeon Park,⁷ Mohammad Amin Aalipour,⁸ Kalkidan Hassen Abate,⁹ Nasir Abbas,¹⁰ Madineh Abbasi,¹¹ Ahmed Abdelrahman Abdelgalil,¹² Atef Abdelkader,¹³ Auwal Abdullahi,^{14,15} Abdullahi Salahudeen Abdulraheem,¹⁶ Nigusie Abebaw,¹⁷ Endeshaw Chekol Abebe,^{18,19} E S Abhilash,²⁰ Olifan Zewdie Abil,^{21,22} Olumide Abiodun,²³ Richard Gyan Aboagye,^{24,25} Shady Abohashem,^{26,27} Abdullahi Tunde Aborode,²⁸ Michael R M Abrigo,²⁹ Aminu Kende Abubakar,^{30,31} Kiran Acharya,³² Meshack Achore,³³ Babatope Oluwadamilare Adebisi,^{34,35} David Adedia,³⁶ Olumide Thomas Adeleke,^{37,38} Miracle Ayomikun Adesina,^{39,40} Olatunji O Adetokunboh,⁴¹ Atman Adiba,⁴² Usha Adiga,⁴³ Mohd Adnan,⁴⁴ Qorinah Estiningtyas Sakilah Adnani,⁴⁵ Prince Owusu Adoma,⁴⁶ Obed Adonteng-Kissi,⁴⁷ Francis Anderson Adzei,^{48,49} David Adzrago,⁵⁰ Saira Afzal,^{51,52} Navidha Aggarwal,⁵³ Mahdi Aghaalikhani,⁵⁴ Feleke Doyore Agide,⁵⁵ Percival Delali Agordoh,⁵⁶ Rozana Ika Agustiya,⁵⁷ Prince Agwu,^{58,59} Williams Agyemang-Duah,⁶⁰ Khabir Ahmad,⁶¹ Khurshid Ahmad,⁶² Sajjad Ahmad,^{63,64} Adamu Adamu Ahmad,⁶⁵ Danish Ahmad,^{66,67} Negar Sadat Ahmadi,⁶⁸ Shabbir Ahmed,⁶⁹ Naveed Ahmed,⁷⁰ Oli Ahmed,⁷¹ Shahzaib Ahmed,⁷² Syed Anees Ahmed,⁷³ Ali Ahmed,^{74,75} Faisal Ahmed,⁷⁶ Ayman Ahmed,^{77,78} Marjan Ajami,⁷⁹ Kobi V Ajayi,⁸⁰ Kasuni HM Akalanka,⁸¹ Muhammad Nadeem Akhtar,⁸² Olumide Odunayo Akinniyi,^{83,84} Other Wole Akosile,⁸⁵ Idorenyin Ubon Akpabio,^{86,87} Khurshid Alam,⁸⁸ Zufishan Alam,⁸⁹ Bekalu Dessie Dessie Alamirew,⁹⁰ Fahmi Y Al-Ashwal,^{91,92} Adugnaw Zeleke Alem,⁹³ Tekletsadik Tekleslassie Alemayehu,⁹⁴ Nma Bida Alhaji,⁹⁵ Fadwa Naji Alhalaiqa,⁹⁶ Ashraf Alhumaidi,^{97,98} Mohammed Usman Ali,^{99,100} Irfan Ali,¹⁰¹ Mohammad Daud Ali,¹⁰² Rafat Ali,¹⁰³ Syed Shujait Ali,^{104,105} Haider Ali,¹⁰⁶ Hamid Alinejad Rokny,^{107,108} Samah W Al-Jabi,¹⁰⁹ Ahmad Alkhatib,¹¹⁰ Sabah Al-Marwani,¹¹¹ Joseph Uy Almazan,¹¹² Amr Almobayed,¹¹³ Margret Beaula Alocious Sukumar,¹¹⁴ Awais Altaf,^{115,116} Khalid A Altirkawi,¹¹⁷ Deborah Oyine Aluh,^{118,119} Yaser Mohammed Al-Worafi,^{120,121} Ekiyor Joseph Amafah,¹²² Azmeraw T Amare,^{123,124} McKing Izeiza Amedari,^{125,126} Abebe Feyissa Amhare,^{127,128} Saeed Amini,¹²⁹ Sohrab Amiri,¹³⁰ Dickson A Amugsi,¹³¹ Gianna Gayle Herrera Amul,^{132,133} Yeniewa Kerie Anagaw,¹³⁴ Nguyen Hoang Anh,^{135,136} Ebuka Miracle Anieto,^{137,138} Abhishek Anil,¹³⁹ Prapti Anjana,¹⁴⁰ Kabilan Annadurai,¹⁴¹ Sumbul Ansari,¹⁴² Ernoiz Antriandarti,¹⁴³ Anayochukwu Edward Anyasodor,⁸¹ Jalal Arabloo,¹⁴⁴ Irfan Ardani,¹⁴⁵ Demelash Areda,¹⁴⁶ Hiwot Abera Areru,¹⁴⁷ Ghazal Arjmand,¹⁴⁸ Jesu Arockiaraj,¹⁴⁹ Muhammad Asaduzzaman,^{150,151} Syed Mohammed Basheeruddin Asdaq,¹⁵² Syed Amir Ashraf,^{153,154} Tahira Ashraf,¹⁵⁵ Mitra Ashrafi,¹⁵⁶ Nestor Asiamah,¹⁵⁷ Bilal Aslam,¹⁵⁸ Yuni Asri,^{159,160} Dereje Zewdu Assefa,¹⁶¹ Prince Atorkey,^{162,163} Abadi Hailay Atsbaha,^{164,165} Julie Alaere Atta,¹⁶⁶ Gading Ekapuja Aurizki,^{167,168} Lemessa Assefa A Ayana,^{169,170} Arian Azadnia,¹⁷¹ Farya Azimi,¹⁷² Sumera Aziz,¹⁷³ Sheeba B,¹⁷⁴ Abebe Sorsa Badacho,^{175,176} Soroush Baghdadi,^{177,178} Nasser Bagheri,⁶⁷ Najmeh Bahmanziari,¹⁷⁹ Razieh Bahreini,¹⁸⁰ Alpha Umaru Bai-Sesay,¹⁸¹ Ahmed Hassan Bakheit,¹⁸² Mohamad Amin Bakhshali,¹⁸³ Rajon Banik,¹⁸⁴ Hansi Bansal,¹⁸⁵ Abu Bashar,¹⁸⁶ Muhammad Irfan Bashir,¹⁸⁷ Azadeh Bashiri,¹⁸⁸ Archibong Edem Bassey,¹⁸⁹ Mohammad-Mahdi Bastan,^{190,191} Prapthi Persis Bathini,¹⁹² Narasimha M Beeraka,¹⁹³ Priyamadhaba Behera,¹⁹⁴ Demeke Mesfin Belay,^{195,196} Melesse Belayneh,^{197,198} Samir Bele,¹⁹⁹ Samiun Nazrin Bente Kamal Tune,²⁰⁰ Abiye Assefa Berihun,²⁰¹ Sonu Bhaskar,^{202,203} Shuvarthi Bhattacharjee,^{204,205} Ashmin Hari Bhattarai,²⁰⁶ Gurjit Kaur Bhatti,²⁰⁷ Jasvinder Singh Bhatti,²⁰⁸ Rajbir Bhatti,²⁰⁹ Bagas Suryo Bintoro,^{210,211} Mekuriaw Mesfin Birhan,²¹² Mohammad Shahangir Biswas,^{213,214} Monirujjaman Biswas,²¹⁵ Molalegne Bitew,²¹⁶ Micheal Kofi Boachie,²¹⁷ Trupti Bodhare,²¹⁸ Obasanjo Afolabi Bolarinwa,^{219,220} Archith Bolor,²²¹ Sanaz Bordbar,⁶⁸ Samuel Adolf Bosoka,^{222,223} Linh Phuong Bui,^{224,225} Tsion Samuel Bunare,²²⁶ Zahid A Butt,^{227,228} Muthia Cenderadewi,^{229,230} Sandip Chakraborty,²³¹ Rama Mohan Chandika,²³² Miyuru Chandradasa,^{233,234} Vijay Kumar Chattu,^{235,236} Lam Duc Chau,²³⁷ Fentahun Alemnew Chekole,²³⁸ Deepti Chopra,²³⁹ Shanjida Chowdhury,²⁴⁰ Mohiuddin

Ahsanul Kabir Chowdhury,²⁴¹ Dinh-Toi Chu,^{242,243} Berihun Assefa Dachew,^{244,245} Omid Dadras,²⁴⁶ Ephrem Mebratu Dagnew,²⁴⁷ Rakhi Dandona,^{248,249,250} Roy Arokiam Daniel,²⁵¹ Samuel E Danso,²⁵² Chengetai Dare,²⁵³ Jai K Das,²⁵⁴ Elham Davoudi,²⁵⁵ Sindhura Deekonda,²⁵⁶ Mohammad Delsoz,²⁵⁷ Tadios Niguss Derese,²⁵⁸ Ismail Dergaa,^{259,260} Kebede Deribe,^{261,262} Hunegnaw Almaw Derseh,²⁶³ Keshab Deuba,^{264,265} Vinoth Gnana Chellaiyan Devanbu,²⁶⁶ Devananda Devegowda,²⁶⁷ Syed Masudur Rahman Dewan,^{268,269} Sagnik Dey,^{270,271} Rajinder K Dhamija,²⁷² Amol S Dhane,²⁷³ Bibha Dhungel,²⁷⁴ Ojas Prakashbhai Doshi,²⁷⁵ Robert Kokou Dowou,²²³ Bereket Duko,^{276,244} Siddhartha Dutta,²⁷⁷ Angel Belle Cheng Dy,^{278,279} Ejemai Eboreime,^{280,281} Lamiaa L.M. Ebraheim,²⁸² Ferry Efendi,^{283,284} Thilini Nisansala Egoda Kapuralalage,²⁸⁵ Fatima Ehsan,²⁸⁶ Aya Elalfy,²⁸⁷ Iffat Elbarazi,²⁸⁸ Ibrahim Farahat El Bayoumy,^{289,290} Ahmed Eldaboush,²⁹¹ Ghada Metwally Tawfik ElGohary,^{292,293} Omar Abdelsadek Abdou Elmeligy,²⁹⁴ Gihan ELNahas,^{295,296} Abdelfatteh EL Omri,²⁹⁷ Iman El Sayed,²⁹⁸ Misganu Endriyas,^{299,300} Deborah Tolulope Esan,³⁰¹ Sharareh Eskandarieh,³⁰² Heidar Fadavian,³⁰³ Adeniyi Francis Fagbamigbe,^{304,305} Ayesha Fahim,³⁰⁶ Niloofar Faraji,³⁰⁷ Ginenus Fekadu,^{308,309} Nataliya A Foigt,³¹⁰ Behzad Foroutan,³¹¹ Dominic Dormenyo Gadeka,³¹² Adamu Usman Gamawa,³¹³ Dhanraj Ganapathy,³¹⁴ Balasankar Ganesan,^{315,316} Shivaprakash Gangachannaiah,³¹⁷ Bashiru Garba,^{318,319} Fernando Jr Barroga Garcia,³²⁰ Rupesh K Gautam,³²¹ Bamba Gaye,^{322,323} Tsion S Gebre,^{324,325} Feven Sahle Gebre,³²⁶ Beza A Gelaw,^{327,328} Miesa Gelchu,³²⁹ Nsikakabasi Samuel George,^{330,331} Gebremariam Wulie Geremew,³³² Genanew K Getahun,³³³ Kalab Yigermal Gete,¹²⁴ Fataneh Ghadirian,³³⁴ Khalid Yaser Ghailan,³³⁵ Leila Ghalichi,³³⁶ Arin Ghamkhar,³³⁷ Moein Ghasemi,³³⁸ Ahmad Ghashghaee,³³⁹ Sailaja Ghimire,³⁴⁰ Other Alem Abera Girmay,³⁴¹ Franklin N Glozah,³⁴² Mahaveer Golechha,³⁴³ Pouya Goleij,^{344,345} Viktoriia Gorbunova,³⁴⁶ Yitayal Ayalew Goshu,³⁴⁷ Sheffali Gulati,³⁴⁸ Damitha Asanga Gunawardane,³⁴⁹ Sasidhar Gunturu,^{350,351} Yonas Deressa Guracho,³⁵² Adrina Habibzadeh,³⁵³ Ramtin Hajibeygi,³⁵⁴ Pritam Halder,^{355,356} Mohamed Hamed,^{357,358} Fahad Hanna,³⁵⁹ Mohd Anul Haq,³⁶⁰ Hamidreza Haririan,³⁶¹ Sara Harsini,³⁶² Eka Mishbahatul Marah Has,^{363,364} Ahmed I Hasaballah,³⁶⁵ Faizul Hasan,³⁶⁶ Towhid Hasan,³⁶⁷ Arezou Hashem Zadeh,^{368,369} Nada Tawfig Hashim,^{370,371} Saquib Hasnain,³⁷² Ammarah Hasnain,³⁷³ Amr Hassan,³⁷⁴ Nageeb Hassan,³⁷⁵ Omed Hassan Ahmed,^{376,377} Mohammad Heidari,³⁷⁸ Paul Michael Rafa Hernandez,³⁷⁹ Sumudu Avanthi Hewage,³⁸⁰ Ramesh Holla,³⁸¹ Moyazzem Hossain,³⁸² Sabbir Hossain,³⁸³ Jubayer Hossain,^{384,214} Lubna Hossain,⁶⁹ Mahbub Hossain,^{385,386} Mehdi Hosseinzadeh,^{376,387} Mila Nu Nu Htay,³⁸⁸ Ayesha Humayun,³⁸⁹ Waqar Husain,³⁹⁰ Segun Emmanuel Ibitoye,³⁹¹ Sumaira Idrees,³³⁵ Olayinka Stephen Ilesanmi,^{392,393} Muhammad Hamza Ilyas,³⁹⁴ Salim Ilyasu,³⁹⁵ Azfar Athar Ishaqui,³⁹⁶ Sheikh Mohammed Shariful Islam,³⁹⁷ Shariful Islam,³⁹⁸ Saiful Islam,³⁹⁹ Rakibul M Islam,⁴⁰⁰ Rabiul Islam,⁴⁰¹ Mahalaxmi Iyer,⁴⁰² Roxana Jabbarinejad,^{403,404} Morteza Jafarinia,⁴⁰⁵ Sanobar Jaka,^{406,407} Qazi Mohammad Sajid Jamal,⁶² Navid Jamali,⁴⁰⁸ Jerin James,⁴⁰⁹ Roland Dominic G Jamora,^{410,411} Masoud Jamshidi,⁴¹² Manthan Dilipkumar Janodia,^{413,414} Sathish Kumar Jayapal,⁴¹⁵ Belayneh Hamdela Jena,⁴¹⁶ Rinu J George,⁴¹⁷ Mohammad Jokar,^{418,419} Nitin Joseph,⁴²⁰ George Vellaramcheril Joy,⁴²¹ Madhanraj K,⁴²² Jay Kakadiya,^{423,424} Ashish Kumar Kakkar,⁴²⁵ Khalil Kalavani,⁴²⁶ Sanjay Kalra,^{427,428} Rajesh Kamath,^{429,430} Naser Kamyari,⁴³¹ Thanigaivelan Kanagasabai,⁴³² Sujita Kumar Kar,⁴³³ Hanie Karimi,⁶⁸ Salah Eddin Karimi,⁴³⁴ Faizan Zaffar Kashoo,⁴³⁵ Natnael Bekuretsion Kassahun,^{436,437} Kanica Kaushal,⁴³⁸ Fekadu Abera Kebede,⁴³⁹ Hafte Kahsay Kebede,⁴⁴⁰ Shemsu Kedir,⁴⁴¹ Salima Kerai,⁴⁴² Behzad Khafaei,⁴⁴³ Himanshu Khajuria,⁴⁴⁴ Sidra Khalid,⁴⁴⁵ Anees Ahmed Khalil,⁸² Maseer Khan,⁴⁴⁶ Abdullah Saeed Khan,⁴⁴⁷ Ammar Ahmad Khan,⁴⁴⁸ Ajmal Khan,⁴⁴⁹ Zahid Khan,^{450,451} Mohammad Idreesh Khan,⁴⁵² Mohd Faheem Khan,⁴⁵³ Amjad Khan,^{454,455} Muhammad Umer Khan,¹¹⁵ Ramsha Mushtaq Khan,⁴⁵⁶ Srijana Khanal,⁴⁵⁷ Sameer Uttamaro Khasbage,⁴⁵⁸ Hamid Reza Khayat Kashani,⁴⁵⁹ Daniel Kheradmand,⁴⁶⁰ Mehdi Khezeli,⁴⁶¹ Feriha Fatima Khidri,⁴⁶² Sunil Kumar Khokhar,^{463,464} Samira Khoshvaght,^{465,466} Jagdish Khubchandani,⁴⁶⁷ Tegene Atamenta Kitaw,⁴⁶⁸ Vitalii

Klymchuk,^{469,470} Shivakumar KM,⁴⁷¹ Abdul Basith KM,³⁵⁵ Prakash Babu Kodali,^{472,473} Ali-Asghar Kolahi,⁴⁷⁴ Kamrun Nahar Nahar Koly,^{475,476} Isaac Koomson,⁴⁷⁷ Tapos Kormoker,⁴⁷⁸ Karel Kostev,⁴⁷⁹ Irene Akwo Kretchy,⁴⁸⁰ Kewal Krishan,⁴⁸¹ Mohammed Kuddus,⁴⁸² Anit Kujur,⁴⁸³ Emmanuel Kumah,⁴⁸⁴ Manasi Kumar,^{485,486} Kamal Kumar,⁴⁸⁷ Tarun Kumar,⁴⁸⁸ Diwakar Kumar,⁴⁸⁹ Chandan Kumar,⁴⁹⁰ Vijay Kumar,⁴⁹¹ Rakesh Kumar,⁴⁹² Dhasarathi Kumar,⁴⁹³ G Anil Kumar,²⁴⁸ Krishna Prasad Kurpad,⁴⁹⁴ Dian Kusuma,^{495,496} Aria Kusuma,⁴⁹⁷ Evans F Kyei,⁴⁹⁸ Chandrakant Lahariya,^{499,500} Tri Laksono,^{501,502} Zohra S Lassi,^{503,504} Areeba Latif,⁵⁰⁵ Saheed Akinmayowa Lawal,^{506,507} Aliyu Lawan,⁵⁰⁸ Pallavi L C,⁵⁰⁹ Long Khanh-Dao Le,⁵¹⁰ Virendra S Ligade,⁵¹¹ Jaielos Lubinda,^{512,513} Abhilash Ludhiadch,⁵¹⁴ Angelina M Lutambi,⁵¹⁵ Ellina Lytvyak,^{516,517} Mahmoud Mabrok,^{518,519} Rituparna Maiti,¹³⁹ Irsa Fatima Makhdoom,⁵²⁰ Tabarak Malik,^{521,522} Ahmad Azam Malik,⁵²³ Ali Mansour,⁵²⁴ Hamid Reza Marateb,^{525,526} Joemer C Maravilla,^{398,527} Adilson Marques,⁵²⁸ Roy Rillera Marzo,^{529,530} Prajakta P Masurkar,⁵³¹ Khurshid A Mattoo,⁵³² Pallab K Maulik,^{533,534} Maryam Mazaheri,⁵³⁵ Chioma Ngozichukwu Pauline Mbachu,⁵³⁶ Ikechukwu Innocent Mbachu,⁵³⁷ Medhin Mehari,⁵³⁸ Khurram Mehboob,⁴⁴⁵ Asim Mehmood,³³⁵ Vini Mehta,⁵³⁹ Tesfahun Mekene Meto,⁵⁴⁰ Other Hagazi Gebre Meles,⁵⁴¹ Satish Melwani,⁵⁴² Giuseppe Minervini,^{543,544} Mojgan Mirghafourvand,⁵⁴⁵ Vinaytosh Mishra,^{546,547} Kumar Guru Mishra,⁵⁴⁸ Archana Mishra,¹³⁹ Dhruvi Modi,⁵⁴⁹ Abdalla Z Mohamed,⁵⁵⁰ Nouh Saad Mohamed,^{551,552} Jama Mohamed,⁵⁵³ Khabab Abbasher Hussien Mohamed Ahmed,⁵⁵⁴ Taj Mohammad,^{555,556} Abdollah Mohammadian-Hafshejani,⁵⁵⁷ Yahaya Mohammed,^{558,559} Shafiu Mohammed,^{560,561} Mustapha Mohammed,⁵⁶² Itismita Mohanty,⁶⁷ Mohammad Mohseni,^{563,564} Mohammad Moradi-Joo,⁵⁶⁵ Mahdis Morovvati,⁶⁸ Mahmoud M Morsy,⁵⁶⁶ Reza Mosaddeghi Heris,^{567,568} Mohamed Awad Abdalaziz Mousnad,^{569,570} Kimia Mozahheb Yousefi,^{571,572} Sumoni Mukherjee,^{573,574} Kavita Munjal,⁵⁷⁵ Anjana Munshi,⁵⁷⁶ Satta Muthu Murugan,^{577,578} Yahye Hassan Muse,⁵⁷⁹ Ghulam Mustafa,^{580,581} Mubarak Taiwo Mustapha,^{582,583} Lutfi Muzaqi,⁵⁸⁴ Fatemehzahra Naddafi,^{585,586} Ayoub Nafei,⁵⁸⁷ Karikalan Nagarajan,^{588,589} Mobin Naghshbandi,^{590,591} Ganesh R Naik,^{592,593} Shumaila Nargus,⁵⁹⁴ Hamide Nasiri,¹⁵⁶ Javaid Nauman,^{595,596} Zakira Naureen,⁵⁹⁷ Biswa Prakash Nayak,⁴⁴⁴ Javad Nazari,⁵⁹⁸ G Takop Nchanji,^{599,600} Pacifique Ndishimye,^{601,602} Anthony Wainaina Ndungu,⁶⁰³ Jalil Nejati,⁶⁰⁴ Charles Richard James Newton,^{605,606} Josephine W Ngunjiri,⁶⁰⁷ Hien Thu Nguyen,⁶⁰⁸ Cao Duy Nguyen,⁶⁰⁸ Tham Thi Nguyen,⁶⁰⁹ Huong Lan Thi Nguyen,⁶⁰⁸ Cuong Tat Nguyen,⁶⁰⁸ Robina Khan Niazi,⁶¹⁰ Dina Nur Anggraini Ningrum,⁶¹¹ Syed Toukir Ahmed Noor,^{69,383} Masoud Noroozi,^{612,525} Mark Anum Nortey,⁶¹³ Nurfatimah Nurfatimah,⁶¹⁴ Chijindu N Nwakama,⁶¹⁵ Felix Kwasi Nyande,⁶¹⁶ Chimezie Igwegbe Nzoputam,⁶¹⁷ Ogochukwu Janet Nzoputam,^{618,619} Saheed Adeyinka Odediji,⁶²⁰ Joseph Kojo Oduro,⁶²¹ Michael Safo Oduro,⁶²² Abiola Ogunkoya,³⁹¹ Oluwafunmbi Ebenezer Ogunmiluyi,⁶²³ Peter Oseghale Ohue,⁶²⁴ Akin Ojagbemi,^{625,626} Hassan Okati-Aliabad,⁶⁰⁴ Sylvester Reuben Okeke,^{627,628} Osaretin Christabel Okonji,⁶²⁹ Oluyemi Adewole Okunlola,⁶³⁰ Oluwaseyi Isaiah Olabisi,^{631,632} Andrew T Olagunju,^{633,634} Oluseye Olalekan Oludoye,⁶³⁵ Bolajoko Olubukunola Olusanya,⁶³⁶ Oluwafemi G Oluwole,^{637,638} Deborah Chinecherem Onuegbu,^{639,640} Augustus Osborne,⁶⁴¹ Uchechukwu Levi Osuagwu,^{642,643} Oche Joseph Otorkpa,⁶⁴⁴ Jerry John Ouner,⁶⁴⁵ David Owiredun,⁶⁴⁶ Mayowa O Owolabi,^{647,648} Tope Oyelade,^{649,650} Gbadebo Maroof Oyeniyi,⁶⁵¹ Mahesh P A,⁶⁵² Jagadish Rao Padubidri,⁶⁵³ Dimpal Manilal Paija,⁶⁵⁴ Sathishraja Palaniraja,²⁵¹ Songhomitra Panda-Jonas,^{655,656} Deepshikha Pande Katore,⁶⁵⁷ Ashok Pandey,^{340,658} Seithikurippu R Pandi-Perumal,^{659,522} Apurvakumar Pandya,⁶⁶⁰ Helena Ulliyartha Pangaribuan,^{661,662} Parinaz Paranjkhoo,⁶⁶³ Amrita Parida,³¹⁷ Romil R Parikh,⁶⁶⁴ Arpit Parmar,⁶⁶⁵ Jenish Patel,⁶⁶⁶ Satyananda Patel,⁶⁶⁷ Kamalesh Kumar Patel,⁶⁶⁸ Ashlesh Patil,⁶⁶⁹ Shankargouda Patil,⁶⁷⁰ Apurba Patra,⁶⁷¹ Hamidreza Pazoki Toroudi,^{672,673} Prince Peprah,⁶⁷⁴ Tung Thanh Pham,^{224,225} Anil K Philip,⁶⁷⁵ Sabina Margaret Pinto,⁶⁷⁶ Ramesh Poluru,⁶⁷⁷ Maarten J Postma,^{678,679} Farzad Pourghazi,⁶⁸⁰ Mohsen Poursadeqiyan,⁶⁸¹ Pranil Man Singh Pradhan,^{682,683} Rifky Octavia Pradipta,^{684,685} Hery Purnobasuki,⁶⁸⁶ Jagadeesh Puvvula,⁶⁸⁷

Nuzul Qur'aniati,^{167,688} Deepthi R,⁶⁸⁹ Reza Rabiei,⁶⁹⁰ Basuki Rachmat,⁶⁹¹ Ibrar Rafique,⁶⁹² Yashpal Singh Raghav,⁶⁹³ Pracheth Raghuvier,⁶⁹⁴ Mosfequr Rahman,⁶⁹⁵ Mohammad Meshbahur Rahman,⁶⁹⁶ Muhammad Aziz Rahman,⁶⁹⁷ Mahbubur Rahman,⁶⁹⁸ Mosiur Rahman,⁶⁹⁹ Setyaningrum Rahmawaty,⁶⁹⁹ Hakim Rahmoune,^{700,701} Sunil Kumar Raina,⁷⁰² Jeffrey Pradeep Raj,⁷⁰³ Vinoth Rajendran,¹⁸⁶ Shaman Rajindrajith,⁷⁰⁴ Mohammad Amin Rajizadeh,⁷⁰⁵ Mahmoud Mohammed Ramadan,^{706,707} Asad Gul Rao,⁷⁰⁸ Vahid Rashedi,⁷⁰⁹ Mamunur Rashid,⁷¹⁰ Fahmida Rashid,⁷¹¹ Prateek Rastogi,⁶⁵³ Devarajan Rathish,⁷¹² Abdur Rauf,⁷¹³ Ramin Ravangard,⁷¹⁴ Dhvani Ravi,⁷¹⁵ Ramu Rawat,⁷¹⁶ Nazila Rezaei,¹⁹⁰ Nima Rezaei,^{717,718} Mohsen Rezaei,⁷¹⁹ Ravi Rohilla,⁷²⁰ Iftitakhur Rohmah,³⁶⁶ Debby Syahru Romadlon,³⁶⁶ Morteza Rostamian,⁷²¹ Himanshu Sekhar Rout,^{722,723} Sharmistha Roy,⁴⁶⁷ Parimal Roy,⁷²⁴ Adrija Roy,^{725,726} Nitai Roy,⁷²⁷ Shubhanjali Roy,⁷²⁸ Priyanka Roy,⁷²⁹ Poorvikha S,⁷³⁰ Aly M A Saad,⁷³¹ Adnan Saad Eddin,⁷³² Seyed Kiarash Sadat Rafiei,^{148,733} Ehsan Sadeghi,⁷³⁴ Bassem Sadek,⁷³⁵ Umar Saeed,^{736,737} Shazina Saeed,⁷³⁸ Rajesh Sagar,⁷³⁹ Amene Saghadzadeh,⁷¹⁷ Indranil Saha,⁷⁴⁰ Sukanta Saha,^{741,742} Amirhossein Sahebkar,^{743,744} Soumya Swaroop Sahoo,⁵¹⁴ Ankita Saikia,⁷⁴⁵ Bukola Salami,⁷⁴⁶ Afeez Abolarinwa Salami,^{747,748} Mohamed A Saleh,^{749,750} Mahdi Salehi,^{751,752} Dauda Salihu,⁷⁵³ Pegah Salimi Pormehr,⁷⁵⁴ Sonia Sameen,⁷⁵⁵ Abdallah M Samy,^{756,757} Adekunle Sanyaolu,⁷⁵⁸ Sivan Yegnanarayana Iyer Saraswathy,⁷⁵⁹ Aswini Saravanan,^{760,761} Yaser Sarikhani,^{762,763} Sachin C Sarode,⁷⁶⁴ Maheswar Satpathy,^{765,766} Jennifer Saulam,⁷⁶⁷ Sangeeta Gopal Saxena,^{768,769} Ganesh Kumar Saya,⁷⁷⁰ Abu Sayeed,^{69,771} Muthamizh Selvamani,⁵⁴⁴ Bharathi Selvaraj,⁷⁷² Yashendra Sethi,⁷⁷³ Yara Shaalan,⁷⁷⁴ Arezoo Shafieioun,⁷⁷⁵ Grishma Shah,⁷⁷⁶ Saeed Shahabi,^{763,777} Kanwal Shahbaz,⁷⁷⁸ Samiah Shahid,^{115,779} Arsalan Shahri,⁷⁸⁰ Moyad Jamal Shahwan,⁷⁸¹ Masood Ali Shaikh,⁷⁸² Nafhat Shaikh,⁷⁸³ Muhammad Aaqib Shamim,⁷⁶⁰ Mehran Shams-Beyranvand,⁷⁸⁴ Anas Shamsi,^{781,556} Nigussie Tadesse Sharew,^{785,786} Amin Sharifan,⁷⁸⁷ Javad Sharifi Rad,⁷⁸⁸ Manoj Sharma,⁷⁸⁹ Saurab Sharma,^{790,791} Avimanu Sharma,⁷⁹² Buntly Sharma,⁷⁹³ Bhoopesh Kumar Sharma,⁷⁹⁴ Gaurav Sharma,⁷⁹⁵ Amr Mohamed Elsayed Shehabeldine,⁷⁹⁶ Mahabalesh Shetty,⁷⁹⁷ Premalatha K Shetty,⁷⁹⁸ Adithi Shetty,⁷⁹⁹ Monir Hossain Shimul,²¹⁴ Rahman Shiri,⁸⁰⁰ Aminu Shittu,³¹⁸ Sunil Shrestha,^{801,802} Suleiman Adeiza Shuaibu,⁸⁰³ Mohammad Sidiq,⁸⁰⁴ Analiza M Silva,⁸⁰⁵ Padam Prasad Simkhada,⁸⁰⁶ Jasvinder A Singh,^{807,808} Poornima Suryanath Singh,⁸⁰⁹ Balbir Bagicha Singh,^{810,811} Harmanjit Singh,⁸¹² Amit Singh,^{813,814} Kalpana Singh,⁸¹⁵ Harpreet Singh,⁸¹⁶ Jasbir Singh,⁸¹⁷ Puneetpal Singh,⁸¹⁸ Akanksha Singh,⁸⁰⁹ Kashmir Singh,⁸¹⁹ Garima Singh,⁸²⁰ Ratnesh Sinha,⁸²¹ Salman Sohel,⁸²² Vishal Sondhi,⁸²³ Mansi Soni,⁸²⁴ Vetriselvan Subramaniyan,⁸²⁵ Aswin Sugunan,⁸²⁶ Oksana Sulaieva,^{827,828} Surajo Kamilu Sulaiman,⁸²⁹ Desy Sulistiyorini,⁸³⁰ Lourdes Bernadette C Sumpaico-Tanchanco,⁸³¹ Sumam Sunny,⁵⁴⁹ Seyed-Amir Tabatabaeizadeh,^{832,833} Celine Tabche,⁸³⁴ Ramin Tabibi,⁸³⁵ Jabeen Taiba,⁸³⁶ Ashis Talukder,⁸³⁷ Minale Tareke,⁸³⁸ Saba Tariq,^{839,840} Anika Tasnim,⁸⁴¹ Nathan Y Tat,^{842,843} Mohammad-Hassan Tayarani-Najaran,⁸⁴⁴ Birhan Tsegaw Taye,⁸⁴⁵ Abainash Tekola,⁸⁴⁶ Tarilate Temedie-Asogwa,⁸⁴⁷ Mohamad-Hani Temsah,^{848,849} Lewegneh Wegayehu Tessema,⁸⁵⁰ Kavumpurathu Raman Thankappan,⁸⁵¹ Rekha Thapar,⁴²⁰ Ismaeel Tharwat,⁸⁵² Rekha Thiruvengadam,^{853,154} Sojit Tomo,⁸⁵⁴ Santo Imanuel Tonapa,⁸⁵⁵ Ali Torkashvand,⁸⁵⁶ Khaled Trabelsi,^{857,858} Thang Huu Tran,^{859,860} Tam Quoc Minh Tran,⁸⁶¹ Nguyen Tran Minh Duc,⁸⁶² Quynh Xuan Nguyen Truong,⁸⁶³ Lawrence Sena Tuglo,⁸⁶⁴ Sree Sudha T Y,⁸⁶⁵ Riaz Ullah,⁸⁶⁶ Lawan Umar,⁸⁶⁷ Dinesh Upadhyay,⁸⁶⁸ Jibrin Sammani Usman,^{869,870} Kelechi Julian Uzor,⁸⁷¹ Balachandar Vellingiri,^{872,873} Poonam Verma,⁸⁷⁴ Akshaya Kumar Verma,⁸⁷⁵ Linh Vu,^{876,877} Krishna Dhavan Vyas,⁸⁷⁸ Abubakar Sadiq Wada,⁸⁷⁹ Mandaras Tariku Walde,⁸⁸⁰ Megha Walia,⁷⁹⁴ Tanveer A Wani,¹⁸² Yilkal Abebaw Wassie,⁸⁸¹ Ishanka Weerasekara,^{882,883} Abrha Hailay Weldemariam,⁸⁸⁴ Nuwan Darshana Wickramasinghe,⁸⁸⁵ Martin Wiredu Agyekum,⁸⁸⁶ Andrew Awuah Wireko,⁸⁸⁷ Gemechu Kumera Wirtu,^{888,889} Florence Gyembuzie Wongnaah,⁸⁹⁰ Daniel Tarekegn Worede,⁸⁹¹ Vikas Yadav,⁸⁹² Saba Yahoo,⁸⁹³ Galal Yahya,^{894,895} Subah Abderehim Yesuf,^{896,897} Saber Yezli,⁸⁹⁸ Biksegn Asrat Yirdaw,⁸⁹⁹ Yazachew Engida Yismaw,^{900,165}

Abdilahi Yousuf,⁹⁰¹ Abdullateef Onoruoiza Yusuf,⁹⁰² Siddhesh Zadey,^{903,904} Muhammad Sohail Zafar,^{905,906} Mubashir Zafar,^{907,908} Nazar Zaki,⁹⁰⁹ Mohammed Zawiah,⁹¹⁰ Alemu Birara Zemariam,⁹¹¹ Eyael M Zeru,⁹¹² Hafsa Zia,⁹¹³ Mohamed Ali Zoromba,^{914,915} Lilik Zuhriyah,⁹¹⁶ Sa'ed H Zyoud,^{109,917} Shafer H Zyoud,^{918,919} Ali H Mokdad,^{249,250} Jae Il Shin,^{920,&} Dong Keon Yon,^{921,&,#}.

*Joint first authors; &Equal contribution; #Lead contact.

Affiliations

¹School of Health and Environmental Science, Korea University, Seoul, South Korea; ²Department of Anesthesia, Critical Care and Pain Medicine, Massachusetts General Hospital, Boston, MA, USA; ³Center for Digital Health, Kyung Hee University College of Medicine, Seoul, South Korea; ⁴Department of Precision Medicine, Kyung Hee University College of Medicine, Seoul, South Korea; ⁵Cardiovascular Disease Initiative, Broad Institute of MIT and Harvard, Cambridge, MA, USA; ⁶Massachusetts General Hospital, Boston, MA, USA; ⁷Department of Biomedical Data Science, Stanford University, Stanford, CA, USA; ⁸Shahid Beheshti University of Medical Sciences, Tehran, Iran; ⁹Department of Nutrition and Dietetics, Jimma University, Jimma, Ethiopia; ¹⁰Centre for Regenerative Medicine and Health, Chinese Academy of Sciences, Hong Kong, China; ¹¹Infectious and Tropical Research Center, Tabriz University of Medical Sciences, Tabriz, Iran; ¹²College of Pharmacy, King Saud University, Riyadh, Saudi Arabia; ¹³Department of Mathematics and Sciences, Ajman University, Ajman, United Arab Emirates; ¹⁴Department of Physiotherapy, Bayero University Kano, Kano, Nigeria; ¹⁵Department of Physiotherapy, Federal University Wukari, Wukari, Nigeria; ¹⁶Department of Pharmacognosy, University of Lagos, Lagos, Nigeria; ¹⁷Department of Midwifery, Wollo University, Dessie, Ethiopia; ¹⁸Department of Medical Biochemistry, Debre Tabor University, Debre Tabor, Ethiopia; ¹⁹Australian Precision Health (ACPreH), University of South Australia, Adelaide, SA, Australia; ²⁰Department of Botany, Sree Narayana Guru College Chelannur, Kozhikode, India; ²¹Department of Immunology, Tulane University, Covington, LA, USA; ²²College of Medicine and Health Sciences, Ambo University, Ambo, Ethiopia; ²³Department of Community Medicine, Babcock University, Ilishan-Remo, Nigeria; ²⁴Department of Family and Community Health, University of Health and Allied Sciences, Ho, Ghana; ²⁵School of Population Health, University of New South Wales, Sydney, NSW, Australia; ²⁶Cardiovascular Research Center, Massachusetts General Hospital, Boston, MA, USA; ²⁷Department of Radiology, Harvard University, Boston, MA, USA; ²⁸Department of Research and Development, Healthy Africans Platform, Ibadan, Nigeria; ²⁹Philippine Institute for Development Studies, Quezon City, Philippines; ³⁰Graduate School of Public Health, St. Luke's International University, Tokyo, Japan; ³¹Division of Population Data Science, National Cancer Center, Tokyo, Japan; ³²Department of Research, New ERA, Kathmandu, Nepal; ³³Department of Population Health, Hofstra University, Hempstead, NY, USA; ³⁴Department of Pediatrics, University of Calgary, Calgary, AB, Canada; ³⁵School of Public Health, University of the Western Cape, Bellville, South Africa; ³⁶School of Basic and Biomedical Sciences, University of Health and Allied Sciences, Ho, Ghana; ³⁷Department of Family Medicine, Bowen University, Iwo, Nigeria; ³⁸Department of Family Medicine, Bowen University Teaching Hospital, Ogbomoso, Nigeria; ³⁹Slum and Rural Health Initiative Research Academy, Slum and Rural Health Initiative, Ibadan, Nigeria; ⁴⁰Department of Physiotherapy, University of Ibadan, Ibadan, Nigeria; ⁴¹Division of Biostatistics and Epidemiology, Stellenbosch University, Cape Town, South Africa; ⁴²Department of Biotechnology, National Agricultural Research Institute, Beni Mellal, Morocco; ⁴³Apollo Institute of Medical Sciences & Research Chittoor, Apollo Hospital, Chittoor, India; ⁴⁴Department of Biology, University of Hail, Hail, Saudi Arabia; ⁴⁵Department of Public Health, Universitas Padjadjaran (Padjadjaran University), Bandung, Indonesia; ⁴⁶Department of Health Administration and Education, University of Education, Winneba, Ghana; ⁴⁷School of Arts and Social Sciences, Edith Cowan University, Bunbury, WA, Australia; ⁴⁸Department of Health Services Management, University of Ghana, Accra, Ghana; ⁴⁹Harvard Chan School of Public Health, Harvard University, Boston, MA, USA; ⁵⁰School of Public Health, University of Texas Health Science Center at Houston, Houston, TX, USA; ⁵¹Department of Community Medicine, King Edward Memorial Hospital, Lahore, Pakistan; ⁵²Department of Public Health, Public Health Institute, Lahore, Pakistan; ⁵³MM College of Pharmacy, Maharishi

Markandeshwar (Deemed to be University), Ambala, India; ⁵⁴Department of Orthopedic Surgery and Sports Medicine, Boston Children's Hospital, Boston, MA, USA; ⁵⁵Department of Public Health, Wachemo University, Kampala, Uganda; ⁵⁶Department of Nutrition and Dietetics, University of Health and Allied Sciences, Ho, Ghana; ⁵⁷Center for Public Health and Nutrition, Health Research Organization, National Research and Innovation Agency of Indonesia, Jakarta, Indonesia; ⁵⁸University of Dundee, University of Dundee, Dundee, UK; ⁵⁹Health Policy Research Group, University of Nigeria, Enugu, Nigeria; ⁶⁰Department of Public Health Sciences, Queen's University, Kingston, ON, Canada; ⁶¹King Khaled Eye Specialist Hospital and Research Center, Riyadh, Saudi Arabia; ⁶²Department of Health Informatics, Qassim University, Buraydah, Saudi Arabia; ⁶³Department of Health and Biological Sciences, Abasyn University, Peshawar, Pakistan; ⁶⁴Department of Natural Sciences, Lebanese American University, Beirut, Lebanon; ⁶⁵Department of Physical Therapy, University of Nizwa, Birkat Al Mawz, Oman; ⁶⁶School of Medicine and Psychology, Australian National University, Canberra, ACT, Australia; ⁶⁷Health Research Institute, University of Canberra, Canberra, NSW, Australia; ⁶⁸School of Medicine, Tehran University of Medical Sciences, Tehran, Iran; ⁶⁹Maternal and Child Health Division (MCHD), International Centre for Diarrhoeal Disease Research, Bangladesh, Dhaka, Bangladesh; ⁷⁰Department of Assistance Medical Sciences, Applied College, University of Tabuk, Tabuk, Saudi Arabia; ⁷¹Department of Psychology, University of Chittagong, Chattogram, Bangladesh; ⁷²Department of Medicine, Fatima Memorial Hospital College of Medicine and Dentistry, Lahore, Pakistan; ⁷³Brody School of Medicine, East Carolina University, Greenville, NC, USA; ⁷⁴Department of Pharmacy Practice, Riphah Institute of Pharmaceutical Sciences, Islamabad, Pakistan; ⁷⁵Division of Infectious Diseases and Global Public Health (IDGPH), University of California San Diego, San Diego, CA, USA; ⁷⁶Department of Health Sciences and Informatics, Bangladesh Institute of Innovative Health Research, Dhaka, Bangladesh; ⁷⁷Institute of Endemic Diseases, University of Khartoum, Khartoum, Sudan; ⁷⁸Pan-African One Health Institute (PAOHI), Kigali, Rwanda; ⁷⁹National Nutrition and Food Technology Research Institute, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ⁸⁰Department of Health Behavior, Texas A&M University, College Station, TX, USA; ⁸¹Rural Health Research Institute, Charles Sturt University, Orange, NSW, Australia; ⁸²University Institute of Diet and Nutritional Sciences, The University of Lahore, Lahore, Pakistan; ⁸³Department of Veterinary Medicine, University of Ibadan, Ibadan, Nigeria; ⁸⁴Nigeria; ⁸⁵Faculty of Health and Behavioural Sciences, The University of Queensland, Brisbane, QLD, Australia; ⁸⁶Department of Psychiatry and Mental Health, University of Cape Town, Cape Town, South Africa; ⁸⁷Western Cape Department of Health, Cape Town, South Africa; ⁸⁸Murdoch Business School, Murdoch University, Perth, WA, Australia; ⁸⁹School of Health and Environmental Studies, Hamdan Bin Mohammed Smart University, Dubai, United Arab Emirates; ⁹⁰Department of Pharmacy, Debre Markos University, Debre Markos, Ethiopia; ⁹¹Department of Clinical Pharmacy, Al-Ayen Iraqi University, Thi-Qar, Iraq; ⁹²Department of Clinical Pharmacy and Pharmacy Practice, University of Science and Technology, Sana'a, Yemen; ⁹³Department of Epidemiology and Biostatistics, University of Gondar, Gondar, Ethiopia; ⁹⁴School of Pharmacy, Bahir Dar University, Bahir Dar, Ethiopia; ⁹⁵Africa Center of Excellence for Mycotoxin and Food Safety, Minna, Nigeria; ⁹⁶College of Nursing, Qatar University, Doha, Qatar; ⁹⁷Faculty of Dentistry, Ibn Al-Nafis University for Medical Sciences, Sana'a, Yemen; ⁹⁸Department of Oral and Maxillofacial Surgery, Xi'an Jiaotong University, Xi'an, China; ⁹⁹Department of Medical Rehabilitation (Physiotherapy), University of Maiduguri, Maiduguri, Nigeria; ¹⁰⁰Nethersole School of Nursing, The Chinese University of Hong Kong, Hong Kong, China; ¹⁰¹Department of Statistics and Operations Research, Aligarh Muslim University, Aligarh, India; ¹⁰²Department of Pharmacy, Mohammed Al-Mana College for Medical Sciences, Dammam, Saudi Arabia; ¹⁰³Department of Biosciences, Jamia Millia Islamia, New

Delhi, India; ¹⁰⁴Center for Biotechnology and Microbiology, University of Swat, Swat, Pakistan; ¹⁰⁵University of Tabuk, Tabuk, Saudi Arabia; ¹⁰⁶Malopolska Centre of Biotechnology, Jagiellonian University, Krakow, Poland; ¹⁰⁷Center of Excellence in Precision Medicine and Digital Health, Chulalongkorn University, Bangkok, Thailand; ¹⁰⁸School of Biomedical Engineering, University of New South Wales, Sydney, NSW, Australia; ¹⁰⁹Department of Clinical and Community Pharmacy, An-Najah National University, Nablus, Palestine; ¹¹⁰College of Life Sciences, Birmingham City University, Birmingham, UK; ¹¹¹Independent Consultant, Amman, Jordan; ¹¹²Department of Medicine, Nazarbayev University, Astana, Kazakhstan; ¹¹³Ophthalmology Department, University of Miami, Miami, FL, USA; ¹¹⁴SRM School of Public Health, Chennai, India; ¹¹⁵Institute of Molecular Biology and Biotechnology (IMBB), The University of Lahore, Lahore, Pakistan; ¹¹⁶Faculty of Health Sciences, Equator University of Science and Technology, Uganda, Masaka, Uganda; ¹¹⁷University of Sharjah, Sharjah, United Arab Emirates; ¹¹⁸School of Health, Science and Society, University of Greater Manchester, Bolton, UK; ¹¹⁹Clinical Pharmacy and Pharmacy Management, University of Nigeria Nsukka, Nsukka, Nigeria; ¹²⁰Fakeeh College for Medical Sciences, Fakeeh College for Medical Sciences, Jeddah, Saudi Arabia; ¹²¹College of Medical Sciences, Azal University for Human Development, Sana'a, Yemen; ¹²²London School of Hygiene and Tropical Medicine, University of London, London, UK; ¹²³School of Medicine, University of Adelaide, Adelaide, SA, Australia; ¹²⁴College of Medicine and Health Science, Bahir Dar University, Bahir Dar, Ethiopia; ¹²⁵John D. Bower School of Population Health Science, University of Mississippi Medical Center, Jackson, MS, USA; ¹²⁶Preventive and Community Dentistry, Obafemi Awolowo University, Ile-Ife, Nigeria; ¹²⁷Department of Public Health, Salale University, Fitch, Ethiopia; ¹²⁸School of Public Health, Xi'an Jiaotong University, Xi'an, China; ¹²⁹Department of Health and Management Sciences, Khomein University of Medical Sciences, Khomein, Iran; ¹³⁰Spiritual Health Research Centre, Baqiyatallah University of Medical Sciences, Tehran, Iran; ¹³¹Department of Health and Wellbeing, African Population and Health Research Center, Nairobi, Kenya; ¹³²School of Government, Ateneo De Manila University, Quezon City, Philippines; ¹³³Alcohol, Drugs, and Development Programme, FORUT, Solidarity Action for Development, Norway, Norway; ¹³⁴University of Gondar, University of Gondar, Gondar, Ethiopia; ¹³⁵Department of General Medicine, Thai Binh University of Medicine and Pharmacy in Vietnam, Thai Binh City, Viet Nam; ¹³⁶Ophthalmology Department, Hoa Binh General Hospital, Hoa Binh City, Viet Nam; ¹³⁷School of Allied Health Sciences, University of Suffolk, Ipswich, UK; ¹³⁸School of Health and Life Sciences, Glasgow Caledonian University, Glasgow, UK; ¹³⁹Department of Pharmacology, All India Institute of Medical Sciences, Bhubaneswar, India; ¹⁴⁰Ashok & Rita Patel Institute Of Physiotherapy, Charotar University of Science and Technology, Petlad, India; ¹⁴¹Department of Public Health, The Apollo University, Chittoor, India; ¹⁴²Department of Physiotherapy, Galgotias University, Greater Noida, India; ¹⁴³Agribusiness Study Program, Sebelas Maret University, Surakarta, Indonesia; ¹⁴⁴Health Management and Economics Research Center, Iran University of Medical Sciences, Tehran, Iran; ¹⁴⁵Research Center for Public Health and Nutrition, National Research and Innovation Agency, Bogor, Indonesia; ¹⁴⁶College of Art and Science, Ottawa University, Surprise, AZ, USA; ¹⁴⁷Midwifery, Hawassa University, Hawassa, Ethiopia; ¹⁴⁸School of Medicine, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ¹⁴⁹Department of Biotechnology, Sri Ramaswamy Memorial Institute of Science and Technology, Kattankulathur, India; ¹⁵⁰Department of Community Medicine and Global Health, University of Oslo, Oslo, Norway; ¹⁵¹Norway; ¹⁵²Department of Pharmacy Practice, AlMaarefa University, Riyadh, Saudi Arabia; ¹⁵³Department of Food Technology, Jamia Hamdard, New Delhi, India; ¹⁵⁴India; ¹⁵⁵Department of Biostatistics, Sakarya University, Sakarya, Türkiye; ¹⁵⁶School of Medicine, Zanzan University of Medical Sciences, Zanzan, Iran; ¹⁵⁷Health and Social Care, University of Essex, Colchester, England; ¹⁵⁸Department of Pediatrics, Lahore General

Hospital, Lahore, Pakistan; ¹⁵⁹Nursing Department, Institute of Technology and Health Science RS dr Soepraoen, Malang, Indonesia; ¹⁶⁰Faculty of Health Science, Institute of Technology and Health Science RS dr Soepraoen, Malang, Indonesia; ¹⁶¹Monash Addiction Research Center, Monash University, Melbourne, VIC, Australia; ¹⁶²School of Medicine and Public Health, University of Newcastle, Newcastle, NSW, Australia; ¹⁶³Discipline of Psychological Science, ACAP University College, Sydney, NSW, Australia; ¹⁶⁴College of Medicine and Health Sciences, Adigrat University, Adigart, Ethiopia; ¹⁶⁵Ethiopia; ¹⁶⁶Management Policy and Community Health, University of Texas, Houston, TX, USA; ¹⁶⁷Faculty of Nursing, Universitas Airlangga (Airlangga University), Surabaya, Indonesia; ¹⁶⁸Division of Nursing, Midwifery and Social Work, University of Manchester, Manchester, UK; ¹⁶⁹Department of Public Health, Wollega University, Nekemte, Ethiopia; ¹⁷⁰Department of Health Behavior and Society, Jimma University, Jimma, Ethiopia; ¹⁷¹Research and Technology Deputy, Kurdistan University of Medical Sciences, Sanandaj, Iran; ¹⁷²Department of Psychiatry, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran; ¹⁷³Faculty of Medicine and Dentistry, University of Alberta, Edmonton, AB, Canada; ¹⁷⁴School of Public Health, JSS Academy of Higher Education and Research, Mysuru, India; ¹⁷⁵School of Public Health, Wolaita Sodo University, Wolaita Sodo, South Africa; ¹⁷⁶Division of Health System and Public Health, Stellenbosch University, Cape Town, South Africa; ¹⁷⁷Department of Orthopedics, University of California Los Angeles, Los Angeles, CA, USA; ¹⁷⁸Orthopedic Institute for Children, Los Angeles, CA, USA; ¹⁷⁹Translational Ophthalmology Research Center, Tehran University of Medical Sciences, Tehran, Iran; ¹⁸⁰College of Optometry, Pacific University, Forest Grove, OR, USA; ¹⁸¹Research and Scientific Division, Ministry of Health, Free Town, Sierra Leone; ¹⁸²Department of Pharmaceutical Chemistry, King Saud University, Riyadh, Saudi Arabia; ¹⁸³Department of Medical Informatics, Mashhad University of Medical Sciences, Mashhad, Iran; ¹⁸⁴Maternal and Child Health Division, International Centre for Diarrhoeal Disease Research, Bangladesh, Dhaka, Bangladesh; ¹⁸⁵Department of Forensic Science, Government Institute of Forensic Science, Nagpur, Nagpur, India; ¹⁸⁶Department of Community and Family Medicine, All India Institute of Medical Sciences, Gorakhpur, India; ¹⁸⁷Faculty of Pharmacy, Universiti Sultan Zainal Abidin, Malaysia, Terengganu, Malaysia; ¹⁸⁸Health Information Management, Shiraz University of Medical Sciences, Shiraz, Iran; ¹⁸⁹Warwick Medical School, University of Warwick, Coventry, UK; ¹⁹⁰Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran; ¹⁹¹School of Medicine, Iran University of Medical Sciences, Tehran, Iran; ¹⁹²Department of Clinical Pharmacology, Apollo Institute of Medical Sciences and Research, Hyderabad, India; ¹⁹³Department of Human Anatomy and Histology, I.M. Sechenov First Moscow State Medical University, Moscow, Russia; ¹⁹⁴Department of Community and Family Medicine, All India Institute of Medical Sciences, Bhubaneswar, India; ¹⁹⁵Menzies School of Health Research, Charles Darwin University, Darwin, NT, Australia; ¹⁹⁶College of Health Science, Debre Tabor University, Debre Tabor, Ethiopia; ¹⁹⁷Department of Public Health, Bahir Dar University, Bahir Dar, Ethiopia; ¹⁹⁸Department of Public Health, University of South Africa, Pretoria, South Africa; ¹⁹⁹Community Medicine Department, Central University of Tamil Nadu, Madurai, India; ²⁰⁰BRAC James P Grant School of Public Health, BRAC University, Dhaka, Bangladesh; ²⁰¹School of Public Health, Johns Hopkins University, Baltimore, MD, USA; ²⁰²Global Health Neurology Lab, NSW Brain Clot Bank, Sydney, NSW, Australia; ²⁰³Division of Cerebrovascular Medicine and Neurology, National Cerebral and Cardiovascular Center, Suita, Japan; ²⁰⁴School of Education, Sport & Health Sciences, University of Brighton, Brighton, UK; ²⁰⁵Department of Public Health Research, Bengal Rural Welfare Service, Kolkata, India; ²⁰⁶Innovation UBC, University of British Columbia, Vancouver, BC, Canada; ²⁰⁷Department of Medical Lab Technology, Chandigarh University, Mohali, India; ²⁰⁸Laboratory of Translational Medicine and Nanotherapeutics, Central

University of Punjab, Bathinda, India; ²⁰⁹Department of Pharmaceutical Sciences, Guru Nanak Dev University, Amritsar, India; ²¹⁰Department of Health Behaviour, Environment and Social Medicine, Universitas Gadjah Mada (Gadjah Mada University), Sleman, Indonesia; ²¹¹Center of Health and Behavior and Promotion, Universitas Gadjah Mada (Gadjah Mada University), Sleman, Indonesia; ²¹²Department of Biomedical Sciences, Bahir Dar University, Bahir Dar, Ethiopia; ²¹³Department of Biochemistry and Biotechnology, University of Science and Technology Chittagong, Chittagong, Bangladesh; ²¹⁴Department of Public Health, Daffodil International University, Dhaka, Bangladesh; ²¹⁵Centre for the Study of Regional Development, Jawahar Lal Nehru University, New Delhi, India; ²¹⁶Health Biotechnology Directorate at Bio and Emerging Technology Institute, Addis Ababa University, Addis Ababa, Ethiopia; ²¹⁷Wits Centre for Health Economics and Decision Science, Wits Health Consortium, Johannesburg, South Africa; ²¹⁸Department of Community and Family Medicine, All India Institute of Medical Sciences, Ramanathapuram, India; ²¹⁹Department of Global Healthcare Management, York St John University, London, UK; ²²⁰Department of Demography and Population Studies, University of the Witwatersrand, Johannesburg, South Africa; ²²¹Department of Internal Medicine, Manipal Academy of Higher Education, Mangalore, India; ²²²Disease Surveillance Department, Ghana Health Service, Ho, Ghana; ²²³Department of Epidemiology and Biostatistics, University of Health and Allied Sciences, Ho, Ghana; ²²⁴College of Health Sciences, VinUniversity, Hanoi, Viet Nam; ²²⁵Research Advancement Consortium in Health, Hanoi, Viet Nam; ²²⁶Department of Environmental Health, Bahir Dar University, Bahir Dar, Ethiopia; ²²⁷School of Public Health Sciences, University of Waterloo, Waterloo, ON, Canada; ²²⁸Al Shifa School of Public Health, Al Shifa Trust Eye Hospital, Rawalpindi, Pakistan; ²²⁹College of Public Health, Medical, and Veterinary Sciences, James Cook University, Townsville, QLD, Australia; ²³⁰Department of Public Health, University of Mataram, Mataram, Indonesia; ²³¹State Disease Investigation Laboratory, Animal Resources Development Department, Agartala, India; ²³²Clinical Nutrition Department, Jazan University, Jazan, Saudi Arabia; ²³³Department of Psychiatry, University of Kelaniya, Ragama, Sri Lanka; ²³⁴University Psychiatry Unit, Colombo North Teaching Hospital, Ragama, Sri Lanka; ²³⁵Department of Public Health and Health Sciences, Tennessee State University (TSU), Nashville, TN, USA; ²³⁶Department of Community Medicine, Datta Meghe Institute of Medical Sciences, Sawangi, India; ²³⁷Department of Epidemiology, The University of Texas Health Science Center at Houston (UTHealth Houston), Houston, TX, USA; ²³⁸Department of Midwifery, Bahir Dar University, Bahir Dar, Ethiopia; ²³⁹Department of Pharmacology, All India Institute of Medical Sciences, Bilaspur, India; ²⁴⁰Southeast University, Southeast University, Dhaka, Bangladesh; ²⁴¹Public Health Department, Asian University for Women, Chittagong, Bangladesh; ²⁴²The Interdisciplinary Research Group on Biomedicine and Health, VNU International School (VNUIS), Hanoi, Viet Nam; ²⁴³Faculty of Applied Sciences, VNU International School (VNUIS), Hanoi, Viet Nam; ²⁴⁴School of Public Health, Curtin University, Perth, WA, Australia; ²⁴⁵Department of Epidemiology, University of Gondar, Gondar, Ethiopia; ²⁴⁶Center for Immigrant and Refugee Health, Public Health Institute, Los Angeles, CA, USA; ²⁴⁷College of Medicine and Health Sciences, Debre Markos University, Debre Markos, Ethiopia; ²⁴⁸Public Health Foundation of India, Gurugram, India; ²⁴⁹Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA; ²⁵⁰Department of Health Metrics Sciences, School of Medicine, University of Washington, Seattle, WA, USA; ²⁵¹Department of Community Medicine, Employees' State Insurance Model Hospital, Chennai, India; ²⁵²Ga East Municipal Hospital, Ghana Health Service, Accra, Ghana; ²⁵³School of Public Health, University of the Witwatersrand, Johannesburg, South Africa; ²⁵⁴Division of Women and Child Health, Aga Khan University, Karachi, Pakistan; ²⁵⁵biomedical and nutritional sciences, University of Massachusetts Lowell, Lowell, MA, USA; ²⁵⁶Department of Pediatrics, Brookdale University Hospital Medical Center, Brooklyn, NY, USA; ²⁵⁷Ophthalmology

Department, University of Tennessee, Memphis, TN, USA; ²⁵⁸Research and Training Directorate, Eka Kotebe General Hospital, Addis Ababa, Ethiopia; ²⁵⁹Department of Biological Sciences, University of Manouba, Manouba, Tunisia; ²⁶⁰Department of Social Sciences, University of Jendouba, El Kef, Tunisia; ²⁶¹Wellcome Trust Brighton and Sussex Centre for Global Health Research, Brighton and Sussex Medical School, Brighton, UK; ²⁶²School of Public Health, Addis Ababa University, Addis Ababa, Ethiopia; ²⁶³Department of Nutrition and Dietetics, Bahir Dar University, Bahir Dar, Ethiopia; ²⁶⁴Public Health and Environment Research Centre (PERC), Lalitpur, Nepal; ²⁶⁵Global Health Epidemiology Research Group, University of Bergen, Bergen, Norway; ²⁶⁶Chettinad Hospital & Research Institute, Chettinad Academy of Research and Education, Chennai, India; ²⁶⁷JSS Medical College, Jagadguru Sri Shivarathreeswara Academy of Health Education and Research, Mysuru, India; ²⁶⁸Department of Pharmacy, United International University, Dhaka, Bangladesh; ²⁶⁹Pharmacology Division, Center for Life Sciences Research Bangladesh, Dhaka, Bangladesh; ²⁷⁰Centre for Atmospheric Sciences, Indian Institute of Technology Delhi, New Delhi, India; ²⁷¹School of Health, Policy and Management, Korea University, Seoul, South Korea; ²⁷²Neurology Department Institute of Human Behavior and Allied Sciences, University of Delhi, New Delhi, India; ²⁷³Research and Development Cell, Dr. D. Y. Patil Vidyapeeth, Pune (Deemed to be University), Pune, India; ²⁷⁴Population Interventions Unit, University of Melbourne, Melbourne, VIC, Australia; ²⁷⁵Independent Consultant, Bridgewater, NJ, USA; ²⁷⁶Australian Centre for Precision Health, University of South Australia, Adelaide, SA, Australia; ²⁷⁷Department of Pharmacology, All India Institute of Medical Sciences, Rajkot, India; ²⁷⁸Ateneo Center for Research and Innovation, Ateneo De Manila University, Pasig City, Philippines; ²⁷⁹Demography and Health, London School of Hygiene & Tropical Medicine, London, UK; ²⁸⁰Department of Psychiatry, Dalhousie University, Halifax, NS, Canada; ²⁸¹Department of Psychiatry, University of Alberta, Edmonton, AB, Canada; ²⁸²Histology Department, Zagazig University, Zagazig, Egypt; ²⁸³Advanced Nursing Department, Universitas Airlangga (Airlangga University), Surabaya, Indonesia; ²⁸⁴La Trobe University, Melbourne, VIC, Australia; ²⁸⁵Faculty of Health, Medicine and Behavioural Sciences, The University of Queensland, Brisbane, QLD, Australia; ²⁸⁶Basic Medical Sciences, Riphah International UNIVERSITY, Islamabad, Pakistan; ²⁸⁷Internal Medicine Residency, Mayo Clinic, Jacksonville, FL, USA; ²⁸⁸Institute of Public Health, United Arab Emirates University, Al Ain, United Arab Emirates; ²⁸⁹Department of Public Health and Community Medicine, Tanta University, Tanta City, Egypt; ²⁹⁰School of Public Health, Texila American University, Guyana, Guyana; ²⁹¹Perelman's School of Medicine, University of Pennsylvania, Philadelphia, PA, USA; ²⁹²Department of Internal Medicine, Ain Shams University, Cairo, Egypt; ²⁹³Section of Adult Hematology, King Saud University, Riyadh, Saudi Arabia; ²⁹⁴Pediatric Dentistry and Dental Public Health Department, Alexandria University, Alexandria, Egypt; ²⁹⁵Department of Neuropsychiatry, Ain Shams University, Cairo, Egypt; ²⁹⁶Executive Committee, International Association for Women Mental Health, Potomac, MD, USA; ²⁹⁷Surgical Research Section, Hamad Medical Corporation, Doha, Qatar; ²⁹⁸Biomedical Informatics and Medical Statistics Department, Alexandria University, Alexandria, Egypt; ²⁹⁹Health Research and Technology Transfer Directorate, South Ethiopia Region Public Health Institute, Jinka, Ethiopia; ³⁰⁰Department of Public Health, Hawassa University, Hawassa, Ethiopia; ³⁰¹Faculty of Nursing, Bowen University, Iwo, Nigeria; ³⁰²Multiple Sclerosis Research Center, Tehran University of Medical Sciences, Tehran, Iran; ³⁰³Department of Electrical and Computer Engineering, Tarbiat Modares University, Tehran, Iran; ³⁰⁴Department of Epidemiology and Medical Statistics, University of Ibadan, Ibadan, Nigeria; ³⁰⁵Research Centre for Healthcare and Community, Coventry University, Coventry, UK; ³⁰⁶Tanner College of Dental Medicine, University of Pikeville, Pikeville, KY, USA; ³⁰⁷Gastrointestinal and Liver Diseases Research Center, Guilan University of Medical Sciences, Rasht, Iran; ³⁰⁸Department of Infectious Diseases and Public Health, City University of Hong

Kong, Hong Kong, China; ³⁰⁹Department of Pharmacy, Wollega University, Nekemte, Ethiopia; ³¹⁰Institute of Gerontology, National Academy of Medical Sciences of Ukraine, Kyiv, Ukraine; ³¹¹Department of Pharmacology, Iranshahr University of Medical Sciences, Iranshahr, Iran; ³¹²School of Public Health, University of Ghana, Legon-Accra, Ghana; ³¹³College of Medical Sciences, University of Maiduguri, Maiduguri, Nigeria; ³¹⁴Department of Prosthodontics, Saveetha University, Chennai, India; ³¹⁵School of American Education, Institute of Health & Management, Australia, Melbourne, VIC, Australia; ³¹⁶School of Engineering, Swinburne University of Technology, Melbourne, VIC, Australia; ³¹⁷Department of Pharmacology, Manipal Academy of Higher Education, Manipal, India; ³¹⁸Department of Veterinary Public Health and Preventive Medicine, Usmanu Danfodiyo University, Sokoto, Sokoto, Nigeria; ³¹⁹Department of Public Health, SIMAD University Mogadishu. Somalia, Mogadishu, Somalia; ³²⁰Department of Health Policy and Administration, University of the Philippines Manila, Manila, Philippines; ³²¹Amity Institute of Pharmacy, Amity University Uttar Pradesh, Noida, India; ³²²Institute of Health and Development (ISED), Alliance for Medical Research in Africa (AMedRA), Dakar, Senegal; ³²³Alliance for Medical Research in Africa (AMedRA), Dakar, Senegal; ³²⁴Cochlear Center for Hearing and Public Health, Johns Hopkins University, Philadelphia, PA, USA; ³²⁵PA, USA; ³²⁶College of Health Sciences, Addis Ababa University, Addis Ababa, Ethiopia; ³²⁷Department of Public Health, Johns Hopkins University, Baltimore, MD, USA; ³²⁸Director General Office, Ethiopian Public Health Institute, Addis Ababa, Ethiopia; ³²⁹School of Public Health, Bule Hora University, Bule Hora, Ethiopia; ³³⁰Institute of Public Health, Jagiellonian University Medical College, Krakow, Poland; ³³¹School of Medicine and Population Health, University of Sheffield, Sheffield, UK; ³³²College of Medicine and Health Science, University of Gondar, Gondar, Ethiopia; ³³³Department of Public Health, Menelik II Medical and Health Science College, Addis Ababa, Ethiopia; ³³⁴School of Nursing and Midwifery, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ³³⁵Department of Public Health, Jazan University, Jazan, Saudi Arabia; ³³⁶Department of Applied Health Sciences, University of Birmingham, Birmingham, UK; ³³⁷Research Committee of Qom University of Medical Sciences, Qom University of Medical Sciences, Qom, Iran; ³³⁸Neurology Department of Imam Khomeini Hospital, Tehran University of Medical Sciences, Tehran, Iran; ³³⁹School of Public Health, Qazvin University of Medical Sciences, Qazvin, Iran; ³⁴⁰Research Department, Nepal Health Research Council, Kathmandu, Nepal; ³⁴¹Department of Nursing, Aksum University, Aksum, Ethiopia; ³⁴²Department of Social and Behavioural Sciences, University of Ghana, Accra, Ghana; ³⁴³Department of Health Systems and Policy Research, Indian Institute of Public Health, Gandhinagar, India; ³⁴⁴Department of Genetics, Sana Institute of Higher Education, Sari, Iran; ³⁴⁵Universal Scientific Education and Research Network (USERN), Kermanshah University of Medical Sciences, Kermanshah, Iran; ³⁴⁶Department of Social Psychology, Zhytomyr Ivan Franko State University, Zhytomyr, Ukraine; ³⁴⁷Midwifery Department, Debre Tabor University, Debre Tabor, Ethiopia; ³⁴⁸Department of Pediatrics, All India Institute of Medical Sciences, New Delhi, India; ³⁴⁹Department of Community Medicine, University of Peradeniya, Kandy, Sri Lanka; ³⁵⁰Department of Psychiatry, Bronxcare Health System, Bronx, NY, USA; ³⁵¹Department of Psychiatry, Icahn School of Medicine at Mount Sinai, New York, NY, USA; ³⁵²College of Medicine and Health Science, Bahir Dar University, Bahir Dar, Ethiopia; ³⁵³Neurosurgery Department, Fasa University of Medical Sciences, Shiraz, Iran; ³⁵⁴Department of Radiology, Tehran University of Medical Sciences, Tehran, Iran; ³⁵⁵Department of Community Medicine, Post Graduate Institute of Medical Education and Research, Chandigarh, India; ³⁵⁶Centre for Community Medicine, All India Institute of Medical Sciences, New Delhi, India; ³⁵⁷Oral & Maxillofacial Rehabilitation Department, King Abdulaziz University, Jeddah, Saudi Arabia; ³⁵⁸Department of Fixed Prosthodontics, Cairo University, Cairo, Egypt; ³⁵⁹Department of Health and Education, Torrens University Australia, Melbourne, VIC,

Australia; ³⁶⁰Department of Computer and Information Science, Majmaah University, Al Majmaah, Saudi Arabia; ³⁶¹Tabriz University of Medical Sciences, Tabriz, Iran; ³⁶²Department of Medical Imaging, University of Toronto, Toronto, ON, Canada; ³⁶³Department of Advanced Nursing, Universitas Airlangga (Airlangga University), Surabaya, Indonesia; ³⁶⁴School of Nursing and Midwifery, La Trobe University, Bundoora, VIC, Australia; ³⁶⁵Department of Zoology and Entomology, Al-Azhar University, Cairo, Egypt; ³⁶⁶Faculty of Nursing, Chulalongkorn University, Bangkok, Thailand; ³⁶⁷Department of Food Technology and Nutrition Science, Noakhali Science and Technology University, Noakhali, Bangladesh; ³⁶⁸Institute of Radiology and Radiological Sciences, Tehran University of Medical Sciences, Tehran, Iran; ³⁶⁹Department of Surgery, University of California San Francisco, Oakland, MD, USA; ³⁷⁰Department of Periodontics, RAK Medical & Health Sciences University, Ras Al Khaimah, United Arab Emirates; ³⁷¹Department of Oral Rehabilitation, University of Khartoum, Khartoum, Sudan; ³⁷²Department of Pharmaceutical Technology, Adamas University, Kolkata, India; ³⁷³Department of Biotechnology, Lahore University of Biological and Applied Sciences, Lahore, Pakistan; ³⁷⁴Department of Neurology, Cairo University, Cairo, Egypt; ³⁷⁵Ajman University, Ajman, United Arab Emirates; ³⁷⁶School of Engineering and Technology, Duy Tan University, Da Nang, Viet Nam; ³⁷⁷International Center for Materials Sciences and Technology, Western Caspian University, Baku, Azerbaijan; ³⁷⁸Community-Oriented Nursing Midwifery Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran; ³⁷⁹Department of Environmental and Occupational Health, University of the Philippines Manila, Manila, Philippines; ³⁸⁰Australian Centre for Health Service Innovations, Queensland University of Technology, Brisbane, QLD, Australia; ³⁸¹Kasturba Medical College Mangalore, Manipal Academy of Higher Education, Manipal, India; ³⁸²Statistics and Data Science, Jahangirnagar University, Savar, Bangladesh; ³⁸³Department of Statistics, Shahjalal University of Science and Technology, Sylhet, Bangladesh; ³⁸⁴Center for Health Innovation, Research, Action and Learning - Bangladesh (CHIRAL Bangladesh), Dhaka, Bangladesh; ³⁸⁵Department of Decision and Information Sciences, University of Houston, Houston, TX, USA; ³⁸⁶Public Health Research Group, Nature Study Society of Bangladesh, Khulna, Bangladesh; ³⁸⁷Department of AI, Galgotias University, Greater Noida, India; ³⁸⁸Department of Social and Preventive Medicine, University of Malaya, Kuala Lumpur, Malaysia; ³⁸⁹Department of Public Health and Community Medicine, Shaikh Zayed Postgraduate Medical Institute, Lahore, Pakistan; ³⁹⁰Department of Humanities, COMSATS University Islamabad, Islamabad, Pakistan; ³⁹¹Department of Health Promotion and Education, University of Ibadan, Ibadan, Nigeria; ³⁹²West Africa RCC, Africa Centre for Disease Control and Prevention, Abuja, Nigeria; ³⁹³Department of Community Medicine, University College Hospital, Ibadan, Ibadan, Nigeria; ³⁹⁴Department of Orthopaedic Surgery, Massachusetts General Hospital, Boston, MA, USA; ³⁹⁵Department of Pharmaceutics and Pharmaceutical Technology, Bayero University, Kano, Nigeria; ³⁹⁶Department of Clinical Pharmacy, King Khalid University, Abha, Saudi Arabia; ³⁹⁷Department of Nutrition, Texas Tech University, Lubbock, TX, USA; ³⁹⁸School of Public Health, The University of Queensland, Brisbane, QLD, Australia; ³⁹⁹Department of International Health, Johns Hopkins University, Baltimore, MD, USA; ⁴⁰⁰Department of Epidemiology and Preventive Medicine, Monash University, Melbourne, VIC, Australia; ⁴⁰¹School of Pharmacy, BRAC University, Dhaka, Bangladesh; ⁴⁰²Department of Biotechnology, Karpagam Academy of Higher Education, Coimbatore, India; ⁴⁰³Department of Physical Medicine & Rehabilitation, Northwestern University, Chicago, IL, USA; ⁴⁰⁴Department of Psychiatry, Tehran University of Medical Sciences, Tehran, Iran; ⁴⁰⁵Shiraz Neuroscience Research Center, Shiraz University of Medical Sciences, Shiraz, Iran; ⁴⁰⁶Department of Behavioral Health, Nassau University Medical center, East Meadow, NY, USA; ⁴⁰⁷School of Global Public Health, New York University, New York, NY, USA; ⁴⁰⁸Department of Laboratory Sciences, Sirjan School of Medical Sciences, Sirjan, Iran; ⁴⁰⁹SRM

Medical College Hospital and Research Centre, Sri Ramaswamy Memorial Institute of Science and Technology, Kattankulathur, India; ⁴¹⁰Department of Neurosciences, University of the Philippines Manila, Manila, Philippines; ⁴¹¹Institute for Neurosciences, St. Luke's Medical Center, Bonifacio Global City, Philippines; ⁴¹²Royal Prince Alfred Hospital, Sydney Local Health District, Sydney, NSW, Australia; ⁴¹³Malla Reddy Vishwavidyapeeth, Hyderabad, India; ⁴¹⁴Sri Devraj Urs Academy of Higher Education and Research, Kolar, India; ⁴¹⁵The Medical City for Military and Security Services School, Muscat, Oman; ⁴¹⁶Department of Epidemiology, Wachemo University, Hossana, Ethiopia; ⁴¹⁷Department of Nursing, TMM College of Nursing, Thiruvalla, India; ⁴¹⁸Faculty of Veterinary Medicine, University of Calgary, Calgary, AB, Canada; ⁴¹⁹Young Researchers and Elite Club, Islamic Azad University, Karaj, Iran; ⁴²⁰Department of Community Medicine, Manipal Academy of Higher Education, Mangalore, India; ⁴²¹Nursing & Midwifery Research Department (NMRD), Hamad Medical Corporation, Doha, Qatar; ⁴²²School of Public Health, National Institute of Epidemiology, Chennai-77, India; ⁴²³Division of Neuroradiology, Johns Hopkins University, Baltimore, MD, USA; ⁴²⁴Department of Internal Medicine, Government Medical College, Surat, Surat, India; ⁴²⁵Department of Pharmacology, Post Graduate Institute of Medical Education and Research, Chandigarh, India; ⁴²⁶Department of Health, Khoy Medical Sciences, Khoy, Iran; ⁴²⁷Department of Endocrinology, Bharti Hospital Karnal, Karnal, India; ⁴²⁸University Centre for Research and Development, Chandigarh University, Mohali, India; ⁴²⁹Prasanna School of Public Health, Manipal Academy of Higher Education, Manipal, India; ⁴³⁰Care and Public Health Research Institute (CAPHRI), Maastricht University, Maastricht, Netherlands; ⁴³¹Department of Biostatistics and Epidemiology, Abadan University of Medical Sciences, Abadan, Iran; ⁴³²Department of Biochemistry, Cancer Biology, Neuroscience and Pharmacology, Meharry Medical College, Nashville, TN, USA; ⁴³³Department of Psychiatry, King George's Medical University, Lucknow, India; ⁴³⁴Social Determinants of Health Research Center, Tabriz University of Medical Sciences, Tabriz, Iran; ⁴³⁵Department of Physical Therapy and Health Rehabilitation, Majmaah University, Al Majmaah, Saudi Arabia; ⁴³⁶Department of Global Health, Emory University, Atlanta, GA, USA; ⁴³⁷Division of HIV, Hepatitis and STD, Centers for Disease Control and Prevention (CDC), Atlanta, GA, USA; ⁴³⁸Department of Clinical Research and Epidemiology, Institute of Liver and Biliary Sciences, New Delhi, India; ⁴³⁹Adult Health Nursing, Ethiopian Public Health Institute, West Hararghe, Ethiopia; ⁴⁴⁰School of Pharmacy, Jimma University, Jimma, Ethiopia; ⁴⁴¹Department of Public Health, Werabe University, Werabe, Ethiopia; ⁴⁴²Center of Global Child Health, The Hospital for Sick Children, Toronto, ON, Canada; ⁴⁴³Department of Statistics, Islamis Azad University, Omidiyeh, Iran; ⁴⁴⁴Amity Institute of Forensic Sciences, Amity University, Noida, India; ⁴⁴⁵Lahore Medical Research Center, Lahore Medical Research Center, Lahore, Pakistan; ⁴⁴⁶Epidemiology Program, Jazan University, Jazan, Saudi Arabia; ⁴⁴⁷Department of Community Medicine, National Institute of Preventive and Social Medicine, Dhaka, Bangladesh; ⁴⁴⁸University Institute of Food Science and Technology, The University of Lahore, Lahore, Pakistan; ⁴⁴⁹Natural and Medical Sciences Research Center, University of Nizwa, Nizwa, Oman; ⁴⁵⁰Department of Cardiology, University of South Wales, Treforest, UK; ⁴⁵¹Department of Cardiology, University of Buckingham, Buckingham, UK; ⁴⁵²Department of Basic Health Sciences, Qassim University, Buraydah, Saudi Arabia; ⁴⁵³Department of Biotechnology and Microbiology, Khandelwal College of Management, Science and Technology, Bareilly, India; ⁴⁵⁴Department of Pharmacy, The First Affiliated Hospital of Xi'an Jiaotong University, Xi'an, China; ⁴⁵⁵Department of Pharmacy, Quaid-i-Azam University, Islamabad, Pakistan; ⁴⁵⁶Department of Community and Preventive Medicine, King Edward Medical University, Lahore, Pakistan; ⁴⁵⁷Central Department of Zoology, Tribhuvan University, Kathmandu, Nepal; ⁴⁵⁸Department of Pharmacology, All India Institute of Medical Sciences, Raipur, India; ⁴⁵⁹Department of Neurosurgery, Shahid Beheshti University of

Medical Sciences, Tehran, Iran; ⁴⁶⁰Department of Neurosurgery, Mashhad University of Medical Sciences, Mashhad, Iran; ⁴⁶¹Social Development and Health Promotion Research Center, Kermanshah University of Medical Sciences, Kermanshah, Iran; ⁴⁶²Department of Biochemistry, Liaquat University Of Medical and Health Sciences, Jamshoro, Pakistan; ⁴⁶³Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA; ⁴⁶⁴Neuroimaging and Interventional Radiology, National Institute of Mental Health and Neurosciences, Bengaluru, India; ⁴⁶⁵Institute of Research and Development, Duy Tan University, Da Nang, Viet Nam; ⁴⁶⁶School of Engineering & Technology, Duy Tan University, Da Nang, Viet Nam; ⁴⁶⁷Department of Public Health, New Mexico State University, Las Cruces, NM, USA; ⁴⁶⁸College of Health Sciences, Woldia University, Woldia, Ethiopia; ⁴⁶⁹Department of Social and Applied Psychology, Zhytomyr Ivan Franko State University, Zhytomyr, Ukraine; ⁴⁷⁰Global Institute for Mental Health Innovations, Networking and Development, Dudelange, Luxembourg; ⁴⁷¹Department of Public Health Dentistry, Krishna Vishwa Vidyapeeth (Deemed to be University), Karad, India; ⁴⁷²Department of Public Health and Community Medicine, Central University of Kerala, Kasaragod, India; ⁴⁷³Center for Tobacco Control Research and Education, University of California San Francisco, San Francisco, CA, USA; ⁴⁷⁴Social Determinants of Health Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ⁴⁷⁵Health System and Population Studies Divisions, International Centre for Diarrhoeal Disease Research, Bangladesh, Dhaka, Bangladesh; ⁴⁷⁶Center for Global Mental Health, London School of Hygiene & Tropical Medicine, London, UK; ⁴⁷⁷Centre for the Business and Economics of Health, The University of Queensland, Brisbane, QLD, Australia; ⁴⁷⁸Department of Science and Environmental Studies, The Education University of Hong Kong, Hong Kong, China; ⁴⁷⁹University Clinic, University of Marburg, Marburg, Germany; ⁴⁸⁰School of Pharmacy, University of Ghana, Legon, Ghana; ⁴⁸¹Department of Anthropology, Panjab University, Chandigarh, India; ⁴⁸²Department of Biochemistry, University of Hail, Hail, Saudi Arabia; ⁴⁸³Rajendra Institute of Medical Sciences, Ministry of Health and Family Welfare, Ranchi, India; ⁴⁸⁴Department of Health Administration and Education, University of Education, Winneba, Winneba, Ghana; ⁴⁸⁵Institute for Excellence in Health Equity, New York University, New York, NY, USA; ⁴⁸⁶Department of Psychiatry, University of Nairobi, Nairobi, Kenya; ⁴⁸⁷Department of Mathematics, Amity University Haryana, Gurugram, India; ⁴⁸⁸Department of Pharmacology, Regional Institute of Medical Sciences, Imphal, India; ⁴⁸⁹Center for Policy Research, Indian institute of science bangalore, Bangalore, India; ⁴⁹⁰Amity Institute of Health Allied Sciences, Amity University Noida, Uttar Pradesh, Noida, India; ⁴⁹¹Department of Economics, Manipal University Jaipur, Jaipur, India; ⁴⁹²Department of Health Management, University of Hail, Hail, Saudi Arabia; ⁴⁹³SRM Centre for Clinical Trials and Research (CCTR), Sri Ramaswamy Memorial Institute of Science and Technology, Chennai, India; ⁴⁹⁴Division of Cardiology, University of Texas, Galveston, TX, USA; ⁴⁹⁵Department of Public Health and Epidemiology, Khalifa University of Science and Technology, Abu Dhabi, United Arab Emirates; ⁴⁹⁶Faculty of Public Health, University of Indonesia, Depok, Indonesia; ⁴⁹⁷Research Unit of National Center for Mental Health, Ministry of Health of the Republic of Indonesia, Bogor, Indonesia; ⁴⁹⁸Capstone College of Nursing, The University of Alabama, Tuscaloosa, AL, USA; ⁴⁹⁹Division of Evidence Synthesis, Foundation for People-centric Health Systems, New Delhi, India; ⁵⁰⁰Division of Lifestyle Medicine, Centre for Health: The Specialty Practice, New Delhi, India; ⁵⁰¹Department of Physiotherapy, Universitas Aisyiyah Yogyakarta, Yogyakarta, Indonesia; ⁵⁰²Institute of Allied Health Sciences, National Cheng Kung University, Tainan, Taiwan; ⁵⁰³Robinson Research Institute, University of Adelaide, Adelaide, SA, Australia; ⁵⁰⁴Department of Pediatrics, Aga Khan University, Karachi, Pakistan; ⁵⁰⁵University of Management and Technology, Lahore, Pakistan; ⁵⁰⁶Health Systems, Administration and Management, Babcock University, Sagamu, Nigeria; ⁵⁰⁷Health Services Management

Programme, Plasma University, Mogadishu, Somalia; ⁵⁰⁸School of Physical Therapy, The University of Western Ontario, London, ON, Canada; ⁵⁰⁹Kasturba Medical College, Manipal, Manipal Academy of Higher Education, Manipal, India; ⁵¹⁰Health Economics Division, Monash University, Melbourne, VIC, Australia; ⁵¹¹Department of Pharmaceutical Regulatory Affairs and Management, Manipal Academy of Higher Education, Manipal, India; ⁵¹²Geospatial Health and Development Team-Child Health Analytics, Telethon Kids Institute, Perth, WA, Australia; ⁵¹³Scientific Research and Surveillance Systems, Macha Research Trust, Choma, Zambia; ⁵¹⁴Department of Community and Family Medicine, All India Institute of Medical Sciences, Bathinda, India; ⁵¹⁵Dodoma Medical Research Centre, National Institute for Medical Research in Tanzania, Dodoma, Tanzania; ⁵¹⁶Department of Medicine, University of Alberta, Edmonton, AB, Canada; ⁵¹⁷Tulane School of Public Health and Tropical Medicine, Tulane University, New Orleans, LA, USA; ⁵¹⁸Faculty of Veterinary Medicine, Suez Canal University, Ismailia, Egypt; ⁵¹⁹Department of Microbiology and Parasitology, King Salman International University, South of Sinai, Egypt; ⁵²⁰Department of Psychology, University of Sargodha, Sargodha, Pakistan; ⁵²¹Institute of Health, Jimma University, Jimma, Ethiopia; ⁵²²Division of Research and Development, Lovely Professional University, Phagwara, India; ⁵²³Rabigh Faculty of Medicine, King Abdulaziz University, Jeddah, Saudi Arabia; ⁵²⁴Information and Communication Technology Research Pole (Lab-STICC), ENSTA IP Paris, Brest, France; ⁵²⁵Department of Biomedical Engineering, University of Isfahan, Isfahan, Iran; ⁵²⁶Institute for Research and Innovation in Health (IRIS), Universitat Politècnica de Catalunya (Barcelona Tech - UPC), Barcelona, Spain; ⁵²⁷Far Eastern University, Manila, Philippines; ⁵²⁸CIPER, Faculty of Human Kinetics, University of Lisbon, Cruz-Quebrada, Portugal; ⁵²⁹Faculty of Humanities and Health Sciences, Curtin University, Sarawak, Malaysia; ⁵³⁰Jeffrey Cheah School of Medicine and Health Sciences, Monash University, Subang Jaya, Malaysia; ⁵³¹HEOR, UCB Inc, Atlanta, GA, USA; ⁵³²Department of Prosthetic Dental Sciences, Jazan University, Jazan, Saudi Arabia; ⁵³³Research Division, The George Institute for Global Health, New Delhi, India; ⁵³⁴School of Medicine, University of New South Wales, Sydney, NSW, Australia; ⁵³⁵Department of Social Medicine and Family, Dezfoul University of Medical Sciences, Dezfoul, Iran; ⁵³⁶Center for Neurodevelopmental Disorders, Nnamdi Azikiwe University, Nnewi, Nigeria; ⁵³⁷Department of Obstetrics and Gynaecology, Nnamdi Azikiwe University, Awka, Nigeria; ⁵³⁸Department of Public Health, Adigrat University, Adigrat, Ethiopia; ⁵³⁹Department of Dental Research Cell, Dr. D. Y. Patil University, Pune, India; ⁵⁴⁰Department of Public Health, Arba Minch University, Arba Minch, Ethiopia; ⁵⁴¹Department of Biostatistics, Mekelle University, Mekelle, Ethiopia; ⁵⁴²Turning Point, Eastern Health Clinical School, Monash University, Melbourne, VIC, Australia; ⁵⁴³Multidisciplinary Department of Medical-Surgical and Dental Specialties, University of Campania Luigi Vanvitelli, Naples, Italy; ⁵⁴⁴Saveetha Dental College and Hospitals, Saveetha University, Chennai, India; ⁵⁴⁵Faculty of Nursing and Midwifery, Tabriz University of Medical Sciences, Tabriz, Iran; ⁵⁴⁶Thumbay College of Management and AI in Healthcare, Gulf Medical University, Ajman, United Arab Emirates; ⁵⁴⁷Research and Development Department, Panacea Institute of Interdisciplinary Research and Education, Varanasi, India; ⁵⁴⁸Department of Community Medicine, ESIC Medical College and Hospital, Andheri, Mumbai, Mumbai, India; ⁵⁴⁹Ashok & Rita Patel Institute of Physiotherapy, Charotar University of Science and Technology, Anand, India; ⁵⁵⁰Department of Cognitive Sciences, United Arab Emirates University, Al Ain, United Arab Emirates; ⁵⁵¹Molecular Biology Unit, Sirius Training and Research Centre, Khartoum, Sudan; ⁵⁵²Bio-Statistical and Molecular Biology Department, Sirius Training and Research Centre, Khartoum, Sudan; ⁵⁵³College of Applied and Natural Science, University of Hargeisa, Hargeisa, Somalia; ⁵⁵⁴Faculty of Medicine, University of Khartoum, Khartoum, Sudan; ⁵⁵⁵Department of Biophysics, All India Institute of Medical Sciences, New Delhi, India; ⁵⁵⁶Centre For Interdisciplinary Research In Basic Sciences

(CIRBSc), Jamia Millia Islamia, New Delhi, India; ⁵⁵⁷Modeling in Health Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran; ⁵⁵⁸Medical Microbiology Department, Usmanu Danfodiyo University, Sokoto, Sokoto, Nigeria; ⁵⁵⁹Medical Microbiology Department, Usmanu Danfodiyo University Teaching Hospital, Sokoto, Nigeria; ⁵⁶⁰Health Systems and Policy Research Unit, Ahmadu Bello University, Zaria, Nigeria; ⁵⁶¹Heidelberg Institute of Global Health (HIGH), Heidelberg University, Heidelberg, Germany; ⁵⁶²Biomedical Research Center, Qatar University, Doha, Qatar; ⁵⁶³Department of Health Services Management, Iran University of Medical Sciences, Iran, Iran; ⁵⁶⁴Department of Health Services Management, Isfahan University of Medical Sciences, Isfahan, Iran; ⁵⁶⁵Social Determinants of Health Research Center, Yasuj University of Medical Sciences, Yasuj, Iran; ⁵⁶⁶American Society for Inclusion, Diversity, and Equity in Healthcare, Delaware, USA, Delaware, DE, USA; ⁵⁶⁷Neurosciences Research Center (NSRC), Tabriz University of Medical Sciences, Tabriz, Iran; ⁵⁶⁸Student Research Committee, Tabriz University of Medical Sciences, Tabriz, Iran; ⁵⁶⁹School of Pharmacy, International University of Africa (IUA), Khartoum, Sudan; ⁵⁷⁰National University-Sudan, Faculty of Clinical and Industrial Pharmacy, Khartoum, Sudan; ⁵⁷¹Antimicrobial Resistance Research Center, Iran University of Medical Sciences, Tehran, Iran; ⁵⁷²Hazrat-e Rasool General Hospital, Iran University of Medical Sciences, Tehran, Iran; ⁵⁷³Knowledge Management Department, Prahlad Omkarwati Foundation (POF), Mumbai, India; ⁵⁷⁴Changescape Consulting, Independent Consultant, New Delhi, India; ⁵⁷⁵Amity Institute of Pharmacy, Amity University, Noida, India; ⁵⁷⁶Department of Human Genetics and Molecular Medicine, Central University of Punjab, Bathinda, India; ⁵⁷⁷Centre for Early Childhood Caries Research, Sri Ramachandra University, Chennai, India; ⁵⁷⁸Santosh University, New Delhi, India; ⁵⁷⁹School of Postgraduate Research and Publications, Amoud University, Hargeisa, Somalia; ⁵⁸⁰College of Medicine, Shaqra University, Shaqra, Saudi Arabia; ⁵⁸¹Department of Pediatrics & Pediatric Pulmonology, Institute of Mother & Child Care, Multan, Pakistan; ⁵⁸²Business Analytics and Artificial Intelligence, University of Texas, Richardson, TX, USA; ⁵⁸³Irfan Suat Günsel Operational Research Institute, Near East University, Mersin, Türkiye; ⁵⁸⁴Department of Public Health, Universitas Negeri Semarang, Semarang, Indonesia; ⁵⁸⁵Department of Geriatric Health, Tabriz University of Medical Sciences, Tabriz, Iran; ⁵⁸⁶Department of Health Education & Promotion, Gonabad University of Medical Sciences, Gonabad, Iran; ⁵⁸⁷Elderly Health Research Center, Research and Academic Institution, Tehran, Iran; ⁵⁸⁸ICMR-National Institute for Research in Tuberculosis, Indian Council of Medical Research, Chennai, India; ⁵⁸⁹Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India; ⁵⁹⁰Neurosciences Research Center, Kurdistan University of Medical Sciences, Sanandaj, Iran; ⁵⁹¹Rajaei Cardiovascular Research Center, Iran University of Medical Sciences, Tehran, Iran; ⁵⁹²College of Medicine and Public Health, Flinders University, Adelaide, SA, Australia; ⁵⁹³Department of Computer Science and IT, Torrens University, Adelaide, SA, Australia; ⁵⁹⁴University Institute of Public Health, The University of Lahore, Lahore, Pakistan; ⁵⁹⁵College of Medicine and Health Sciences, United Arab Emirates University, Al Ain, United Arab Emirates; ⁵⁹⁶Department of Circulation and Medical Imaging, Norwegian University of Science and Technology, Trondheim, Norway; ⁵⁹⁷Dept of Biological Sciences and Chemistry, University of Nizwa, Nizwa, Oman; ⁵⁹⁸Department of Pediatrics, Arak University of Medical Sciences, Arak, Iran; ⁵⁹⁹TroDDIVaT Initiative, Frontline Association, Buea, Cameroon; ⁶⁰⁰Department of Microbiology and Parasitology, University of Buea, Buea, Cameroon; ⁶⁰¹Research and Innovation Center, Dalhousie University, Kigali, Rwanda; ⁶⁰²African Institute for Mathematical Sciences, Kigali, Rwanda; ⁶⁰³Department of Management Science and Project Planning, University of Nairobi, Nairobi, Kenya; ⁶⁰⁴Health Promotion Research Center, Zahedan University of Medical Sciences, Zahedan, Iran; ⁶⁰⁵Department of Psychiatry, University of Oxford, Oxford, UK; ⁶⁰⁶Department of Neurosciences, Kenya Medical Research Institute/Wellcome Trust Research Programme,

Kilifi, Kenya; ⁶⁰⁷Department of Biological Sciences, University of Embu, Embu, Kenya; ⁶⁰⁸Institute for Global Health Innovations, Duy Tan University, Da Nang, Viet Nam; ⁶⁰⁹International Institute of Training and Research (INSTAR), University of Medicine and Pharmacy, Vietnam National University (UMP-VNU), Hanoi, Viet Nam; ⁶¹⁰International Islamic University Islamabad, Islamabad, Pakistan; ⁶¹¹Public Health Department, Universitas Negeri Semarang (State University of Semarang), Kota Semarang, Indonesia; ⁶¹²School of Biomedical Engineering, Science and Health Systems, Drexel University, Philadelphia, PA, USA; ⁶¹³School of Public Health, University of Ghana, Accra, Ghana; ⁶¹⁴Midwifery Department, Poltekkes Kemenkes Palu, Palu, Indonesia; ⁶¹⁵Johns Hopkins University School of Medicine, Johns Hopkins University, Baltimore, MD, USA; ⁶¹⁶Department of Nursing, University of Health and Allied Sciences, Ho, Ghana; ⁶¹⁷Center of Excellence in Reproductive Health Innovation (CERHI), University of Benin, Benin City, Nigeria; ⁶¹⁸Department of Physiology, University of Benin, Edo, Nigeria; ⁶¹⁹Department of Physiology, Benson Idahosa University, Benin City, Nigeria; ⁶²⁰Department of Medical Micro-biology and Parasitology, Federal University of Health Sciences, Ila-Orangun, Nigeria; ⁶²¹Department of Population and Health, University of Cape Coast, Cape Coast, Ghana; ⁶²²Pfizer Research & Development, Pfizer Inc., Groton, CT, USA; ⁶²³Department of Physiology, University of Medical Sciences, Ondo, Ondo, Nigeria; ⁶²⁴Department of Statistic, University of Ibadan, Ibadan, Nigeria; ⁶²⁵Psychiatry, University of Ibadan, Ibadan, Nigeria; ⁶²⁶Centre for Dementia Studies, Brighton and Sussex Medical School, Brighton, UK; ⁶²⁷Centre for Social Research in Health, University of New South Wales, Sydney, NSW, Australia; ⁶²⁸University of Sydney, Sydney, NSW, Australia; ⁶²⁹School of Pharmacy, University of the Western Cape, Cape Town, South Africa; ⁶³⁰Mathematical and Computer Sciences, University of Medical Sciences, Ondo, Ondo, Nigeria; ⁶³¹College of Health Sciences, Bowen University, Iwo, Nigeria; ⁶³²College of Medicine, University of Ibadan, Ibadan, Nigeria; ⁶³³Department of Psychiatry and Behavioural Neurosciences, McMaster University, Hamilton, ON, Canada; ⁶³⁴Department of Psychiatry, University of Lagos, Lagos, Nigeria; ⁶³⁵School of Health and Life Sciences, Teesside University, Middlesbrough, UK; ⁶³⁶Centre for Healthy Start Initiative, Lagos, Nigeria; ⁶³⁷Department of Pharmacology and Therapeutics, Olabisi Onabanjo University, Sagamu, Nigeria; ⁶³⁸Institute of Infectious Disease and Molecular Medicine, University of Cape Town, Cape Town, South Africa; ⁶³⁹Department of Community Medicine, Delta State University, Abraka, Nigeria; ⁶⁴⁰Department of Microbiology, Chukwuemeka Odumegwu Ojukwu University, Uli, Anambra State, Nigeria; ⁶⁴¹Department of Biological Sciences, Njala University, Freetown, Sierra Leone; ⁶⁴²School of Medicine, Western Sydney University, Bathurst, NSW, Australia; ⁶⁴³Department of Optometry and Vision Science, University of KwaZulu-Natal, KwaZulu-Natal, South Africa; ⁶⁴⁴School of Public Health, Texila American University, Georgetown, Guyana; ⁶⁴⁵School of Nursing, University of California San Francisco, San Francisco, CA, USA; ⁶⁴⁶Department of Epidemiology and Biostatistics, University of South Carolina, Columbia, SC, USA; ⁶⁴⁷Department of Medicine, University of Ibadan, Ibadan, Nigeria; ⁶⁴⁸Department of Medicine, University College Hospital, Ibadan, Ibadan, Nigeria; ⁶⁴⁹Division of Medicine, University College London, London, UK; ⁶⁵⁰School of Medicine, Keele University, Keele, UK; ⁶⁵¹Institute of Child Health, University of Ibadan, Ibadan, Nigeria; ⁶⁵²Department of Respiratory Medicine, Jagadguru Sri Shivarathreeswara Academy of Health Education and Research, Mysore, India; ⁶⁵³Department of Forensic Medicine and Toxicology, Manipal Academy of Higher Education, Mangalore, India; ⁶⁵⁴Ashok & Rita Patel Institute of Physiotherapy, Charotar University of Science and Technology, Nadiad, India; ⁶⁵⁵Rothschild Foundation Hospital, Rothschild Foundation Hospital, Paris 75019, France; ⁶⁵⁶Department of Ophthalmology, Heidelberg University Hospital, Heidelberg, Germany; ⁶⁵⁷School of Sciences, Noida International University, Greater Noida, India; ⁶⁵⁸Research Department, Public Health Research Society Nepal, Kathmandu, Nepal; ⁶⁵⁹Centre for Research and Development,

Chandigarh University, Punjab, India; ⁶⁶⁰Department of Health Policy, Management and Behavioural Sciences, Indian Institute of Public Health, Gandhinagar, India; ⁶⁶¹National Research and Innovation Agency, National Research Council, Jakarta, Indonesia; ⁶⁶²Indonesia; ⁶⁶³Ottawa Hospital Research Institute, Ottawa, ON, Canada; ⁶⁶⁴Division of Health Policy and Management, University of Minnesota, Minneapolis, MN, USA; ⁶⁶⁵Department of Psychiatry, All India Institute of Medical Sciences, Bhubaneswar, India; ⁶⁶⁶GMERS Medical College and Hospital, Government of Gujarat, Patan, India; ⁶⁶⁷Zoology Section, Regional Institute of Education (RIE), Ajmer, India; ⁶⁶⁸Department of Population Policies & Programmes, International Institute for Population Sciences, Mumbai, India; ⁶⁶⁹Department of Physiology, All India Institute of Medical Sciences, Nagpur, India; ⁶⁷⁰College of Dental Medicine, Roseman University of Health Sciences, South Jordan, UT, USA; ⁶⁷¹Department of Human Anatomy, All India Institute of Medical Sciences, Bathinda, India; ⁶⁷²Physiology Research Center, Iran University of Medical Sciences, Tehran, Iran; ⁶⁷³Department of Physiology, Iran University of Medical Sciences, Tehran, Iran; ⁶⁷⁴Australian Institute of Health Innovation, Macquarie University, Sydney, NSW, Australia; ⁶⁷⁵School of Pharmacy, University of Nizwa, Nizwa, Oman; ⁶⁷⁶Tung Wah College, Hong Kong, China; ⁶⁷⁷Department of Data Management and Analysis, The INCLIN Trust International, New Delhi, India; ⁶⁷⁸University Medical Center Groningen, University of Groningen, Groningen, Netherlands; ⁶⁷⁹Center of Excellence in Higher Education for Pharmaceutical Care Innovation, Universitas Padjadjaran (Padjadjaran University), Bandung, Indonesia; ⁶⁸⁰Division of Infectious Disease, Mayo Clinic, Rochester, MN, USA; ⁶⁸¹Department of Occupational Health and Safety Engineering, Ardabil University of Medical Science, Ardabil, Iran; ⁶⁸²Department of Community Medicine and Public Health, Tribhuvan University, Kathmandu, Nepal; ⁶⁸³T.H. Chan School of Public Health, Harvard University, Boston, MA, USA; ⁶⁸⁴Department of Fundamental Nursing, Universitas Airlangga (Airlangga University), Surabaya, Indonesia; ⁶⁸⁵Research Center in Advancing Community Healthcare, Surabaya, Indonesia, Surabaya, Indonesia; ⁶⁸⁶Department of Biology, Universitas Airlangga (Airlangga University), Surabaya, Indonesia; ⁶⁸⁷Department of Biostatistics, Epidemiology, and Informatics, University of Pennsylvania, Philadelphia, PA, USA; ⁶⁸⁸Research Center in Advancing Community Healthcare, Surabaya, Indonesia; ⁶⁸⁹Department of Community Medicine, Rajiv Gandhi Institute of Medical Sciences, Bengaluru, India; ⁶⁹⁰Department of Health Information Technology and Management, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ⁶⁹¹Research Center for Public Health and Nutrition, National Research and Innovation Agency, Jakarta, Indonesia; ⁶⁹²Health Research Institute (HRI), National Institutes of Health, Islamabad, Pakistan; ⁶⁹³Department of Mathematics, Jazan University, Jazan, Saudi Arabia; ⁶⁹⁴Department of Epidemiology, National Institute of Mental Health and Neurosciences, Bengaluru, India; ⁶⁹⁵Department of Population Science and Human Resource Development, University of Rajshahi, Rajshahi, Bangladesh; ⁶⁹⁶Department of Biostatistics, National Institute of Preventive and Social Medicine, Dhaka, Bangladesh; ⁶⁹⁷Institute of Health and Wellbeing, Federation University Australia, Berwick, VIC, Australia; ⁶⁹⁸Institute of Epidemiology, Disease Control and Research (IEDCR), Bangladesh, Dhaka, Bangladesh; ⁶⁹⁹Department of Nutrition Science, Muhammadiyah University of Surakarta, Surakarta, Indonesia; ⁷⁰⁰Faculty of Medicine, University of Setif Algeria, Setif, Algeria; ⁷⁰¹LIRSSEI Research Lab, University of Setif Algeria, Setif, Algeria; ⁷⁰²Dr. Rajendra Prasad Government Medical College, Tanda, Kangra, India; ⁷⁰³Division of Clinical Pharmacology, Manipal Academy of Higher Education, Manipal, India; ⁷⁰⁴Department of Paediatrics, University of Colombo, Colombo, Sri Lanka; ⁷⁰⁵Physiology Research Center, Kerman University of Medical Sciences, Kerman, Iran; ⁷⁰⁶Department of Clinical Sciences, University of Sharjah, Sharjah, United Arab Emirates; ⁷⁰⁷Department of Cardiology, Mansoura University, Mansoura, Egypt; ⁷⁰⁸Division of Pediatric Surgery, Stanford University, Palo Alto, CA, USA; ⁷⁰⁹Iranian Research Center on Aging, University of Social Welfare and

Rehabilitation Sciences, Tehran, Iran; ⁷¹⁰Unit for Public Health Science, University of Gävle, Gävle, Sweden; ⁷¹¹Department of Public Health, Sam Houston State University, Huntsville, TX, USA; ⁷¹²Department of Family Medicine, Rajarata University of Sri Lanka, Anuradhapura, Sri Lanka; ⁷¹³University of Swabi, University of Swabi, Swabi, Pakistan; ⁷¹⁴Department of Health Services Management, Shiraz University of Medical Sciences, Shiraz, Iran; ⁷¹⁵Department of Psychiatry, St. John's National Academy of Health Sciences, Bangalore, India; ⁷¹⁶Department of Mathematical Demography & Statistics, International Institute for Population Sciences, Mumbai, India; ⁷¹⁷Research Center for Immunodeficiencies, Tehran University of Medical Sciences, Tehran, Iran; ⁷¹⁸Network of Immunity in Infection, Malignancy and Autoimmunity (NIIMA), Universal Scientific Education and Research Network (USERN), Tehran, Iran; ⁷¹⁹Department of Epidemiology and Biostatistics, Health School, Occupational Environment Research Center, Rafsanjan University of Medical Sciences, Rafsanjan, Iran; ⁷²⁰Department of Community Medicine, Government Medical College, Chandigarh, India; ⁷²¹School of Medicine, Gonabad University of Medical Sciences, Gonabad, Iran; ⁷²²Department of Analytical and Applied Economics, Utkal University, Bhubaneswar, India; ⁷²³RUSA Centre of Excellence in Public Policy and Governance, Utkal University, Bhubaneswar, India; ⁷²⁴Department of Veterinary Microbiology, College of Veterinary Science and Animal Husbandry, Agartala, India; ⁷²⁵Department of Community Medicine, RVM Medical College and Research Centre, Hyderabad, Hyderabad, India; ⁷²⁶Achutha Menon Centre for Health Science Studies, Sree Chitra Tirunal Institute for Medical Sciences and Technology, Thiruvananthapuram, India; ⁷²⁷Department of Biochemistry and Food Analysis, Patuakhali Science and Technology University, Patuakhali, Bangladesh; ⁷²⁸Research Department, Indian Institute of Public Health, Delhi, India; ⁷²⁹Department of Labour, Government of West Bengal, Kolkata, India; ⁷³⁰Department of Medicine, St. John's National Academy of Health Sciences, Bangalore, India; ⁷³¹Cardiovascular Department, Zagazig University, Zagazig, Egypt; ⁷³²Department of Anesthesiology, Nationwide Children's Hospital, Hilliard, OH, USA; ⁷³³School of Public Health, Shahid Beheshti University of Medical Sciences, Tehran, Iran; ⁷³⁴Research Center for Environmental Determinants of Health, Kermanshah University of Medical Sciences, Kermanshah, Iran; ⁷³⁵Department of Pharmacology and Therapeutics, United Arab Emirates University, Al Ain, United Arab Emirates; ⁷³⁶Széchenyi István University, Győr, Hungary; ⁷³⁷University College, Korea University, Seoul, South Korea; ⁷³⁸Amity Institute of Public Health and Hospital Administration, Amity University, Noida, India; ⁷³⁹Department of Psychiatry, All India Institute of Medical Sciences, New Delhi, India; ⁷⁴⁰Department of Epidemiology, Indian Council of Medical Research, Kolkata, India; ⁷⁴¹The Park Centre for Mental Health, Queensland Centre for Mental Health Research, Brisbane, QLD, Australia; ⁷⁴²Queensland Brain Institute, The University of Queensland, Brisbane, QLD, Australia; ⁷⁴³Center for Global Health Research, Saveetha University, Chennai, India; ⁷⁴⁴Biotechnology Research Center, Mashhad University of Medical Sciences, Mashhad, Iran; ⁷⁴⁵UWA Dental School, The University of Western Australia, Perth, WA, Australia; ⁷⁴⁶Cumming School of Medicine, University of Calgary, Calgary, AB, Canada; ⁷⁴⁷Cephas Health Research Initiative Inc, Ibadan, Nigeria; ⁷⁴⁸Department of Oral and Maxillofacial Surgery, University College Hospital, Ibadan, Ibadan, Nigeria; ⁷⁴⁹College of Medicine, University of Sharjah, Sharjah, United Arab Emirates; ⁷⁵⁰Faculty of Pharmacy, Mansoura University, Mansoura, Egypt; ⁷⁵¹Department of Endocrinology, Mayo Clinic, Rochester, MN, USA; ⁷⁵²Student Research Committee, Kashan University of Medical Sciences, Kashan, Iran; ⁷⁵³Department of Community, Psychiatric, and Mental Health Nursing, Qassim University, Buraydah, Saudi Arabia; ⁷⁵⁴Department of Research and Development, Tehran University of Medical Sciences, Tehran, Iran; ⁷⁵⁵Department of Community Health Sciences, Aga Khan University, Karachi, Pakistan; ⁷⁵⁶Department of Entomology, Ain Shams University, Cairo, Egypt; ⁷⁵⁷Medical Ain Shams



Research Institute (MASRI), Ain Shams University, Cairo, Egypt; ⁷⁵⁸Department of Osteopathic Medicine, D'Youville University, Buffalo, NY, USA; ⁷⁵⁹Independent Consultant, Thiruvananthapuram, India; ⁷⁶⁰Department of Pharmacology, All India Institute of Medical Sciences, Jodhpur, India; ⁷⁶¹Indira Gandhi Medical College and Research Institute, Puducherry, India; ⁷⁶²Department of Public Health, Jahrom University of Medical Sciences, Jahrom, Iran; ⁷⁶³Health Policy Research Center, Shiraz University of Medical Sciences, Shiraz, Iran; ⁷⁶⁴Department of Oral Pathology and Microbiology, Dr. D. Y. Patil Vidyapeeth, Pune (Deemed to be University), Pune, India; ⁷⁶⁵UGC Centre of Advanced Study in Psychology, Utkal University, Bhubaneswar, India; ⁷⁶⁶Udyam-Global Association for Sustainable Development, Bhubaneswar, India; ⁷⁶⁷Department of Food Processing and Nutrition, Karnataka State Akkamahadevi Women University, Vijayapura, India; ⁷⁶⁸Department of Public Health Sciences, Coastal Carolina University, Conway, SC, USA; ⁷⁶⁹Harvard Extension School, Harvard University, Cambridge, MA, USA; ⁷⁷⁰Department of Preventive and Social Medicine, Jawaharlal Institute of Postgraduate Medical Education and Research, Puducherry, India; ⁷⁷¹Department of Post-Harvest Technology and Marketing, Patuakhali Science and Technology University, Patuakhali, Bangladesh; ⁷⁷²Centre for Modern Organic Agriculture Research, Sathyabama Institute of Science and Technology (Deemed to be University), Chennai, India; ⁷⁷³Department of Medicine, Swami Vivekanand Subharti University, Meerut, India; ⁷⁷⁴Faculty of Medicine, Misr University for Science and Technology, 6th of October city, Egypt; ⁷⁷⁵Department of Radiology, Northwestern University, Chicago, IL, USA; ⁷⁷⁶Department of Neurosciences, Ashok and Rita Patel Institute of Physiotherapy, Changa, India; ⁷⁷⁷Department of Rehabilitation Management, Shiraz University of Medical Sciences, Shiraz, Iran; ⁷⁷⁸School of Health and Biomedical Sciences, Royal Melbourne Institute of Technology (RMIT) University, Melbourne, VIC, Australia; ⁷⁷⁹Research Centre for Health Sciences (RCHS), The University of Lahore, Lahore, Pakistan; ⁷⁸⁰Dental Materials Research Center, Mashhad University of Medical Sciences, Mashhad, Iran; ⁷⁸¹Center for Medical and Bio-Allied Health Sciences Research, Ajman University, Ajman, United Arab Emirates; ⁷⁸²Independent Consultant, Karachi, Pakistan; ⁷⁸³Department of Medicine, Liaquat University Of Medical and Health Sciences, Jamshoro, Pakistan; ⁷⁸⁴School of Medicine, Alborz University of Medical Sciences, Karaj, Iran; ⁷⁸⁵Department of Nursing, Debre Berhan University, Debre Berhan, Ethiopia; ⁷⁸⁶Interdisciplinary Center Psychopathology and Emotion Regulation (ICPE), University of Groningen, Groningen, Netherlands; ⁷⁸⁷Department for Evidence-based Medicine and Evaluation, University for Continuing Education Krems, Krems, Austria; ⁷⁸⁸Universidad Espíritu Santo, Samborondón, Ecuador; ⁷⁸⁹Department of Social and Behavioral Health, University of Nevada Las Vegas, Las Vegas, NV, USA; ⁷⁹⁰Michael J. Cousins Pain Management and Research Centre, Royal North Shore Hospital, Sydney, NSW, Australia; ⁷⁹¹Department of Physiotherapy, Manipal Academy of Higher Education, Manipal, India; ⁷⁹²Amity Institute of Biotechnology, Amity University Rajasthan, Jaipur, India; ⁷⁹³Department of Biotechnology, Graphic Era (Deemed to be University), Dehradun, India; ⁷⁹⁴Department of Forensic Science, Shree Guru Gobind Singh Tricentenary University, Gurugram, India; ⁷⁹⁵Department of Biotechnology, Indian Institute of Technology Hyderabad, Kandi, India; ⁷⁹⁶Botany and Microbiology Department, Al-Azhar University, Cairo, Egypt; ⁷⁹⁷Alva's Institute of Medical Sciences & Research Centre, Rajiv Gandhi University of Health Sciences, Moodubidire, India; ⁷⁹⁸Manipal College of Dental Sciences, Mangalore, Manipal Academy of Higher Education, Manipal, India; ⁷⁹⁹Department of Obstetrics and Gynaecology, Manipal Academy of Higher Education, Mangalore, India; ⁸⁰⁰Finnish Institute of Occupational Health, Helsinki, Finland; ⁸⁰¹Department of Research and Academics, Kathmandu Cancer Center, Bhaktapur, Nepal; ⁸⁰²Person-Centered Research, Monash University, Box Hill, VIC, Australia; ⁸⁰³Department of Pharmaceutical Microbiology and Biotechnology, Usmanu Danfodiyo University, Sokoto, Sokoto, Nigeria; ⁸⁰⁴Physiotherapy Department, Tishk

International University, Erbil, Iraq; ⁸⁰⁵CIPER Faculty of Human Kinetics, University of Lisbon, Lisbon, Portugal; ⁸⁰⁶Research and Innovation, University of Chester, Chester, UK; ⁸⁰⁷School of Medicine, Baylor College of Medicine, Houston, TX, USA; ⁸⁰⁸Department of Medicine Service, US Department of Veterans Affairs (VA), Houston, TX, USA; ⁸⁰⁹Amity Institute of Public Health and Hospital Administration, Amity University, Noida, India; ⁸¹⁰School of Public Health & Zoonoses, Guru Angad Dev Veterinary & Animal Sciences University, Ludhiana, India; ⁸¹¹School of Veterinary Science, University of Sydney, Sydney, NSW, Australia; ⁸¹²Department of Pharmacology, Government Medical College and Hospital, Chandigarh, India; ⁸¹³Department of Microbiology, Central University of Punjab, Bathinda, India; ⁸¹⁴Department of Laboratory Medicine, All India Institute of Medical Sciences, New Delhi, India; ⁸¹⁵Research Department, Hamad Medical Corporation, Doha, Qatar; ⁸¹⁶School of Pharmaceutical Sciences, IFTM University, Moradabad, India; ⁸¹⁷Department of Paediatrics, All India Institute of Medical Sciences, Bilaspur, India; ⁸¹⁸Department of Human Genetics, Punjabi University, Patiala, Patiala, India; ⁸¹⁹Biotechnology, Panjab University, Chandigarh, India; ⁸²⁰Department of Botany, Pachhunga University College, Mizoram University, Aizawl, India; ⁸²¹ESIC Medical College and Hospital, Ranchi, India; ⁸²²Department of Development Studies, Daffodil International University, Dhaka, Bangladesh; ⁸²³Pediatrics, Armed Forces Medical College, Pune, India; ⁸²⁴Department of Neuro Physiotherapy, Charotar University of Science and Technology, Anand, India; ⁸²⁵Department of Medical Sciences, Sunway University, Subang Jaya, Malaysia; ⁸²⁶Department of Hospital Administration, Yenepoya University, Mangalore, India; ⁸²⁷Department of Pathology, Medical Laboratory CSD, Kyiv, Ukraine; ⁸²⁸Research Unit, Ukrainian Association for Precision Medicine, Kyiv, Ukraine; ⁸²⁹Department of Physiotherapy, Tishk International University, Erbil, Iraq; ⁸³⁰Faculty of Health Science, Universitas Indonesia Maju, Jakarta, Indonesia; ⁸³¹School of Medicine and Public Health, Ateneo De Manila University, Pasig City, Philippines; ⁸³²Department of Basic Medical Sciences, Islamic Azad University, Mashhad, Iran; ⁸³³Department of Internal Medicine, Islamic Azad University, Mashhad, Iran; ⁸³⁴Department of Primary Care and Public Health, Imperial College London, London, UK; ⁸³⁵Department of Health, Safety, and Environmental Management, Abadan University of Medical Sciences, Abadan, Iran; ⁸³⁶Department of Environmental, Agricultural and Occupational Health, University of Nebraska Medical Center, Omaha, NE, USA; ⁸³⁷Khulna University, Statistics Discipline, Khulna, Bangladesh; ⁸³⁸Department of Psychiatry, Bahir Dar University, Bahir Dar, Ethiopia; ⁸³⁹Department of Pharmacology and Therapeutics, The University of Faisalabad, Faisalabad, Pakistan; ⁸⁴⁰Department of Metabolism and Systems Science, University of Birmingham, Birmingham, UK; ⁸⁴¹Department of Public Health and Informatics, Bangladesh Medical University, Dhaka, Bangladesh; ⁸⁴²Taking Our Best Shot, Houston, TX, USA; ⁸⁴³Department of Research and Innovation, Enventure Medical Innovation, Houston, TX, USA; ⁸⁴⁴University of Hertfordshire, University of Hertfordshire, Hatfield, UK; ⁸⁴⁵School of Nursing and Midwifery, Debre Berhan University, Debre Berhan, Ethiopia; ⁸⁴⁶School of Public Health, Haramaya University, Harar, Ethiopia; ⁸⁴⁷Department of Pharmaceutical Health Outcomes and Policy, University of Houston College of Pharmacy, Houston, TX, USA; ⁸⁴⁸Pediatric Intensive Care Unit, King Saud University, Riyadh, Saudi Arabia; ⁸⁴⁹College of Medicine, Alfaisal University, Riyadh, Saudi Arabia; ⁸⁵⁰Department of Midwifery, Gambella Teachers Education and Health Science College, Gambella, Ethiopia; ⁸⁵¹Amrita Vishwa Vidyapeetham, Amrita Vishwa Vidyapeetham, Kochi, India; ⁸⁵²Department of Economics, The American University in Cairo, Cairo, Egypt; ⁸⁵³Department of Neonatology, Saveetha University, Chennai, India; ⁸⁵⁴Department of Biochemistry, All India Institute of Medical Sciences, Jodhpur, India; ⁸⁵⁵Faculty of Health Science, Galuh University, Ciamis, Indonesia; ⁸⁵⁶Merilyn and Glick Eye Institute, University of Indiana, Indianapolis, IN, USA; ⁸⁵⁷High Institute of Sport and Physical Education of Sfax, University of Sfax, Sfax, Tunisia; ⁸⁵⁸Department of Movement Sciences

and Sports Training, The University of Jordan, Amman, Jordan; ⁸⁵⁹Department of Internal Medicine, University of Medicine and Pharmacy at Ho Chi Minh City, Ho Chi Minh City, Viet Nam; ⁸⁶⁰Department of Business Analytics, University of Massachusetts Dartmouth, Dartmouth, MA, USA; ⁸⁶¹John T. Milliken Department of Medicine, Washington University in St. Louis, Saint Louis, MO, USA; ⁸⁶²Research and Advocacy Initiative, ALS Vietnam, Quang Ngai, Viet Nam; ⁸⁶³College of Health Science, Vin University, Hanoi, Viet Nam; ⁸⁶⁴Infectious Disease Epidemiology Research Group, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana; ⁸⁶⁵Department of Pharmacology, All India Institute of Medical Sciences, Deoghar, India; ⁸⁶⁶Department of Biological Sciences, National University of Medical Sciences (NUMS), Rawalpindi/ Islamabad, Pakistan; ⁸⁶⁷Department of Physiotherapy, Federal Ministry of Health, Gusau, Nigeria; ⁸⁶⁸Kasturba Medical College, Manipal Academy of Higher Education, Manipal, India; ⁸⁶⁹Department of Physiotherapy, Bayero University, Kano, Nigeria; ⁸⁷⁰Department of Rehabilitation Sciences, Hong Kong Polytechnic University, Hong Kong, China; ⁸⁷¹Harvard Kennedy School, Harvard University, Cambridge, MA, USA; ⁸⁷²Department of Zoology, Central University of Punjab, Bathinda, India; ⁸⁷³Department of Human Genetics & Molecular Biology, Bharathiar University, Coimbatore, India; ⁸⁷⁴Centre for Biotechnology, Siksha 'O' Anusandhan Deemed to be University, Bhubaneswar, India; ⁸⁷⁵Siksha 'O' Anusandhan (Deemed to be University), Bhubaneswar, India; ⁸⁷⁶Faculty of Public Health, VNU University of Medicine and Pharmacy, Hanoi, Viet Nam; ⁸⁷⁷International Institute for Training and Research (INSTAR), VNU University of Medicine and Pharmacy, Hanoi, Viet Nam; ⁸⁷⁸Ashok & Rita Patel Institute of Physiotherapy, Charotar University of Science and Technology, Changa, India; ⁸⁷⁹Department of Pharmacology and Therapeutics, Bayero University Kano, Kano, Nigeria; ⁸⁸⁰Department of Psychiatry, Haramaya University, Harar, Ethiopia; ⁸⁸¹UNiversity of Gondar College of Medicine and Health Science, Ethiopian Academy of Medical Science, Gondar, Ethiopia; ⁸⁸²Institute of Health and Wellbeing, Federation University, Melbourne, VIC, Australia; ⁸⁸³University of Adelaide, North Terrace, NSW, Australia; ⁸⁸⁴Department of Adult Health Nursing, Aksum University, Aksum, Ethiopia; ⁸⁸⁵Department of Community Medicine, Rajarata University of Sri Lanka, Anuradhapura, Sri Lanka; ⁸⁸⁶Legon Centre for Education Research and Policy, University of Ghana, Accra, Ghana; ⁸⁸⁷Research Organisation, Inter-Continental Omni-Research in Medicine Collaborative, Berlin, Germany; ⁸⁸⁸School of Public Health, University of Technology Sydney, Sydney, NSW, Australia; ⁸⁸⁹School of Public Health, Debre Markos University, Debre Markos, Ethiopia; ⁸⁹⁰Abuakwa North Municipal Health Directorate, Ghana Health Service, Kukurantumi, Ghana; ⁸⁹¹Faculty of Human Science, Universität Kassel, Kassel, Germany; ⁸⁹²Department of Environmental Health and Epidemiology, National Institute for Research in Environmental Health, Bhopal, India; ⁸⁹³Department of Community Medicine, Apollo Institute of Medical Sciences and Research, Hyderabad, India; ⁸⁹⁴Department of Microbiology and Immunology, Zagazig University, Zagazig, Egypt; ⁸⁹⁵Department of Cells and Tissues, Molecular Biology Institute of Barcelona, Barcelona, Spain; ⁸⁹⁶Department of Family Medicine, St. Paul's Hospital Millennium Medical College, Addis Ababa, Ethiopia; ⁸⁹⁷Family Medicine Department, St. Peter's Specialized Hospital, Addis Ababa, Ethiopia; ⁸⁹⁸Innovation and Research, King Faisal Specialist Hospital & Research Center, Riyadh, Saudi Arabia; ⁸⁹⁹Faculty of Epidemiology and Population Health, London School of Hygiene & Tropical Medicine, London, UK; ⁹⁰⁰Department of Pharmacology, Bahir Dar University, Bahir Dar, Ethiopia; ⁹⁰¹Department of Public Health, Jigjiga University, Jigjiga, Ethiopia; ⁹⁰²Department of Anatomy, Prince Abubakar Audu University Anyigba, Anyigba, Nigeria; ⁹⁰³Association for Socially Applicable Research (ASAR), Pune, India; ⁹⁰⁴Department of Emergency Medicine, Global Emergency Medicine Innovation and Implementation (GEMINI) Research Center, Durham, NC, USA; ⁹⁰⁵Department of Clinical Sciences, Ajman University, Ajman, United Arab Emirates;

⁹⁰⁶School of Dentistry, University of Jordan, Amman, Jordan; ⁹⁰⁷Department of Family and Community Medicine, University of Hail, Hail, Saudi Arabia; ⁹⁰⁸Saudi Arabia; ⁹⁰⁹Department of Computer Science and Software Engineering, United Arab Emirates University, Al Ain, United Arab Emirates; ⁹¹⁰Department of Clinical Practice, Northern Border University, Rafha, Saudi Arabia; ⁹¹¹Department of Pediatrics and Child Health Nursing, Woldia University, Woldia, Ethiopia; ⁹¹²Department of Psychiatry, Johns Hopkins University, Baltimore, MD, USA; ⁹¹³Department of Epidemiology, University of Washington, Seattle, WA, USA; ⁹¹⁴College of Nursing, Prince Sattam bin Abdulaziz University, Al-Kharj, Saudi Arabia; ⁹¹⁵Faculty of Nursing, Mansoura University, Mansoura, Egypt; ⁹¹⁶Department of Public Health, Universitas Brawijaya, Malang, Indonesia; ⁹¹⁷Clinical Research Centre, An-Najah National University Hospital, Nablus, Palestine; ⁹¹⁸Department of Building Engineering and Environment, Palestine Technical University (Kadoorie), Tulkarem, Palestine; ⁹¹⁹Civil Engineering and Sustainable Structures, Palestine Technical University (Kadoorie), Tulkarem, Palestine; ⁹²⁰Department of Pediatrics, Yonsei University, Seoul, South Korea; ⁹²¹Department of Pediatrics, Kyung Hee University, Seoul, South Korea.

Graphical abstract



Abbreviations: ADHD, attention-deficit/hyperactivity disorder; DALY, disability-adjusted life year; GBD 2023, Global Burden of Disease Study 2023; Idiopathic IDD, idiopathic intellectual developmental disability; LIC, low-income country; LMIC, low-middle income country

Summary

Background: Mental disorders impose a disproportionate burden on populations in low- and middle-income countries (LMICs) and low-income countries (LICs), yet longitudinal assessments across these settings remain limited.

Methods: Using the Global Burden of Disease Study 2023, we investigated prevalence and disability-adjusted life years (DALYs) for ten mental disorder subcategories across 76 LMICs and LICs from 1990 to 2023, and projected trends through 2050 via a generalized ensemble modelling approach.

Findings: Age-standardized prevalence rose markedly between 1990 and 2023, from 10,759.9 (95% uncertainty interval, 9560.1-12,088.6) to 13,929.3 (12,512.5-15,829.0) per 100,000 in LMICs and from 11,723.6 (10,577.7-12,987.5) to 14,979.1 (13,512.9-16,770.7) in LICs, accompanied by corresponding increases in age-standardized DALY rates. The most pronounced increases in both age-standardized prevalence and DALYs were observed during the COVID-19 pandemic. Anxiety disorders (total percentage change: 102.3% in LMICs; 67.3% in LICs), eating disorders (40.7% in LMICs; 4.8% in LICs), depressive disorders (28.6% in LMICs; 29.8% in LICs), and autism spectrum disorders (14.9% in LMICs; 22.5% in LICs) showed the largest increases in prevalence. Under a reference scenario where past trends persist, age-standardized prevalence is projected to reach 17,155.8 (14,449.5-20,212.5) per 100,000 in LMICs and 17,968.4 (15,109.8-21,090.9) in LICs by 2050.

Conclusions: These findings reveal persistent and widening disparities in mental health burden across resource-limited settings, substantially exacerbated by the pandemic. Without targeted, scalable, and sustained policy interventions, the burden in LMICs and LICs will continue to worsen, underscoring the critical need for context-specific public health action.

Funding: This study was funded by the Gates Foundation.

Keywords: Global Burden of Disease; GBD 2023; mental disorders; low and middle-income countries; low-income countries.

Introduction

Mental disorders rank among the top ten causes of disease burden and are increasingly recognized as a major public health concern.¹ The Global Burden of Diseases, Injuries, and Risk Factors Study (GBD) has previously reported the global burden attributable to mental disorders through GBD 2010 and GBD 2016.^{1,2} The burden of mental disorders also imposes a significant economic impact, with 418 million disability-adjusted life years (DALYs) reported in the GBD 2019, translating to an estimated economic value of approximately USD 5 trillion.³ In result, these findings have been instrumental in guiding policy implications, mitigating modifiable risk factors, monitoring and evaluating the burden of mental disorders at global, regional, and national levels, and ultimately improving public health recommendations.^{1,3}

Globally, the burden attributable to mental disorders has shown a gradual upward trend from 1990 to 2019.¹ Moreover, for mental disorders, significant disparities exist based on socioeconomic and geographical locations, including access to and quality of healthcare infrastructure, social stigma against mental disorders, timeliness of medical interventions, and regional exposure to specific risk factors.⁴ Mental disorders are often perceived as less life-threatening and relatively challenging to diagnose due to their continuum from mild, transient distress to chronic, progressive, and severely disabling conditions, leading to inadequate prioritization in certain low- and middle-income countries (LMICs) and low-income countries (LICs).⁵ The burden of mental disorders remains one of the most pronounced global health inequalities, with limited research focused on LMICs and LICs compared to high-income countries (HICs) or Western countries.^{1,2,6,7} In fact, mental disorders are often more prevalent among marginalized populations, increasing their exposure to social determinants.⁴ For instance, refugees, individuals living in poverty, asylum seekers, displaced persons, and

ethnoracial minoritized groups face heightened vulnerability to the burden of mental disorders due to structural and social disadvantages.⁴

Fortunately, while significant progress has been made in reducing and overcoming the burden of some infectious diseases (e.g., cholera or tuberculosis) over the past three decades, particularly in high-income countries, addressing the burden of mental disorders has received less comparable attention, where healthcare infrastructure remains limited.⁸⁻¹⁰ Thus, understanding and capturing trends in the burden of mental disorders, particularly in LMICs and LICs, is essential for developing effective mitigation strategies and informing policy interventions. Furthermore, the landscape of global mental health may have undergone substantial shifts following the COVID-19 pandemic, particularly in LMICs and LICs.¹¹ During the COVID-19 pandemic, various implementations to prevent the burden of mental disorders or promote mental health and resilience, faced failure, resulting in breaches of the right to health, preventable suffering, and associated economic costs.¹²

Multiple contributing factors can likely influence the observed trends in the burden of mental disorders. Therefore, the GBD database, which provides internationally comparable estimates of longitudinal prevalence and DALYs, is well-suited for this study, enabling a comprehensive analysis.⁸ Furthermore, its inclusion of high-population LMICs, such as India, makes it particularly appropriate for this research. Herein, this study aimed to analyze the longitudinal trends in the burden of mental disorders throughout three decades, pinpoint regions with concentrated preventable and vulnerable against mental disorders, and assess the impact of global crises such as the COVID-19 pandemic on disease burden. Utilizing the GBD 2023 dataset, we provide insights into regional and national trends in the burden of mental disorders and future projections up to 2050 across 76 countries with lower income. These findings may contribute to public health and policy planning by providing context for cross-

national differences in mental health burden. This manuscript was produced as part of the GBD Collaborator Network and in accordance with the GBD protocol.

Results

In LMICs, mental disorders accounted for 10,759.9 (95% uncertainty intervals [UI], 9560.1-12,088.6) age-standardized prevalence rates per 100,000 people in 1990 and 13,929.3 (95% UI, 12,512.5-15,829.0) rates in 2023, with substantial increases (**Table 1**). In LICs, age-standardized prevalence of mental disorders also increased from 11,723.6 (95% UI, 10,577.7-12,987.5) rates per 100,000 people in 1990 and 14,979.1 (95% UI, 13,512.9-16,770.7) rates in 2023. In 2023, the highest age-standardized prevalence rates of mental disorders was observed in the Syrian Arab Republic (19,072.9 [95% UI, 17,071.7-21,439.5] per 100,000 people), Bolivia (18,169.0 [95% UI, 15,842.5-20,721.3]), and Togo (18,129.9 [95% UI, 15,578.8-22,080.0]). In contrast, Viet Nam (8447.8 [95% UI, 7639.4-9366.6] rates per 100,000 people), Lao People's Democratic Republic (9440.7 [95% UI, 8444.5-10621.7]), and Timor-Leste (9676.4 [95% UI, 8680.1-10778.6]) had the lowest age-standardized prevalence in 2023. All LMICs and LICs showed increases in age-standardized prevalence rates from 1990 to 2023.

The age-standardized DALY rates for mental disorders in LMICs increased from 1507.6 (95% UI, 1073.4-1897.9) per 100,000 in 1990 to 2036.0 (95% UI, 1489.7-2739.4) in 2023. A similar increasing trend was observed in LICs, with age-standardized DALYs rising from 1713.5 (95% UI, 1205.2-2163.1) in 1990 to 2255.6 (95% UI, 1627.9-3020.9) in 2023. The most pronounced increases in both age-standardized prevalence and DALY rates occurred between 2019 and 2023, coinciding with the COVID-19 pandemic (**Figure 1**). While the highest age-standardized DALY rates in 2023 were recorded in the Syrian Arab Republic, Lebanon, and Togo, the lowest age-standardized DALY rates in 2023 are estimated in the Viet Nam (1302.6 [95% UI, 946.8-1684.3] per 100,000), Lao People's Democratic Republic (1378.3 [95% UI, 1000.4-1830.3]), and Timor-Leste (1415.8 [95% UI, 1034.9-1867.6]).

Throughout the observational period (1990-2023), the age-standardized prevalence rate of the ten major mental disorders increased substantially in both LMICs and LICs (**Figure**

2). In LMICs, the age-standardized prevalence rate of mental disorders rose modestly until 2019, then sharply increased from 11,503.3 (95% UI, 10,447.9-12,598.1) per 100,000 in 2019 to 13,929.3 (95% UI, 12,512.5-15,829.0) in 2023 (**Figure 2** and **Table 1**). Similarly, in LICs, age-standardized prevalence rate showed a slow upward trend from 1990 to 2019, then surged from 12,361.8 (95% UI, 11,164.2-13,499.1) per 100,000 in 2019 to 14,979.1 (95% UI, 13,512.9-16,770.7) in 2023. Similar patterns are observed in DALYs, reflecting the substantial increase in disease burden during the COVID-19 pandemic. Among the ten major mental disorders, depressive disorders (688.7 [95% UI, 461.8-993.7] age-standardized DALY per 100,000 population in LMICs and 854.8 [95% UI, 567.3-1241.0] DALY in LICs, respectively) accounted for the largest proportion of DALYs attributable to mental disorders in 2023, followed by anxiety disorders (655.4 [95% UI, 425.6-962.8] age-standardized DALY in LMICs and 710.8 [95% UI, 471.3-1043.7] DALY in LICs, respectively; **Figure 2** and **Table S1**).

Compared to the pre-pandemic period (2015-2019), the total percentage change in age-standardized DALYs was significantly higher in both LMICs (total percentage change, 2.35% in 2015-2019 versus 22.28% in 2019-2023) and LICs (2.13% in 2015-2019 versus 22.38% in 2019-2023) during pandemic periods (**Figure 3** and **Table S2**). The highest total percentage change in age-standardized DALYs during the pandemic is observed in Lestho (total percentage change, 31.32%), Gambia (29.81%), and Guinea-Bissau (28.72%).

Between 1990 and 2023, the age-standardized prevalence rate of mental disorders in LMICs increased substantially, with a total percentage change of 29.47% and anxiety disorders (total percentage change, 102.28%), eating disorders (40.65%), and depressive disorders (28.60%) showed the largest increases, emerging as the top three contributors to the increasing age-standardized prevalence rate (**Figure 4**). In contrast, among the ten mental disorders, the age-standardized prevalence rate of idiopathic intellectual and developmental disability (IDD)

(total percentage change, -27.24%) and other mental disorders (-0.53%) declined from 1990 to 2023 in LMICs.

In LICs, 27.7% of the total percentage change in age-standardized prevalence rate from 1990 to 2023 was primarily driven by anxiety disorders (total percentage change, 67.25%), depressive disorders (29.8%), and autism spectrum disorders (ASD) (22.46%) as ranked top three mental disorders (**Figure S2**). Conversely, idiopathic IDD (total percentage change, -14.83%), attention-deficit hyperactivity disorder (ADHD) (-0.74%), and schizophrenia (-0.70%) showed decreasing trends in age-standardized prevalence rate from 1990 to 2023. Notably, the pandemic period appears to have profoundly contributed to these overall changes in age-standardized prevalence rate across the past decade (**Figures S3 and S4**). Anxiety disorders, depressive disorders, eating disorders, and ASD consistently ranked among the leading contributors to the overall increase in age-standardized prevalence rate during the pandemic period (2019-2023), sustaining their position as dominant drivers of mental health burden in both LMICs and LICs.

In 2023, mental disorders contributed substantially to the DALYs across all age groups in both LMICs and LICs (**Figure S1**). In early childhood (<5 years), idiopathic IDD, ASD, anxiety disorders, ADHD, and depressive disorders were the predominant contributors. The burden of depressive and anxiety disorders persisted into older adulthood, remaining elevated across the lifespan. In LMICs, the DALY increased progressively from childhood and peaked between 35-44 years age group, and decreased after age 45 years. In contrast, in LICs, the highest burden was observed during adolescence, with a peak between ages 15-19 years. Although the relative contribution of each disorder varied by age and region, depressive and anxiety disorders consistently ranked among the leading causes of DALYs throughout adulthood. Additional analyses by sex, disorder, and age group are provided in the supplementary information (**Figure S1**).

If a reference scenario where past trends and patterns persist, we projected that the increasing trends in the estimated age-standardized prevalence rate of mental disorders between 1990 and 2023 will continue by 2050 (**Figure 5**). By 2050, the age-standardized prevalence of mental disorders is forecasted to reach 17,155.8 (95% UI, 14,449.5-20,212.5) rates per 100,000 population in LMICs and 17,968.4 (95% UI, 15,109.8-21,090.9) in LICs, respectively (**Table S3**). Supplementary information also provides further future projections for the age-standardized prevalence rate up to 2050 by each ten mental disorders (**Figures S5**).

Discussion

Key findings

This study provides a comprehensive analysis of the prevalence and burden of mental disorders at regional and national levels from 1990 to 2023 across LMICs and LICs, with projections to 2050. There are several key findings. First, the overall burden of mental disorders increased consistently across all LMICs and LICs from 1990 to 2023. This upward trend was particularly pronounced after the onset of the COVID-19 pandemic, during which sharp increases in both age-standardized prevalence and DALY rates were observed. Second, anxiety disorders, depressive disorders, and eating disorders accounted for the largest increases in age-standardized prevalence rate between 1990 and 2023 in both LMICs and LICs, with the most substantial surges occurring during the pandemic period. Third, in contrast to these increasing trends, idiopathic IDD showed the greatest declines in age-standardized prevalence rate across both LMICs and LICs during the study period, representing a notable exception to the overall pattern of growth in the burden of mental disorders. Lastly, future projections to 2050 suggest that the age-standardized prevalence rate of mental disorders will continue to increase across LMICs and LICs, indicating a sustained and growing public health challenge if current trends persist.

Possible explanations

Overall, the burden of mental disorders showed consistent upward trends across all LMICs and LICs during the study period. These findings highlight the urgent need for proactive policy action to reduce the burden of mental disorders and strengthen mental health systems in resource-limited settings. The increasing trends observed are likely multifactorial. Rapid urbanization, economic instability, sociopolitical conflicts, and rising youth populations may have contributed to growing mental health needs in these regions.⁴ In addition, limited access

to diagnostic services, treatment infrastructure, and community-based mental health programmes may have exacerbated unmet needs.

In addition, both age-standardized prevalence and DALY rates attributable to mental disorders showed sharp increases following the COVID-19 pandemic. Global health crises, such as COVID-19, have had profound impacts on mental health due to widespread social isolation, diminished social interactions, heightened health concerns, economic instability, and uncertainty.¹³ Several previous studies have reported an increase in neuropsychiatric symptoms, including anxiety and depression, during the pandemic.¹³⁻¹⁵ While the prolonged uncertainty and limited control associated with the pandemic further intensified psychological distress, fear of infection, mandatory quarantines, and disruptions to daily life likely resulted in more vulnerable settings to develop mental disorders.¹³

Socioeconomic factors also played an imperative role. Economic instability regarding job security was closely associated with increased psychological distress.¹⁶ During the pandemic, changes in employment dynamics, financial hardships, and potential income loss collectively contributed to the deterioration of mental health.¹⁷ In terms of other perspectives, the observed increase in prevalence during the pandemic may, in part, be attributed to improvements in healthcare infrastructure, increased screening, and heightened awareness, particularly in LMICs and LICs. Previously underreported cases may have been more readily identified and diagnosed as mental health services expanded, contributing to an apparent rise in prevalence.

From 1990 to 2023, anxiety disorders, depressive disorders, and eating disorders have occupied the top three mental disorders with the highest increasing changes in age-standardized prevalence rate across LMICs and LICs, with a significant surge occurring during the COVID-19 pandemic. These increases can be linked to risk factors frequently encountered in these regions, including puberty-related challenges, housing instability, socioeconomic disparities,

unemployment, and political unrest.^{14,15} The pandemic further exacerbated these vulnerabilities by amplifying social and economic uncertainty, driven by job losses, financial insecurity, and social isolation. In LMICs and LICs, where coping mechanisms and mental health support systems are often insufficient, the inability to provide timely interventions may have further aggravated these conditions.¹⁸

Fortunately, idiopathic IDD exhibited the greatest declines in age-standardized prevalence rate in both LMICs and LICs. Given that these conditions are primarily observed in childhood, the observed trend may, in part, reflect the success of public health interventions such as expanded prenatal screening, early cognitive developmental assessments, vaccination programmes, and nutritional improvement policies. Reductions in risk factors, such as iodine deficiency, congenital hypothyroidism, and congenital infections (e.g., Zika virus), may have contributed to the prevention of neurodevelopmental impairments.^{19,20} However, this evident decline should be interpreted with caution. Limitations in the availability and quality of pediatric mental health services in low-resource settings may lead to systematic underdiagnosis and underreporting of IDD.⁴ The observed decline is likely attributable to underreporting rather than an actual reduction in disease burden. Furthermore, during the pandemic, healthcare systems prioritized other mental disorders, such as depression and anxiety, potentially leading to decreased diagnosis and reporting of IDD cases.

Projections to 2050 suggest increasing trends in the age-standardized prevalence rate of mental disorders across LMICs and LICs. The persistence of stigma, a shortage of psychiatric experts, and inadequate healthcare infrastructure present substantial barriers to significant reductions in prevalence.²¹ In addition, inconsistent mental health surveillance and underreporting may obscure the actual epidemiological trends.^{1,7} To address this challenge, urgent and proactive policy interventions, including large-scale policy reforms and increased

investment in mental health services, are necessary to mitigate the stagnation in mental disorder prevalence and improve overall mental health outcomes.¹⁸

Comparisons with previous studies

Overall, the burden of mental disorders in LMICs and LICs increased over the past three decades. The study outcomes align with the previous findings on the global burden of mental disorders.¹ However, important distinctions differentiate the present study from prior GBD publications. First, most previous mental health analyses were based on GBD 2019 estimates and were therefore limited to data up to 2019,¹ whereas our study incorporates the updated GBD 2023 framework and extends the analysis through 2023, capturing more recent trends, including the period affected by the COVID-19 pandemic. Second, earlier studies primarily emphasized global estimates or focused on ASEAN countries and selected regions, with comparatively limited attention to LMICs and LICs.^{1,22,23} In contrast, our analysis provides a dedicated and comprehensive assessment of ten mental disorders across LMICs and LICs, enabling a more detailed examination of heterogeneity and disparities within resource-limited settings. In addition, while prior GBD mental health studies largely concentrated on retrospective burden estimation, the present study extends the analytical scope by providing prevalence projections to 2050 under a reference scenario. These projections offer forward-looking insights into potential future trajectories of mental disorder burden in LMICs and LICs, thereby complementing existing retrospective evidence and enhancing the relevance of the findings for long-term planning and policy discussion, while acknowledging the inherent uncertainty of such projections.

Policy implications

Mental disorders account for at least 18% of the global disease burden, with an accompanying economic burden projected to reach \$6 trillion by 2030.¹² These disorders are particularly challenging to detect and diagnose due to their heterogeneous and continuum from mild, transient distress to chronic, progressive, and severely disabling states.⁵ In addition, unlike many other medical conditions that can be diagnosed through objective laboratory tests (e.g., fasting plasma glucose levels for diagnosing diabetes mellitus), the diagnosis of mental disorders primarily relies on clinical assessment and standardized criteria such as the Diagnostic and Statistical Manual of Mental Disorders (DSM).²⁴ Consequently, diagnosing mental disorders requires psychiatric specialists, potentially exacerbating underdiagnosis in LMICs and LICs. According to GBD 2023 estimates, the age-standardized prevalence of mental disorders in HICs was 16,042.68 (95% CI, 14,502.34-17,872.12) per 100,000 population, with age-standardized DALYs of 2,407.57 (95% CI, 1,769.15-3,152.39) per 100,000 population.²⁵ In contrast, our findings indicate substantially lower estimated burdens of mental disorders in LICs and LMICs, a pattern that is likely attributable to limitations in diagnostic capacity and surveillance rather than true differences in disease occurrence. This inherent complexity underscores the need for continued advancements in biomarker research to improve diagnostic precision and early detection, particularly in LMICs and LICs.

The lowest estimated burdens were observed in Viet Nam, the Lao People's Democratic Republic, and Timor-Leste. Although these countries have introduced national mental health policies or strategies, such as Viet Nam's National Community Mental Health Care project, implementation remains constrained by limited integration of mental health into primary care, lack of financial investment and trained specialists, and insufficient linkages with families and the community.²⁶ In the Lao People's Democratic Republic and Timor-Leste, mental health expenditure accounts for only a small proportion of total health spending, and high out-of-pocket payments, which are estimated to comprise approximately 80% of hospital

medical expenditures in Laos, may further limit access to sustained, long-term care for chronic mental disorders.²⁷ These structural limitations underscore the vulnerability of mental health systems in resource-limited settings. Policy efforts in these countries increasingly emphasize capacity building at the primary care level. In particular, the World Health Organization's Mental Health Gap Action Programme has been adopted to support task-sharing approaches, enabling non-specialist health workers to identify and manage common mental disorders.²⁸ Expanding such programs within universal primary care frameworks may represent a feasible strategy to reduce diagnostic gaps and improve access to care in LICs and LMICs.

Our findings indicate that anxiety and depressive disorders have shown the largest increase in prevalence over recent decades among the ten major mental disorders in LMICs and LICs. Depressive disorders, in particular, can be effectively managed in these settings through low-cost antidepressants or psychological interventions such as cognitive-behavioral therapy and interpersonal therapy.²⁹ Stepped-care and collaborative care models, which integrate psychological and pharmacological treatments, can improve treatment adherence and prognosis.²⁹ These approaches are especially beneficial in LMICs and LICs with insufficient healthcare infrastructure. Additionally, first-generation antipsychotics are effective and cost-efficient for treating schizophrenia, and their benefits can be enhanced through community-based psychosocial interventions.³⁰⁻³²

Projections through 2050 indicate a continued rise in the prevalence of mental disorders across LMICs and LICs, a trend further exacerbated during the COVID-19 pandemic. In the absence of proactive policy responses, the growing burden of mental disorders will increasingly demand the establishment of explicit coverage targets and the systematic expansion of mental health workforce capacity in these regions. Structural challenges, such as inconsistent diagnostic criteria, limited reporting systems, and pervasive social stigma, may exacerbate underdiagnosis and lead to an accelerated increase in burden.^{1,3,33} These limitations

highlight the critical importance of strengthening surveillance infrastructure and improving mental health literacy at the population and policy levels. Raising awareness of mental disorders is essential to reducing stigma and increasing care-seeking behavior. Moreover, given that key risk factors include puberty, unemployment, and social instability, broader improvements in socioeconomic determinants are also necessary to mitigate the burden of mental disorders in these regions.²¹

Among the ten major mental disorders, ADHD and idiopathic IDD have shown a decline in prevalence over the past decade. While this trend may reflect an actual reduction in disease burden, it could also be attributed to unmet healthcare needs in pediatric populations, particularly in LMICs and LICs. Addressing gaps in pediatric mental healthcare requires urgent attention and prioritization. Additionally, the burden of mental disorders increased significantly in LMICs and LICs during the COVID-19 pandemic, underscoring the critical need for targeted policy interventions during global crises. In such circumstances, telemedicine can serve as a feasible and efficient solution to improve accessibility to healthcare. For instance, in response to pandemic-related restrictions on healthcare access, the Australian government integrated telehealth services, including mental health care, into its public health insurance program, Medicare, from March to September 2020, later extending the policy until March 2021.³⁴ Adopting similar successful models could contribute to strengthening mental health infrastructure, enhancing access to care, and integrating mental health into broader public health strategies, ultimately mitigating the long-term impact of mental disorders.

Limitations of study

This GBD 2023 provides valuable insights into trends in the prevalence and DALYs of mental disorders, with future projections up to 2050. However, several limitations must be acknowledged. First, most of the epidemiological data included in our dataset adhere to DSM-

IV and International Classification of Diseases (ICD)-10 diagnostic classifications. As studies increasingly adopt DSM-5 and ICD-11 frameworks, further efforts will be required to account for the impact of these classification changes on GBD estimates.¹ Second, despite the standardized data integration and modeling approaches employed in the GBD framework, the limited availability and quality of data from LICs and LMICs may introduce additional uncertainty into the estimation of the burden of mental disorders. In addition, as these analyses relied on secondary, aggregated data inputs, individual-level sociodemographic characteristics, including socioeconomic status (e.g., income, education, and household resources), sex, age, and ethnicity, were not consistently available across included studies and could not be fully accounted for in the estimates. Moreover, much of the existing evidence on associations with outcomes derives from studies conducted in high-income Western countries, which may limit the generalizability of our findings to settings with limited data availability. Third, although DALYs provide a more comprehensive representation of disease burden, our projections for mental disorders were limited to prevalence estimates due to the methodological focus on changing trends in the occurrence of mental disorders over time. Fourth, our future projections are based on past trends in the prevalence of mental disorders from 1990 to 2023. Consequently, these theoretical projections, assuming no changes in policy interventions, health-system reforms, or service coverage, cannot fully capture the impact of future social, political, technological, public health, or environmental changes. In addition, because our analyses focused on LMICs and LICs, limitations in data availability and completeness for certain inputs may introduce uncertainty and potential bias into the estimates. Lastly, while this study provides a comprehensive overview of trends in burden attributable to mental disorders, further prospective studies are needed to control for potential confounders for estimating the risks and drivers of mental disorders more accurately.

Conclusion

Overall, our study highlights significant disparities and a persistent increase in the burden of mental disorders across LMICs and LICs from 1990 to 2023, with the COVID-19 pandemic markedly accelerating these trends. If current trends persist, the prevalence of mental disorders is forecasted to increase further by 2050. However, these estimates are theoretical and assume no changes in policy interventions, health-system reforms, or service coverage, and therefore warrant cautious interpretation. Therefore, these findings suggest the need for urgent and proactive strategies to address the burden of mental disorders in resource-limited settings.

Resource availability

Lead contact

Requests for further information and all the resources in this study should be directed to and will be fulfilled by the lead contact, Dong Keon Yon (yonkkang@gmail.com).

Materials availability

This study did not generate new unique reagents.

Data and code availability

The data used in this study are publicly available through the Global Health Data Exchange (GHDx) GBD 2023 website: <https://ghdx.healthdata.org/gbd-2023>. This study did not generate any original code. Any additional information required to reanalyze the data reported in this paper is available from the lead contact upon request.

Consortia

GBD 2023 LMIC Mental Disorders Collaborators

Jiseung Kang, Hyeon Jin Kim, Jaeyu Park, Min Seo Kim, Seoyeon Park, Mohammad Amin Aalipour, Kalkidan Hassen Abate, Nasir Abbas, Madineh Abbasi, Ahmed Abdelrahman Abdelgalil, Atef Abdelkader, Auwal Abdullahi, Abdullahi Salahudeen Abdulraheem, Nigusie Abebaw, Endeshaw Chekol Abebe, E S Abhilash, Olifan Zewdie Abil, Olumide Abiodun, Richard Gyan Aboagye, Shady Abohashem, Abdullahi Tunde Aborode, Michael R M Abrigo, Aminu Kende Abubakar, Kiran Acharya, Meshack Achore, Babatope Oluwadamilare Adebiyi, David Adedia, Olumide Thomas Adeleke, Miracle Ayomikun Adesina, Olatunji O Adetokunboh, Atman Adiba, Usha Adiga, Mohd Adnan, Qorinah Estiningtyas Sakilah Adnani, Prince Owusu Adoma, Obed Adonteng-Kissi, Francis Anderson Adzei, David Adzrago, Saira

Afzal, Navidha Aggarwal, Mahdi Aghaalkhani, Feleke Doyore Agide, Percival Delali Agordoh, Rozana Ika Agustiya, Prince Agwu, Williams Agyemang-Duah, Khabir Ahmad, Khurshid Ahmad, Sajjad Ahmad, Adamu Adamu Ahmad, Danish Ahmad, Negar Sadat Ahmadi, Shabbir Ahmed, Naveed Ahmed, Oli Ahmed, Shahzaib Ahmed, Syed Anees Ahmed, Ali Ahmed, Faisal Ahmed, Ayman Ahmed, Marjan Ajami, Kobi V Ajayi, Kasuni HM Akalanka, Muhammad Nadeem Akhtar, Olumide Odunayo Akinniyi, Other Wole Akosile, Idorenyin Ubon Akpabio, Khurshid Alam, Zufishan Alam, Bekalu Dessie Dessie Alamirew, Fahmi Y Al-Ashwal, Adugnaw Zeleke Alem, Tekletsadik Tekleslassie Alemayehu, Nma Bida Alhaji, Fadwa Naji Alhalaiqa, Ashraf Alhumaidi, Mohammed Usman Ali, Irfan Ali, Mohammad Daud Ali, Rafat Ali, Syed Shujait Ali, Haider Ali, Hamid Alinejad Rokny, Samah W Al-Jabi, Ahmad Alkhatib, Sabah Al-Marwani, Joseph Uy Almazan, Amr Almobayed, Margret Beaula Alocious Sukumar, Awais Altaf, Khalid A Altirkawi, Deborah Oyine Aluh, Yaser Mohammed Al-Worafi, Ekiyor Joseph Amafah, Azmeraw T Amare, McKing Izeiza Amedari, Abebe Feyissa Amhare, Saeed Amini, Sohrab Amiri, Dickson A Amugsi, Gianna Gayle Herrera Amul, Yeniewa Kerie Anagaw, Nguyen Hoang Anh, Ebuka Miracle Anieto, Abhishek Anil, Prapti Anjana, Kabilan Annadurai, Sumbul Ansari, Ernoiz Antriyandarti, Anayochukwu Edward Anyasodor, Jalal Arabloo, Irfan Ardani, Demelash Arede, Hiwot Abera Areru, Ghazal Arjmand, Jesu Arockiaraj, Muhammad Asaduzzaman, Syed Mohammed Basheeruddin Asdaq, Syed Amir Ashraf, Tahira Ashraf, Mitra Ashrafi, Nestor Asiamah, Bilal Aslam, Yuni Asri, Dereje Zewdu Assefa, Prince Atorkey, Abadi Hailay Atsbaha, Julie Alaere Atta, Gading Ekapuja Aurizki, Lemessa Assefa A Ayana, Arian Azadnia, Farya Azimi, Sumera Aziz, Sheeba B, Abebe Sorsa Badacho, Soroush Baghdadi, Nasser Bagheri, Najmeh Bahmanziari, Razieh Bahreini, Alpha Umaru Bai-Sesay, Ahmed Hassan Bakheit, Mohamad Amin Bakhshali, Rajon Banik, Hansi Bansal, Abu Bashar, Muhammad Irfan Bashir, Azadeh Bashiri, Archibong Edem Bassey, Mohammad-Mahdi Bastan, Prapthi Persis Bathini,

Narasimha M Beeraka, Priyamadhaba Behera, Demeke Mesfin Belay, Melesse Belayneh, Samir Bele, Samiun Nazrin Bente Kamal Tune, Abiye Assefa Berihun, Sonu Bhaskar, Shuvarthi Bhattacharjee, Ashmin Hari Bhattarai, Gurjit Kaur Bhatti, Jasvinder Singh Bhatti, Rajbir Bhatti, Bagas Suryo Bintoro, Mekuriaw Mesfin Birhan, Mohammad Shahangir Biswas, Monirujjaman Biswas, Molalegne Bitew, Micheal Kofi Boachie, Trupti Bodhare, Obasanjo Afolabi Bolarinwa, Archith Boloor, Sanaz Bordbar, Samuel Adolf Bosoka, Linh Phuong Bui, Tsion Samuel Bunare, Zahid A Butt, Muthia Cenderadewi, Sandip Chakraborty, Rama Mohan Chandika, Miyuru Chandradasa, Vijay Kumar Chattu, Lam Duc Chau, Fentahun Alemnew Chekole, Deepti Chopra, Shanjida Chowdhury, Mohiuddin Ahsanul Kabir Chowdhury, Dinh-Toi Chu, Berihun Assefa Dachew, Omid Dadras, Ephrem Mebratu Dagnew, Rakhi Dandona, Roy Arokiam Daniel, Samuel E Danso, Chengetai Dare, Jai K Das, Elham Davoudi, Sindhura Deekonda, Mohammad Delsoz, Tadios Niguss Derese, Ismail Dergaa, Kebede Deribe, Hunegnaw Almax Derseh, Keshab Deuba, Vinoth Gnana Chellaiyan Devanbu, Devananda Devegowda, Syed Masudur Rahman Dewan, Sagnik Dey, Rajinder K Dhamija, Amol S Dhane, Bibha Dhungel, Ojas Prakashbhai Doshi, Robert Kokou Dowou, Bereket Duko, Siddhartha Dutta, Angel Belle Cheng Dy, Ejemai Eboreime, Lamiaa L.M. Ebraheim, Ferry Efendi, Thilini Nisansala Egoda Kapuralalage, Fatima Ehsan, Aya Elalfy, Iffat Elbarazi, Ibrahim Farahat El Bayoumy, Ahmed Eldaboush, Ghada Metwally Tawfik ElGohary, Omar Abdelsadek Abdou Elmeligy, Gihan ELNahas, Abdelfatteh EL Omri, Iman El Sayed, Misganu Endriyas, Deborah Tolulope Esan, Sharareh Eskandarieh, Heidar Fadavian, Adeniyi Francis Fagbamigbe, Ayesha Fahim, Niloofar Faraji, Ginenus Fekadu, Nataliya A Foigt, Behzad Foroutan, Dominic Dormenyo Gadeka, Adamu Usman Gamawa, Dhanraj Ganapathy, Balasankar Ganesan, Shivaprakash Gangachannaiah, Bashiru Garba, Fernando Jr Barroga Garcia, Rupesh K Gautam, Bamba Gaye, Tsion S Gebre, Feven Sahle Gebre, Beza A Gelaw, Miesa Gelchu, Nsikakabasi Samuel George, Gebremariam Wulie Geremew, Genanew K Getahun, Kalab Yigermal Gete,

Fataneh Ghadirian, Khalid Yaser Ghailan, Leila Ghalichi, Arin Ghamkhar, Moein Ghasemi, Ahmad Ghashghaee, Sailaja Ghimire, Other Alem Abera Girmay, Franklin N Glozah, Mahaveer Golechha, Pouya Goleij, Viktoriia Gorbunova, Yitayal Ayalew Goshu, Sheffali Gulati, Damitha Asanga Gunawardane, Sasidhar Gunturu, Yonas Deressa Guracho, Adrina Habibzadeh, Ramtin Hajibeygi, Pritam Halder, Mohamed Hamed, Fahad Hanna, Mohd Anul Haq, Hamidreza Haririan, Sara Harsini, Eka Mishbahatul Marah Has, Ahmed I Hasaballah, Faizul Hasan, Towhid Hasan, Arezou Hashem Zadeh, Nada Tawfig Hashim, Saquib Hasnain, Ammarah Hasnain, Amr Hassan, Nageeb Hassan, Omed Hassan Ahmed, Mohammad Heidari, Paul Michael Rafa Hernandez, Sumudu Avanthi Hewage, Ramesh Holla, Moyazzem Hossain, Sabbir Hossain, Jubayer Hossain, Lubna Hossain, Mahbub Hossain, Mehdi Hosseinzadeh, Mila Nu Nu Htay, Ayesha Humayun, Waqar Husain, Segun Emmanuel Ibitoye, Sumaira Idrees, Olayinka Stephen Ilesanmi, Muhammad Hamza Ilyas, Salim Ilyasu, Azfar Athar Ishaqui, Sheikh Mohammed Shariful Islam, Shariful Islam, Saiful Islam, Rakibul M Islam, Rabiul Islam, Mahalaxmi Iyer, Roxana Jabbarinejad, Morteza Jafarinia, Sanobar Jaka, Qazi Mohammad Sajid Jamal, Navid Jamali, Jerin James, Roland Dominic G Jamora, Masoud Jamshidi, Manthan Dilipkumar Janodia, Sathish Kumar Jayapal, Belayneh Hamdela Jena, Rinu J George, Mohammad Jokar, Nitin Joseph, George Vellaramcheril Joy, Madhanraj K, Jay Kakadiya, Ashish Kumar Kakkar, Khalil Kalavani, Sanjay Kalra, Rajesh Kamath, Naser Kamyari, Thanigaivelan Kanagasabai, Sujita Kumar Kar, Hanie Karimi, Salah Eddin Karimi, Faizan Zaffar Kashoo, Natnael Bekuretsion Kassahun, Kanica Kaushal, Fekadu Abera Kebede, Hafte Kahsay Kebede, Shemsu Kedir, Salima Kerai, Behzad Khafaei, Himanshu Khajuria, Sidra Khalid, Anees Ahmed Khalil, Maseer Khan, Abdullah Saeed Khan, Ammar Ahmad Khan, Ajmal Khan, Zahid Khan, Mohammad Idreesh Khan, Mohd Faheem Khan, Amjad Khan, Muhammad Umer Khan, Ramsha Mushtaq Khan, Srijana Khanal, Sameer Uttamaro Khasbage, Hamid Reza Khayat Kashani, Daniel Kheradmand, Mehdi Khezeli, Feriha Fatima Khidri, Sunil

Kumar Khokhar, Samira Khoshvaght, Jagdish Khubchandani, Tegene Atamenta Kitaw, Vitalii Klymchuk, Shivakumar KM, Abdul Basith KM, Prakash Babu Kodali, Ali-Asghar Kolahi, Kamrun Nahar Nahar Koly, Isaac Koomson, Tapos Kormoker, Karel Kostev, Irene Akwo Kretchy, Kewal Krishan, Mohammed Kuddus, Anit Kujur, Emmanuel Kumah, Manasi Kumar, Kamal Kumar, Tarun Kumar, Diwakar Kumar, Chandan Kumar, Vijay Kumar, Rakesh Kumar, Dhasarathi Kumar, G Anil Kumar, Krishna Prasad Kurpad, Dian Kusuma, Aria Kusuma, Evans F Kyei, Chandrakant Lahariya, Tri Laksono, Zohra S Lassi, Areeba Latif, Saheed Akinmayowa Lawal, Aliyu Lawan, Pallavi L C, Long Khanh-Dao Le, Virendra S Ligade, Jaielos Lubinda, Abhilash Ludhiadch, Angelina M Lutambi, Ellina Lytvyak, Mahmoud Mabrok, Rituparna Maiti, Irsa Fatima Makhdoom, Tabarak Malik, Ahmad Azam Malik, Ali Mansour, Hamid Reza Marateb, Joemer C Maravilla, Adilson Marques, Roy Rillera Marzo, Prajakta P Masurkar, Khurshid A Mattoo, Pallab K Maulik, Maryam Mazaheri, Chioma Ngozichukwu Pauline Mbachu, Ikechukwu Innocent Mbachu, Medhin Mehari, Khurram Mehboob, Asim Mehmood, Vini Mehta, Tesfahun Mekene Meto, Other Hagazi Gebre Meles, Satish Melwani, Giuseppe Minervini, Mojgan Mirghafourvand, Vinaytosh Mishra, Kumar Guru Mishra, Archana Mishra, Dhruti Modi, Abdalla Z Mohamed, Nouh Saad Mohamed, Jama Mohamed, Khabab Abbasher Hussien Mohamed Ahmed, Taj Mohammad, Abdollah Mohammadian-Hafshejani, Yahaya Mohammed, Shafiu Mohammed, Mustapha Mohammed, Itismita Mohanty, Mohammad Mohseni, Mohammad Moradi-Joo, Mahdis Morovvati, Mahmoud M Morsy, Reza Mosaddeghi Heris, Mohamed Awad Abdalaziz Mousnad, Kimia Mozahheb Yousefi, Sumoni Mukherjee, Kavita Munjal, Anjana Munshi, Satta Muthu Murugan, Yahye Hassan Muse, Ghulam Mustafa, Mubarak Taiwo Mustapha, Lutfi Muzaqi, Fatemehzahra Naddafi, Ayoub Nafei, Karikalan Nagarajan, Mobin Naghshbandi, Ganesh R Naik, Shumaila Nargus, Hamide Nasiri, Javaid Nauman, Zakira Naureen, Biswa Prakash Nayak, Javad Nazari, G Takop Nchanji, Pacifique Ndishimye, Anthony Wainaina Ndungu, Jalil Nejati, Charles Richard James Newton,

Josephine W Ngunjiri, Hien Thu Nguyen, Cao Duy Nguyen, Tham Thi Nguyen, Huong Lan Thi Nguyen, Cuong Tat Nguyen, Robina Khan Niazi, Dina Nur Anggraini Ningrum, Syed Toukir Ahmed Noor, Masoud Noroozi, Mark Anum Nortey, Nurfatimah Nurfatimah, Chijindu N Nwakama, Felix Kwasi Nyande, Chimezie Igwegbe Nzoputam, Ogochukwu Janet Nzoputam, Saheed Adeyinka Odediji, Joseph Kojo Oduro, Michael Safo Oduro, Abiola Ogunkoya, Oluwafunmbi Ebenezer Ogunmiluyi, Peter Oseghale Ohue, Akin Ojagbemi, Hassan Okati-Aliabad, Sylvester Reuben Okeke, Osaretin Christabel Okonji, Oluyemi Adewole Okunlola, Oluwaseyi Isaiah Olabisi, Andrew T Olagunju, Oluseye Olalekan Oludoye, Bolajoko Olubukunola Olusanya, Oluwafemi G Oluwole, Deborah Chinecherem Onuegbu, Augustus Osborne, Uchechukwu Levi Osuagwu, Oche Joseph Otorkpa, Jerry John Ouner, David Owiredun, Mayowa O Owolabi, Tope Oyelade, Gbadebo Maroof Oyeniyi, Mahesh P A, Jagadish Rao Padubidri, Dimpal Manilal Paija, Sathishraja Palaniraja, Songhomitra Panda-Jonas, Deepshikha Pande Katore, Ashok Pandey, Seithikurippu R Pandi-Perumal, Apurvakumar Pandya, Helena Ulliyartha Pangaribuan, Parinaz Paranjkhoo, Amrita Parida, Romil R Parikh, Arpit Parmar, Jenish Patel, Satyananda Patel, Kamalesh Kumar Patel, Ashlesh Patil, Shankargouda Patil, Apurba Patra, Hamidreza Pazoki Toroudi, Prince Peprah, Tung Thanh Pham, Anil K Philip, Sabina Margaret Pinto, Ramesh Poluru, Maarten J Postma, Farzad Pourghazi, Mohsen Poursadeqiyan, Pranil Man Singh Pradhan, Rifky Octavia Pradipta, Hery Purnobasuki, Jagadeesh Puvvula, Nuzul Qur'aniati, Deepthi R, Reza Rabiei, Basuki Rachmat, Ibrar Rafique, Yashpal Singh Raghav, Pracheth Raghuveer, Mosfequr Rahman, Mohammad Meshbahur Rahman, Muhammad Aziz Rahman, Mahbubur Rahman, Mosiur Rahman, Setyaningrum Rahmawaty, Hakim Rahmoune, Sunil Kumar Raina, Jeffrey Pradeep Raj, Vinoth Rajendran, Shaman Rajindrajith, Mohammad Amin Rajizadeh, Mahmoud Mohammed Ramadan, Asad Gul Rao, Vahid Rashedi, Mamunur Rashid, Fahmida Rashid, Prateek Rastogi, Devarajan Rathish, Abdur Rauf, Ramin Ravangard, Dhvani Ravi, Ramu Rawat, Nazila Rezaei,

Nima Rezaei, Mohsen Rezaeian, Ravi Rohilla, Iftitakhur Rohmah, Debby Syahru Romadlon, Morteza Rostamian, Himanshu Sekhar Rout, Sharmistha Roy, Parimal Roy, Adrija Roy, Nitai Roy, Shubhanjali Roy, Priyanka Roy, Poorvikha S, Aly M A Saad, Adnan Saad Eddin, Seyed Kiarash Sadat Rafiei, Ehsan Sadeghi, Bassem Sadek, Umar Saeed, Shazina Saeed, Rajesh Sagar, Amene Saghazadeh, Indranil Saha, Sukanta Saha, Amirhossein Sahebkar, Soumya Swaroop Sahoo, Ankita Saikia, Bukola Salami, Afeez Abolarinwa Salami, Mohamed A Saleh, Mahdi Salehi, Dauda Salihu, Pegah Salimi Pormehr, Sonia Sameen, Abdallah M Samy, Adekunle Sanyaolu, Sivan Yegnanarayana Iyer Saraswathy, Aswini Saravanan, Yaser Sarikhani, Sachin C Sarode, Maheswar Satpathy, Jennifer Saulam, Sangeeta Gopal Saxena, Ganesh Kumar Saya, Abu Sayeed, Muthamizh Selvamani, Bharathi Selvaraj, Yashendra Sethi, Yara Shaalan, Arezoo Shafieioun, Grishma Shah, Saeed Shahabi, Kanwal Shahbaz, Samiah Shahid, Arsalan Shahri, Moyad Jamal Shahwan, Masood Ali Shaikh, Nafhat Shaikh, Muhammad Aaqib Shamim, Mehran Shams-Beyranvand, Anas Shamsi, Nigussie Tadesse Sharew, Amin Sharifan, Javad Sharifi Rad, Manoj Sharma, Saurab Sharma, Avimanu Sharma, Buntty Sharma, Bhoopesh Kumar Sharma, Gaurav Sharma, Amr Mohamed Elsayed Shehabeldine, Mahabalesh Shetty, Premalatha K Shetty, Adithi Shetty, Monir Hossain Shimul, Rahman Shiri, Aminu Shittu, Sunil Shrestha, Suleiman Adeiza Shuaibu, Mohammad Sidiq, Analiza M Silva, Padam Prasad Simkhada, Jasvinder A Singh, Poornima Suryanath Singh, Balbir Bagicha Singh, Harmanjit Singh, Amit Singh, Kalpana Singh, Harpreet Singh, Jasbir Singh, Puneetpal Singh, Akanksha Singh, Kashmir Singh, Garima Singh, Ratnesh Sinha, Salman Sohel, Vishal Sondhi, Mansi Soni, Vetriselvan Subramaniyan, Aswin Sugunan, Oksana Sulaieva, Surajo Kamilu Sulaiman, Desy Sulistiyorini, Lourdes Bernadette C Sumpaico-Tanchanco, Sumam Sunny, Seyed-Amir Tabatabaeizadeh, Celine Tabche, Ramin Tabibi, Jabeen Taiba, Ashis Talukder, Minale Tareke, Saba Tariq, Anika Tasnim, Nathan Y Tat, Mohammad-Hassan Tayarani-Najaran, Birhan Tsegaw Taye, Abainash Tekola, Tarilate

Temedie-Asogwa, Mohamad-Hani Tamsah, Lewegneh Wegayehu Tessema, Kavumpurathu Raman Thankappan, Rekha Thapar, Ismaeel Tharwat, Rekha Thiruvengadam, Sojit Tomo, Santo Imanuel Tonapa, Ali Torkashvand, Khaled Trabelsi, Thang Huu Tran, Tam Quoc Minh Tran, Nguyen Tran Minh Duc, Quynh Xuan Nguyen Truong, Lawrence Sena Tuglo, Sree Sudha T Y, Riaz Ullah, Lawan Umar, Dinesh Upadhyay, Jibrin Sammani Usman, Kelechi Julian Uzor, Balachandar Vellingiri, Poonam Verma, Akshaya Kumar Verma, Linh Vu, Krishna Dhavan Vyas, Abubakar Sadiq Wada, Mandaras Tariku Walde, Megha Walia, Tanveer A Wani, Yilkal Abebaw Wassie, Ishanka Weerasekara, Abrha Hailay Weldemariam, Nuwan Darshana Wickramasinghe, Martin Wiredu Agyekum, Andrew Awuah Wireko, Gemechu Kumera Wirtu, Florence Gyembuzie Wongnaah, Daniel Tarekegn Worede, Vikas Yadav, Saba Yahoo, Galal Yahya, Subah Abderehim Yesuf, Saber Yezli, Biksegn Asrat Yirdaw, Yazachew Engida Yismaw, Abdilahi Yousuf, Abdullateef Onoruoiza Yusuf, Siddhesh Zadey, Muhammad Sohail Zafar, Mubashir Zafar, Nazar Zaki, Mohammed Zawiah, Alemu Birara Zemariam, Eyael M Zeru, Hafsa Zia, Mohamed Ali Zoromba, Lilik Zuhriyah, Sa'ed H Zyoud, Shafer H Zyoud, Ali H Mokdad, Jae Il Shin, Dong Keon Yon

Please see appendix (pp 16-61) for more detailed information about individual affiliations.

Acknowledgments

This paper was developed according to the GBD Protocol with support from the GBD Secretariat, IHME, and the GBD Collaborator Network under the unique identifier: IHME ID: 4538 (GBD 2023 LMIC Mental Disorders Collaborators). This study was funded by the Gates Foundation, Australian National Health and Medical Research Council, and Queensland Department of Health, Australia. This research was supported by the Ministry of Science and ICT (RS-2024-00509257, RS-2026-25495984, and IITP-2026-RS-2024-00438239 to DKY) and the Ministry of Health & Welfare (RS-2025-02220492 to DKY), Republic of Korea. The

funder of the study had no role in study design, data collection, data analysis, data interpretation, or writing of the report. All authors had full access to the study data and had final responsibility for the decision to submit for publication.

Author contributions

Please see appendix (pp 62-77) for more detailed information about individual author contributions to the research, divided into the following categories: providing data or critical feedback on data sources; developing methods or computational machinery; providing critical feedback on methods or results; drafting the manuscript or revising it critically for important intellectual content; and managing the estimation or publications process.

Members of the core research team from the Institute for Health Metrics and Evaluation (IHME) for this topic area had full access to the underlying data used to generate estimates presented in this study (A.H.M. and D.K.Y.). All other authors had access to and reviewed estimates as part of GBD and the research evaluation process, which includes additional stages of internal IHME and external formal collaborator review. J.K., H.J.K., J.P., and M.S.K. contributed equally as the first authors. D.K.Y. and J.I.S. contributed as corresponding authors. The corresponding authors (D.K.Y. and J.I.S.) had full access to the data in the study and had final responsibility for the decision to submit it for publication.

Declaration of interests

S Afzal reports support for the present manuscript from the Institute of Public Health Lahore (study material, manuscripts, medical writings, and library resources); grants or contracts from the Dean's office, Institute of Public Health Lahore (intellectual contributions and time protection); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from the Dean, Institute of Public Health Lahore (honoraria for

experts, lectures, visiting speakers, and educational seminars); support for attending meetings and/or travel from the Dean, Institute of Public Health, Lahore, Pakistan; participation on a Data Safety Monitoring Board or Advisory Board as Member, Pakistan National Bioethics Committee, Member, Institutional Review Board of Fatima Jinnah Medical University, Member, Ethical Review Board and Data Monitoring Board Institute of Public Health Lahore Pakistan, In Charge, Clinical Research Organization King Edward Medical University, and Member, Annals of King Edward Medical University Advisory Board; leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Member, Pakistan Higher Education Commission Research Committee, Member, Pakistan Medical and Dental Commission Research and Journals Committee, Member, Pakistan National Bioethics Committee, Member, Pakistan Society of Internal Medicine, Member, Pakistan Association of Medical Editors, Member, Medical Microbiology and Infectious Diseases Society, Fellow of Leads International, Fellow of Faculty of Public Health UK, and Fellow of College of Physicians and Surgeons Pakistan; receipt of equipment, materials, drugs, medical writing, gifts or other services from Bergen University Norway (computer software and equipment for research writing); other financial or non-financial interests as Dean, Public Health, Institute of Public Health Birdwood, Lahore outside the submitted work. A Ahmed reports support for the present manuscript from the U.S. National Institute of Mental Health (salary support; RO1MH126768) outside the submitted work. M Asaduzzaman reports leadership or fiduciary role in other board, society, committee or advocacy group, unpaid, as Board member, American Society of Tropical Medicine & Hygiene (ASTMH) outside the submitted work. G E Aurizki reports other financial or non-financial interests from the Indonesia Endowment Fund for Education Agency (Lembaga Pengelola Dana Pendidikan/LPDP), the Republic of Indonesia (financial support for PhD study at The University of Manchester, 2022–2026) outside the submitted work. S Bhaskar reports grants or contracts from the Japan Society for the Promotion

of Science (JSPS) and the Japanese Ministry of Education, Culture, Sports, Science and Technology (MEXT) (Grant-in-Aid for Scientific Research (KAKENHI), Grant ID: 23KF0126) and from JSPS and the Australian Academy of Science (JSPS International Fellowship, Grant ID: P23712); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as District Chair, Diversity, Equity, Inclusion & Belonging for Rotary District 9675, Sydney, Australia; Chair, Founding Member and Manager of the Global Health & Migration Hub Community, Global Health Hub Germany, Berlin, Germany; Editorial Board Member for PLOS One, BMC Neurology, Frontiers in Neurology, Frontiers in Stroke, Frontiers in Public Health, Journal of Aging Research, Vas-Cog (Japan), Neurology International, Diagnostics, BMC Medical Research Methodology, & TouchNeurology; Member, College of Reviewers, Canadian Institutes of Health Research (CIHR), Government of Canada; Director of Research, World Headache Society, Bengaluru, India; Expert Adviser/Reviewer, Cariplo Foundation, Milan, Italy; Visiting Director, National Cerebral and Cardiovascular Center, Department of Neurology, Division of Cerebrovascular Medicine and Neurology, Suita, Osaka, Japan; Member, Scientific Review Committee, Cardiff University Biobank, Cardiff, UK; Chair, Rotary Reconciliation Action Plan; and Healthcare and Medical Adviser, Japan Connect, Osaka, Japan outside the submitted work. R Dandona reports grants or contracts from Mariwala Health Initiative, Mumbai, India, and from the Indian Council of Medical, Research, India; participation on a Data Safety Monitoring Board or Advisory Board as Chair, Independent Programme Oversight Committee for COPE-BP (NIHR 206976); Member, Funding Committee, Global NIHR Global Health Research Groups Call 5, NIHR, UK; and Health Metrics Sciences MS Admissions committee, University of Washington, USA outside the submitted work. K Deuba reports grants or contracts from the Research Council of Norway (project no. 335495) outside the submitted work. I El Bayoumy reports leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Editor

in Chief for recent trends in infectious diseases and Editorial member in Texila American Journals outside the submitted work. G ELNahas reports support for attending meetings and/or travel from the International Association for Women's Mental Health to attend the 10th World conference, 2025, and from WPA to attend the WCP in Bangkok, 2023; leadership or fiduciary role in other board, society, committee or advocacy group, unpaid, as Vice President of the International Assoc. WMH; Regional Representative in MENA Region of the Int' Marce Society for Perinatal Mental Health; Chair of WMH Chapter of Arab Federation of Psychiatry; and Assistant Editor for the JTIBS (all unpaid) outside the submitted work. A EL Omri reports participation on a Data Safety Monitoring Board or Advisory Board with the IRB committee at Hamad Medical Corporation (no payment; it is a part of AEO's job about running clinical trials in the hospital); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, with the IRB committee at Hamad Medical Corporation (no payment; it is a part of AEO's job) outside the submitted work. A Hasnain reports leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Member, American Society of Microbiology (ASM); Member, American Association of Advancement in Science (AAAS); and Reviewer / Editor of International Journals (Springer Nature, Elsevier, Wiley) outside the submitted work. A Hassan reports consulting fees from Novartis, Sanofi Genzyme, Biologix, Astra Zeneca, Pfizer, Merz, Roche, Merck, Hikma Pharma, Janssen, Inspire Pharma, Future Pharma, and Elixir pharma (payments made to AH); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Novartis, Allergan, Abbvie, Merck, Biologix, Viatris, Pfizer, Eli Lilly, Janssen, Roche, Sanofi Genzyme, Bayer, Astrazeneca, Hikma Pharma, Al Andalus, Chemipharm, Lundbeck, Elixir, EvaPharma, Inspire Pharma, Future Pharma and Habib Scientific Office, and Everpharma (payments made to AH); support for attending meetings and/or travel from Novartis, Allergan, Merz, Pfizer, Merck, Biologix, Roche, Sanofi Genzyme,

Bayer, Hikma Pharma, Chemipharm, and Al Andalus and Clavita pharm (payments made to AH); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Vice president of MENA headache society, Board member of Multiple Sclerosis chapter of the Egyptian Society of Neurology, Board member of Headache chapter of the Egyptian Society of Neurology, Member of committee of Education of the international Headache Society (IHS), membership committee of IHS, and regional committee of IHS outside the submitted work. R Jabbarinejad reports grants or contracts from New York Medical College at St Mary/St Clare's Hospital (residency salary); other financial or non-financial interests as Psychiatry Resident at New York Medical College at St Mary/St Clare's Hospital outside the submitted work. R G Jamora reports grants or contracts from the Philippine Council for Health Research and Development and from the Philippine Neurological Association; consulting fees from Exeltis; payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Medichem, Torrent, and HI-Eisai; support for attending meetings and/or travel from Zydus, Torrent, Innogen, Medtronic, and Natrapharm outside the submitted work. J Khubchandani reports grants or contracts from Merck Pharmaceuticals (received funding for research on vaccine hesitancy), the National Science Foundation (received funding for research on public health misinformation), and NM-INBRE/NIGMS-NIH (P20GM103451) (research on pain disorders) (all topics not related to this paper); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from the North American Transplant Coordinators Organization and from Elsevier (editorial stipends) outside the submitted work. K Krishan reports other non-financial interests from the UGC Centre of Advanced Study, CAS II, awarded to the Department of Anthropology, and from the RUSA 2.0 grant awarded by the Ministry of Education to Panjab University, Chandigarh, India outside the submitted work. H R Marateb reports grants or contracts from Universitat Politècnica de Catalunya · Barcelona Tech – UPC

outside the submitted work. P P Masurkar reports stock or stock options in UCB Inc outside the submitted work. P K Maulik reports grants or contracts from ICMR as CoPI on grant IIRPIG/DL-MH/2025-00600 (Understanding the economic burden of epilepsy in India to develop financial and social protection mechanisms for people with epilepsy and their families); CoI on grant EMTR/IM-DEL/2024/03 (Adapting to a Better Life with Endometriosis (ABLE): Improving the quality of life of women suffering from endometriosis and investigating the economic burden of the disease); and CoPI on grant EMTR/SG-DL 12023107.3 (Promoting the mental health and wellbeing of transgender persons in the national capital region of Delhi using a peer support approach: A mixed method study) (all payments made to institution); participation on a Data Safety Monitoring Board or Advisory Board as DSMB Chair on instruct Network and DSMB Member on IMPRESS trial (no payment); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Advisory group member, Centre of Excellence of Global Health Research, Brighton & Sussex Medical School; Member, WHO Technical Advisory Group on Loneliness and Social Connectedness; and Member, LEAD steering Committee, KREA University (no payment received) outside the submitted work. S Mohammed reports support for the present manuscript from the Gates Foundation outside the submitted work. M A Nortey reports leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Chairman, Public Health Committee, Pharmacists in Mental Health Association of Ghana outside the submitted work. S Sharma reports grants or contracts from the National Health and Medical Research Council (NHMRC Investigator Grant (Emerging Leadership 1/EL1), received in 2025 and commenced in 2026; the funding body does not have any influence on S Sharma's research and its reporting; paid to the University of Sydney, Sydney); support for attending meetings and/or travel from the Australian Pain Conference in 2025 (registration, travel, and accommodation covered; the talk was unrelated to this paper; payment made to SS to reimburse costs incurred for travel,

accommodation); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Board member for the Pain, Mind, and Movement Special Interest Group of the IASP; Board member for the IASP Global Alliance for Partners in Pain Advocacy (GAPPA); Editorial Board Member for Pain Research Forum of the IASP; Associate Editor for (1) the Journal of Orthopedic & Sports Physical Therapy and (2) Physiotherapy; and Co-chair of The IASP Global Year 2025 on the theme of “Pain Management, Research, and Education in Low/Middle-Income Settings” (all unpaid); other financial or non-financial interests: SS is a member of the IASP, Nepal Physiotherapy Association, and Australian Pain Society (unpaid) outside the submitted work. J I Shin reports other financial or non-financial interests from the Yonsei Fellowship, funded by Lee Youn Jae outside the submitted work. J A Singh reports consulting fees from ROMTech, Atheneum, Clearview healthcare partners, Yale, Hulio, Horizon Pharmaceuticals/DINORA, ANI/Exeltis, USA Inc., Frictionless Solutions, Schipher, Crealta/Horizon, Medisys, Fidia, PK Med, Two labs Inc., Adept Field Solutions, Clinical Care options, Putnam associates, Focus forward, Navigant consulting, Spherix, MedIQ, Jupiter Life Science, UBM LLC, Trio Health, Medscape, WebMD, and Practice Point communications; the National Institutes of Health; and the American College of Rheumatology (consultant fees paid to JAS for each entity); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events: JAS is on the speaker’s bureau of Simply Speaking (JAS previously served as a Consultant and consultant fees were paid to JAS); support for attending meetings and/or travel with OMERACT as past steering committee member (JAS previously received support from the organization to attend their meeting every 2 years); participation on a Data Safety Monitoring Board or Advisory Board with the FDA Arthritis Advisory Committee (JAS served previously as a member; no financial support); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as past steering committee member of the OMERACT, an international

organization that develops measures for clinical trials and receives arm's length funding from 12 pharmaceutical companies (JAS previously received support from the organization to attend their meeting every 2 years); stock or stock options in Atyr pharmaceuticals, Atai life sciences, Kintara therapeutics, Intelligent Biosolutions, Acumen pharmaceutical, TPT Global Tech, Vaxart pharmaceuticals, Atyu biopharma, Adaptimmune Therapeutics, GeoVax Labs, Pieris Pharmaceuticals, Enzolytics Inc., Seres Therapeutics, Tonix Pharmaceuticals Holding Corp., Aebona Pharmaceuticals, and Charlotte's Web Holdings, Inc (JAS owns stock options); and JAS previously owned stock options in Amarin, Viking, and Moderna pharmaceuticals outside the submitted work. L C Sumpaico-Tanchanco reports grants or contracts from the Department of Science and Technology, Philippines (payments made through LCS-T's institution) and from Nestle Nutritional Inc (payments made through LCS-T's corporation); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from the Philippine Society for Developmental and Behavioral Pediatrics, Philippine Pediatric Society, and Nestle (Wyeth) Philippines (all payments made to LCS-T for the lecture); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Vice President, Philippine Society for Developmental and Behavioral Pediatrics (unpaid); stock or stock options in Eluciderm (US-based investment) outside the submitted work. M J Postma reports stock or stock options in PAG BV Groningen NL (100%) and Health-Ecore Zeist/Groningen NL (25%) outside the submitted work. S Zadey reports payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from The Hindu; leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, as Cofounding Director, Association for Socially Applicable Research (ASAR); Chair, Asia Working Group, The G4 Alliance; Fellow, Lancet Commission on a Citizen-Centered Health System for India; Research Aide Sr., Duke GEMINI Research Center; Drafting Committee Member for Maharashtra State Mental Health Policy; and Adjunct

Research Faculty, Dr. D. Y. Patil University outside the submitted work. A B Zemariam reports support for the present manuscript from the Gates Foundation, the Australian National Health and Medical Research Council, and Queensland Department of Health, Australia outside the submitted work. B T Taye reports support for the present manuscript from the Gates Foundation, the Australian National Health and Medical Research Council, and Queensland Department of Health, Australia outside the submitted work.

STAR ★ Methods

Key resources table

REAGENT or RESOURCE	SOURCE	IDENTIFIER
Deposited data		
Data source of this paper	Global Burden of Diseases 2023. Available at https://ghdx.healthdata.org/gbd-2023 .	GBD 2023 is publicly available as of the date of publication.
Software and algorithms		
Python (version 3.12.8)	https://www.python.org/	Python software (version 3.12.8)
R (version 4.4.2)	https://www.r-project.org/	R (version 4.4.2)

Experimental Model and Study Participant Details

The GBD 2023 employed advanced modeling strategies to evaluate the burden of diseases, injuries, and risk factors across LMICs and LICs, providing comprehensive estimates of mental disorders.²⁵ This study followed the World Bank 2023 income classification, which categorizes countries based on gross national income (GNI) per capita, rather than the GBD location hierarchy.³⁵ Under this framework, LICs were defined as countries with a GNI per capita of \$1135 or less, while LMICs had a GNI per capita between \$1136 and \$4465. In total, 76 countries were classified as LMICs and LICs, with 50 categorized as LMICs and 26 as LICs (**Table S4**). This study adhered to the Guidelines for Accurate and Transparent Health Estimates Reporting (GATHER)³⁶ and utilized publicly available data sources from the GHDx. Previous publications have described detailed methodological approaches, including data sources, modeling frameworks, and forecasting techniques.

Method details

Overview

In this study, we used a three-step approach to comprehensively assess the prevalence and burden of mental disorders across 76 countries classified by the World Bank as LMICs and

LICs from 1990 to 2023 at both regional and national levels. First, we estimated the prevalence and DALYs of mental disorders and their 10 subcategories, analyzing trends and changes over time. Second, we examined the burden of mental disorders during the COVID-19 pandemic period (2019-2023) by estimating total percent changes in prevalence and the burden of diseases. The 10 mental disorder subcategories were ranked to assess the magnitude of change across conditions and to highlight those with the greatest increases or decreases during the pandemic. Third, based on previously observed trends, we projected the long-term prevalence of mental disorders and their 10 subcategories through 2050. These projections aimed to provide insights into the evolving mental health patterns in LMICs and LICs, considering potential variations in disease burden under changing socioeconomic and healthcare conditions.

To quantify the burden of mental disorders in these countries, GBD provides key health metrics, including prevalence, incidence, mortality, years of life lost (YLLs), years lived with disability (YLDs), and DALYs.^{8,37} DALYs were estimated by summing YLLs, which capture years of life lost due to premature mortality from mental disorders, and YLDs, which capture years lived with disability from non-fatal mental disorders based on prevalence and their associated disability weights, stratified by age, sex, location, and year.²⁵ Trends were examined by stratifying the data by age group, sex, and country, with national and regional estimates produced where data availability allowed.³⁸ Results were reported as counts and age-standardized rates, which accounted for variations in population structure over time using the GBD 2023 world standard population. All estimates were presented with 95% UI, ensuring comparability across regions and time periods.³⁷

Case definitions and data source

In this study, we focused on mental disorders classified at level-2, which covered the following ten level-3 disorders: anxiety disorders, ADHD, ASD, bipolar disorder, conduct disorder,

depressive disorders, eating disorders, idiopathic IDD, schizophrenia, and other mental disorders (a collective category that included personality disorders).²⁵ To ensure comparability in measurement, case definitions primarily followed DSM or ICD criteria, as these had been the standard classifications used in the majority of the included mental health surveys. Different versions of DSM (DSM-III, DSM-III-R, DSM-IV, DSM-IV-TR, DSM-5, and DSM-5-TR) and ICD (ICD-9, ICD-10, and ICD-11) were accepted.²⁵ Detailed definitions of each disorder were provided in **Table S5**.

For mental disorders estimates, data sources included scientific literature, household surveys, epidemiological surveillance systems, disease registries, and clinical informatics.²⁵ In addition, relevant studies were identified from government and international organization reports, published datasets, and primary data contributions from GBD collaborators. Detailed, country- and disorder-specific data sources are available through the IHME Sources Tool (<https://sources.healthdata.org/collection/sources-2023>).

Non-fatal estimation

Prevalence estimates for mental disorders were derived using DisMod-MR 2.1, a Bayesian meta-regression tool that integrates data from multiple sources while maintaining internal consistency.^{25,39} This model accounted for variations across sex, location, year, and age group and was particularly useful in estimating prevalence for regions with limited or missing epidemiological data.²⁵ A hierarchical approach was employed, where prevalence estimates from broader geographic levels were used to inform estimates at more localized levels, ensuring continuity in data interpretation. In cases where epidemiological data were unavailable, uncertain estimates were preferred over missing values to provide a more comprehensive representation of disease burden.⁴⁰ To improve the accuracy of prevalence estimates, adjustments were applied to account for between study variability. Alternative

prevalence estimates were compared to reference values derived from gold-standard methodologies, and correction factors were determined using Bayesian network meta-analysis.⁴¹ These adjustments accounted for variations arising from differences in recall periods, survey instruments, and interviewer types, helping to harmonize reported prevalence measures across studies.

In addition, location-specific covariates were incorporated to refine estimates of mental disorder prevalence. These included the mortality rate associated with war and terrorism, the Gallup Negative Experience Index, measuring daily experiences of physical pain, stress, sadness, and anger.⁴² The inclusion of these covariates enabled more precise prevalence estimates, particularly in regions with limited direct epidemiological data. In GBD 2023, the impact of the COVID-19 pandemic was directly incorporated into the estimation process by introducing it as a location-level covariate within the DisMod-MR 2.1 modeling framework.

To quantify disability attributable to mental disorders, YLDs were estimated by combining prevalence with corresponding disability weights (DW) for each disorder, age group, sex, location, and year within the GBD 2023 framework. For disorders with defined severity classifications, prevalence was stratified into severity categories and weighted using severity-specific DWs to reflect differences in symptom severity and clinical presentation.²⁵ Comorbidity adjustment was applied to incorporate the impact of comorbid conditions on disability estimates. Further methodological details on disability burden estimation are described in previous GBD publications.^{25,37,38}

Fatal estimation

Fatal estimates for mental disorders were generated within the GBD 2023 framework using the Cause of Death Ensemble model (CODEm).^{37,39} CODEm combines all available cause-of-death data and evaluates a range of alternative model specifications with different covariate

sets to identify the best-performing ensemble for mortality estimation.^{37,38} Predictive performance was assessed using out-of-sample validation, enabling consistent estimation of cause-specific mortality patterns across age groups, sexes, locations, and years. Mortality estimates were summarized as age-standardized rates based on the GBD standard population and were used to calculate YLLs for mental disorders.³⁸

Forecast of the prevalence of mental disorders up to 2050

Projections were generated under a reference scenario that maintained past trends and associations. To estimate mental disorders prevalence for the period from 2024 to 2050, a generalized ensemble modeling approach was applied, utilizing prevalence data covering 1990 to 2023.^{43,44} This approach provided estimates for the overall prevalence of mental disorders, as well as its subcategories, including each of the ten mental disorders. To strengthen the reliability of the predictions, the ensemble approach integrated 12 sub-models.⁴³ Among them, six utilized annualized rates of change, progressively weighting recent years, while the other six employed the MR-BRT spline model, which incorporated different statistical techniques and accounted for the Socio-demographic Index as an independent variable. Each model was evaluated by predicting prevalence from 2012 to 2023 using data from 1990 to 2011, with performance assessed based on root mean squared error.⁴⁵ Higher weights were assigned to models with superior predictive accuracy, contributing more to the final ensemble model. The final estimates were presented with a 95% UI, derived from 500 samples drawn from the model's predictive distributions.

Uncertainty estimation

Uncertainty was assessed by randomly drawing 250 samples from the parameter distributions and propagating this uncertainty throughout all stages of the analysis. The final estimates were

derived from the 2.5th and 97.5th percentiles of the posterior distribution, which defined the 95% UI.⁴⁶ All analyses and visualizations for the modeling process were performed independently using Python (version 3.11.9; Python Software Foundation, Wilmington, DE, USA) and R Software (version 4.1.2; R Foundation, Vienna, Austria).

References

1. Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. (2022). *The Lancet Psychiatry* 9, 137-150. 10.1016/S2215-0366(21)00395-3.
2. Whiteford, H.A., Degenhardt, L., Rehm, J., Baxter, A.J., Ferrari, A.J., Erskine, H.E., Charlson, F.J., Norman, R.E., Flaxman, A.D., Johns, N., et al. (2013). Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. *Lancet* 382, 1575-1586. 10.1016/S0140-6736(13)61611-6.
3. Arias, D., Saxena, S., and Verguet, S. (2022). Quantifying the global burden of mental disorders and their economic value. *eClinicalMedicine* 54. 10.1016/j.eclinm.2022.101675.
4. Kirkbride, J.B., Anglin, D.M., Colman, I., Dykxhoorn, J., Jones, P.B., Patalay, P., Pitman, A., Sonesson, E., Steare, T., Wright, T., and Griffiths, S.L. (2024). The social determinants of mental health and disorder: evidence, prevention and recommendations. *World Psychiatry* 23, 58-90. 10.1002/wps.21160.
5. Patel, V., Saxena, S., Lund, C., Thornicroft, G., Baingana, F., Bolton, P., Chisholm, D., Collins, P.Y., Cooper, J.L., Eaton, J., et al. (2018). The *Lancet* Commission on global mental health and sustainable development. *The Lancet* 392, 1553-1598. 10.1016/S0140-6736(18)31612-X.
6. Wright, E., Dore, E.C., Koenen, K.C., Mangurian, C., Williams, D.R., and Hamad, R. (2025). Prevalence of and Inequities in Poor Mental Health Across 3 US Surveys, 2011 to 2022. *JAMA Netw Open* 8, e2454718. 10.1001/jamanetworkopen.2024.54718.
7. Castelpietra, G., Knudsen, A.K.S., Agardh, E.E., Armocida, B., Beghi, M., Iburg, K.M., Logroscino, G., Ma, R., Starace, F., Steel, N., et al. (2022). The burden of mental

- disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019. *Lancet Reg Health Eur* 16, 100341. 10.1016/j.lanepe.2022.100341.
8. Naghavi, M., Ong, K.L., Aali, A., Ababneh, H.S., Abate, Y.H., Abbafati, C., Abbasgholizadeh, R., Abbasian, M., Abbasi-Kangevari, M., Abbastabar, H., et al. (2024). Global burden of 288 causes of death and life expectancy decomposition in 204 countries and territories and 811 subnational locations, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet* 403, 2100-2132. 10.1016/S0140-6736(24)00367-2.
 9. Islam, N., Jdanov, D.A., Shkolnikov, V.M., Khunti, K., Kawachi, I., White, M., Lewington, S., and Lacey, B. (2021). Effects of covid-19 pandemic on life expectancy and premature mortality in 2020: time series analysis in 37 countries. *BMJ* 375, e066768. 10.1136/bmj-2021-066768.
 10. Downey, L.E., Gadsden, T., Vilas, V.D.R., Peiris, D., and Jan, S. (2022). The impact of COVID-19 on essential health service provision for endemic infectious diseases in the South-East Asia region: A systematic review. *The Lancet Regional Health - Southeast Asia* 1. 10.1016/j.lansea.2022.04.007.
 11. Kola, L., Kohrt, B.A., Hanlon, C., Naslund, J.A., Sikander, S., Balaji, M., Benjet, C., Cheung, E.Y.L., Eaton, J., Gonsalves, P., et al. (2021). COVID-19 mental health impact and responses in low-income and middle-income countries: reimagining global mental health. *Lancet Psychiatry* 8, 535-550. 10.1016/S2215-0366(21)00025-0.
 12. Campion, J., Javed, A., Lund, C., Sartorius, N., Saxena, S., Marmot, M., Allan, J., and Udomratn, P. (2022). Public mental health: required actions to address implementation failure in the context of COVID-19. *Lancet Psychiatry* 9, 169-182. 10.1016/S2215-0366(21)00199-1.

13. Kang, J., Park, J., Lee, H., Lee, M., Kim, S., Koyanagi, A., Smith, L., Kim, M.S., Rahmati, M., Fond, G., et al. (2023). National trends in depression and suicide attempts and COVID-19 pandemic-related factors, 1998-2021: A nationwide study in South Korea. *Asian J Psychiatr* 88, 103727. 10.1016/j.ajp.2023.103727.
14. Nersesjan, V., Christensen, R.H.B., Kondziella, D., and Benros, M.E. (2023). COVID-19 and Risk for Mental Disorders Among Adults in Denmark. *JAMA Psychiatry* 80, 778-786. 10.1001/jamapsychiatry.2023.1265.
15. Pettersen, J.H., Hannigan, L.J., Gustavson, K., Lund, I.O., Pearson, R.M., Jensen, P., Nesvåg, R., Brandlistuen, R.E., and Ask, H. (2024). COVID-19 Pandemic Quarantines and Mental Health Among Adolescents in Norway. *JAMA Netw Open* 7, e2422189. 10.1001/jamanetworkopen.2024.22189.
16. Wang, M.L., Narcisse, M.R., Togher, K., and McElfish, P.A. (2024). Job Flexibility, Job Security, and Mental Health Among US Working Adults. *JAMA Netw Open* 7, e243439. 10.1001/jamanetworkopen.2024.3439.
17. Wörn, J., Reme, B.-A., and Skirbekk, V. (2023). Job loss and psychological distress during the COVID-19 pandemic: a national prospective cohort study. *BMC Public Health* 23, 1447. 10.1186/s12889-023-16303-5.
18. Alakija, A. (2023). Leveraging lessons from the COVID-19 pandemic to strengthen low-income and middle-income country preparedness for future global health threats. *The Lancet Infectious Diseases* 23, e310-e317. 10.1016/S1473-3099(23)00279-7.
19. Anne, R.P., and Rahiman, E.A. (2022). Congenital hypothyroidism in India: A systematic review and meta-analysis of prevalence, screen positivity rates, and etiology. *The Lancet Regional Health - Southeast Asia* 5. 10.1016/j.lansea.2022.100040.
20. Mulkey, S.B., Arroyave-Wessel, M., Peyton, C., Bulas, D.I., Fourzali, Y., Jiang, J., Russo, S., McCarter, R., Msall, M.E., du Plessis, A.J., et al. (2020).

- Neurodevelopmental Abnormalities in Children With In Utero Zika Virus Exposure Without Congenital Zika Syndrome. *JAMA Pediatr* 174, 269-276. 10.1001/jamapediatrics.2019.5204.
21. Pirkis, J., Bantjes, J., Dandona, R., Knipe, D., Pitman, A., Robinson, J., Silverman, M., and Hawton, K. (2024). Addressing key risk factors for suicide at a societal level. *The Lancet Public Health* 9, e816-e824. 10.1016/S2468-2667(24)00158-0.
 22. Szűcs, A., van der Lubbe, S.C.C., Arias de la Torre, J., Valderas, J.M., Hay, S.I., Bisignano, C., Morgan, B.W., Acharya, S., Adnani, Q.E.S., Apostol, G.L.C., et al. (2025). The epidemiology and burden of ten mental disorders in countries of the Association of Southeast Asian Nations (ASEAN), 1990–2021: findings from the Global Burden of Disease Study 2021. *The Lancet Public Health* 10, e480-e491. 10.1016/S2468-2667(25)00098-2.
 23. Dong, W., Liu, Y., Bai, R., Zhang, L., and Zhou, M. (2025). The prevalence and associated disability burden of mental disorders in children and adolescents in China: a systematic analysis of data from the Global Burden of Disease Study. *The Lancet Regional Health – Western Pacific* 55. 10.1016/j.lanwpc.2025.101486.
 24. Committee, A.D.A.P.P. (2021). 2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2022. *Diabetes Care* 45, S17-S38. 10.2337/dc22-S002.
 25. Hay, S.I., Ong, K.L., Santomauro, D.F., A, B., Aalipour, M.A., Aalruz, H., Ababneh, H.S., Abaraogu, U.O., Abate, B.B., Abbafati, C., et al. (2025). Burden of 375 diseases and injuries, risk-attributable burden of 88 risk factors, and healthy life expectancy in 204 countries and territories, including 660 subnational locations, 1990–2023: a systematic analysis for the Global Burden of Disease Study 2023. *The Lancet* 406, 1873-1922. 10.1016/S0140-6736(25)01637-X.

26. Ng, C.H., Than, P.T., La, C.D., Van Than, Q., and Van Dieu, C. (2011). The national community mental health care project in Vietnam: a review for future guidance. *Australas Psychiatry* 19, 143-150. 10.3109/10398562.2011.563308.
27. Syhakhang, L., Soukaloun, D., Tomson, G., Petzold, M., Rehnberg, C., and Wahlstrom, R. (2011). Provider performance in treating poor patients--factors influencing prescribing practices in lao PDR: a cross-sectional study. *BMC Health Serv Res* 11, 3. 10.1186/1472-6963-11-3.
28. Brohan, E., Chowdhary, N., Dua, T., Barbui, C., Thornicroft, G., Kestel, D., Ali, A., Assanangkornchai, S., Brodaty, H., Carli, V., et al. (2024). The WHO Mental Health Gap Action Programme for mental, neurological, and substance use conditions: the new and updated guideline recommendations. *The Lancet Psychiatry* 11, 155-158. 10.1016/S2215-0366(23)00370-X.
29. Patel, V., Araya, R., Chatterjee, S., Chisholm, D., Cohen, A., De Silva, M., Hosman, C., McGuire, H., Rojas, G., and van Ommeren, M. (2007). Treatment and prevention of mental disorders in low-income and middle-income countries. *Lancet* 370, 991-1005. 10.1016/S0140-6736(07)61240-9.
30. Kelebie, M., Kibralew, G., Tadesse, G., Rtbe, G., Aderaw, M., Endeshaw, W., Belachew, M., Muche, M., Getnet, D., and Fentahun, S. (2025). Effectiveness of antipsychotic medication in patients with schizophrenia in a real world retrospective observational study in Ethiopia. *Sci Rep* 15, 4663. 10.1038/s41598-025-85832-3.
31. Haddad, P.M., Taylor, M., and Niaz, O.S. (2009). First-generation antipsychotic long-acting injections v. oral antipsychotics in schizophrenia: systematic review of randomised controlled trials and observational studies. *Br J Psychiatry Suppl* 52, S20-28. 10.1192/bjp.195.52.s20.


32. Shepherd, T.A., Ul-Haq, Z., Ul-Haq, M., Khan, M.F., Afridi, A., Dikomititis, L., Robinson, M.E., Lewis, M., Rahman, A., Dziedzic, K., et al. (2020). Supervised treatment in outpatients for schizophrenia plus (STOPS+): protocol for a cluster randomised trial of a community-based intervention to improve treatment adherence and reduce the treatment gap for schizophrenia in Pakistan. *BMJ Open* 10, e034709. 10.1136/bmjopen-2019-034709.
33. Kim, S., Lee, H., Woo, S., Lee, H., Park, J., Kim, T., Fond, G., Boyer, L., Rahmati, M., Smith, L., et al. (2025). Global, regional, and national trends in drug use disorder mortality rates across 73 countries from 1990 to 2021, with projections up to 2040: a global time-series analysis and modelling study. *EClinicalMedicine* 79, 102985. 10.1016/j.eclinm.2024.102985.
34. Hewa Koneputugodage, E., Reay, R.E., and Looi, J.C. (2023). COVID-19 medicare benefits schedule telehealth for private psychiatric outpatient care in Victoria, Australia. *Australas Psychiatry* 31, 528-534. 10.1177/10398562231177822.
35. Aung, M.N., Koyanagi, Y., and Yuasa, M. (2021). Health inequality among different economies during early phase of COVID-19 pandemic. *Journal of the Egyptian Public Health Association* 96, 1-4.
36. Stevens, G.A., Alkema, L., Black, R.E., Boerma, J.T., Collins, G.S., Ezzati, M., Grove, J.T., Hogan, D.R., Hogan, M.C., Horton, R., et al. (2016). Guidelines for Accurate and Transparent Health Estimates Reporting: the GATHER statement. *Lancet* 388, e19-e23. 10.1016/s0140-6736(16)30388-9.
37. Schumacher, A.E., Zheng, P., Barber, R.M., A, B., Aalipour, M.A., Aalruz, H., Ababneh, H.S., Abaraogu, U.O., Abbafati, C., Abbas, N., et al. (2025). Global age-sex-specific all-cause mortality and life expectancy estimates for 204 countries and territories and 660 subnational locations, 1950–2023: a demographic analysis

- for the Global Burden of Disease Study 2023. *The Lancet* 406, 1731-1810. 10.1016/S0140-6736(25)01330-3.
38. Naghavi, M., Kyu, H.H., A, B., Aalipour, M.A., Aalruz, H., Ababneh, H.S., Abafita, B.J., Abaraogu, U.O., Abbafati, C., Abbasi, M., et al. (2025). Global burden of 292 causes of death in 204 countries and territories and 660 subnational locations, 1990-2023: a systematic analysis for the Global Burden of Disease Study 2023. *The Lancet* 406, 1811-1872. 10.1016/S0140-6736(25)01917-8.
 39. Rafferty, Q., Stafford, L.K., Vos, T., Thom  , F.S., Aalruz, H., Abate, Y.H., Abbafati, C., Abd ElHafeez, S., Abedi, A., Abiodun, O.O., et al. (2025). Global, regional, and national prevalence of kidney failure with replacement therapy and associated aetiologies, 1990–2023: a systematic analysis for the Global Burden of Disease Study 2023. *The Lancet Global Health* 13, e1378-e1395. 10.1016/S2214-109X(25)00198-6.
 40. Zheng, P., Barber, R., Sorensen, R.J., Murray, C.J., and Aravkin, A.Y. (2021). Trimmed constrained mixed effects models: formulations and algorithms. *Journal of Computational and Graphical Statistics* 30, 544-556.
 41. Kang, J., Kim, H.J., Kim, M.S., Shin, J.I., and Yon, D.K. (2026). Global burden of amphetamine, cannabis, cocaine and opioid use in 204 countries, 1990-2023: a Global Burden of Disease Study. *Nat Med*. 10.1038/s41591-025-04137-0.
 42. Charlson, F., van Ommeren, M., Flaxman, A., Cornett, J., Whiteford, H., and Saxena, S. (2019). New WHO prevalence estimates of mental disorders in conflict settings: a systematic review and meta-analysis. *The Lancet* 394, 240-248. 10.1016/S0140-6736(19)30934-1.
 43. Ng, M., Dai, X., Cogen, R.M., Abdelmasseh, M., Abdollahi, A., Abdullahi, A., Aboagye, R.G., Abukhadijah, H.J., Adeyeoluwa, T.E., Afolabi, A.A., et al. (2024).

- National-level and state-level prevalence of overweight and obesity among children, adolescents, and adults in the USA, 1990–2021, and forecasts up to 2050. *The Lancet* 404, 2278-2298. [https://doi.org/10.1016/S0140-6736\(24\)01548-4](https://doi.org/10.1016/S0140-6736(24)01548-4).
44. Bryazka, D., Reitsma, M.B., Abate, Y.H., Abd Al Magied, A.H.A., Abdelkader, A., Abdollahi, A., Abdoun, M., Abdulkader, R.S., Abeldaño Zuñiga, R.A., Abhilash, E.S., et al. (2024). Forecasting the effects of smoking prevalence scenarios on years of life lost and life expectancy from 2022 to 2050: a systematic analysis for the Global Burden of Disease Study 2021. *The Lancet Public Health* 9, e729-e744. [https://doi.org/10.1016/S2468-2667\(24\)00166-X](https://doi.org/10.1016/S2468-2667(24)00166-X).
 45. Foreman, K.J., Marquez, N., Dolgert, A., Fukutaki, K., Fullman, N., McGaughey, M., Pletcher, M.A., Smith, A.E., Tang, K., Yuan, C.-W., et al. (2018). Forecasting life expectancy, years of life lost, and all-cause and cause-specific mortality for 250 causes of death: reference and alternative scenarios for 2016–2034 for 195 countries and territories. *The Lancet* 392, 2052-2090. 10.1016/S0140-6736(18)31694-5.
 46. Chen, H., Chen, G., Zheng, X., and Guo, Y. (2019). Contribution of specific diseases and injuries to changes in health adjusted life expectancy in 187 countries from 1990 to 2013: retrospective observational study. *Bmj* 364, 1969. 10.1136/bmj.1969.


Figure Legend

Figure 1. Age-standardized prevalence and DALYs per 100,000 population for mental disorders in LMICs and LICs of the years 1990, 2019, and 2023.




DALY, disability-adjusted life years; LIC, low-income country; LMIC, low-middle income country.

Figure 2. Trends of age-standardized prevalence and DALYs per 100,000 population for mental disorders in LMICs and LICs. **(A)** Total age-standardized prevalence of mental disorders; **(B)** Total DALY burden of mental disorders.



DALY, disability-adjusted life years; LIC, low-income country; LMIC, low-middle income country.

Figure 3. Total percentage change in age-standardized DALYs for mental disorders in LMICs and LICs before and during pandemic periods (2015-2019 vs. 2019-2023). **(A)** Total percentage change of age-standardized DALYs for mental disorders in LMICs; **(B)** Total percentage change of age-standardized DALYs for mental disorders in LICs.




DALY, disability-adjusted life years; LIC, low-income country; LMIC, low-middle income country.

Figure 4. Total percentage change in age-standardized prevalence from 1990 to 2023, ranked by each mental disorder in LMICs.

Country	Mental disorders, total percent change (%)	1	2	3	4	5	6	7	8	9	10
LMIC	79.47	Anxiety disorders (102.28)	Eating disorders (40.65)	Depressive disorders (28.60)	ASD (14.91)	ADHD (14.85)	Conduct disorder (3.07)	Bipolar disorder (1.32)	Schizophrenia (0.72)	Other mental disorders (-0.53)	Idiopathic IDD (-27.24)
Nigeria	46.71	Anxiety disorders (143.68)	Depressive disorders (38.00)	Eating disorders (28.38)	ASD (12.25)	Conduct disorder (2.49)	Schizophrenia (1.12)	Bipolar disorder (0.27)	ADHD (-0.46)	Other mental disorders (-2.74)	Idiopathic IDD (-19.58)
Guinea	43.18	Anxiety disorders (96.14)	Depressive disorders (33.95)	ASD (14.57)	Eating disorders (6.39)	ADHD (0.04)	Bipolar disorder (0.00)	Other mental disorders (-0.01)	Schizophrenia (-0.08)	Conduct disorder (-0.11)	Idiopathic IDD (-11.57)
Cabo Verde	42.99	Anxiety disorders (108.21)	Eating disorders (35.96)	ASD (22.95)	Depressive disorders (21.04)	Idiopathic IDD (13.86)	Other mental disorders (2.73)	ADHD (2.32)	Conduct disorder (0.78)	Schizophrenia (-0.34)	Bipolar disorder (-0.34)
Sao Tome and Principe	42.61	Anxiety disorders (110.90)	Depressive disorders (22.99)	ASD (15.15)	Eating disorders (10.66)	Other mental disorders (0.89)	ADHD (0.44)	Bipolar disorder (-0.08)	Conduct disorder (-0.16)	Schizophrenia (-0.16)	Idiopathic IDD (-1.67)
Côte d'Ivoire	40.54	Anxiety disorders (102.09)	Depressive disorders (25.95)	ASD (17.39)	Eating disorders (5.24)	Conduct disorder (0.95)	ADHD (0.94)	Other mental disorders (0.20)	Bipolar disorder (-0.04)	Schizophrenia (-0.20)	Idiopathic IDD (-8.82)
Lesotho	38.52	Anxiety disorders (107.27)	Depressive disorders (28.63)	ASD (14.96)	Eating disorders (12.75)	ADHD (3.37)	Other mental disorders (2.69)	Schizophrenia (1.15)	Conduct disorder (1.06)	Bipolar disorder (1.03)	Idiopathic IDD (8.61)
Mauritania	37.93	Anxiety disorders (115.40)	Depressive disorders (23.59)	ASD (19.61)	Eating disorders (8.39)	Schizophrenia (0.01)	Bipolar disorder (0.01)	Other mental disorders (-0.01)	Conduct disorder (-0.11)	ADHD (0.23)	Idiopathic IDD (18.73)
Senegal	37.45	Anxiety disorders (97.49)	Depressive disorders (24.45)	ASD (20.79)	Eating disorders (4.58)	Conduct disorder (2.63)	ADHD (2.18)	Schizophrenia (0.18)	Bipolar disorder (-0.01)	Other mental disorders (-0.15)	Idiopathic IDD (4.54)
Cameroon	37.05	Anxiety disorders (82.25)	Depressive disorders (32.57)	ASD (15.28)	ADHD (0.64)	Other mental disorders (0.49)	Conduct disorder (0.15)	Schizophrenia (-0.02)	Bipolar disorder (-0.05)	Eating disorders (0.45)	Idiopathic IDD (9.30)
Zambia	36.08	Anxiety disorders (109.56)	Depressive disorders (23.07)	ASD (20.41)	Eating disorders (14.88)	Conduct disorder (0.99)	ADHD (0.40)	Bipolar disorder (0.10)	Schizophrenia (-0.03)	Other mental disorders (-0.78)	Idiopathic IDD (-9.70)
Honduras	33.38	Anxiety disorders (123.32)	Depressive disorders (25.42)	Eating disorders (17.14)	ASD (16.79)	Schizophrenia (0.30)	Bipolar disorder (0.26)	Conduct disorder (0.15)	ADHD (-0.17)	Other mental disorders (-0.68)	Idiopathic IDD (-21.05)
Comoros	34.76	Anxiety disorders (108.11)	Depressive disorders (28.56)	ASD (27.61)	ADHD (1.21)	Conduct disorder (0.72)	Other mental disorders (0.55)	Bipolar disorder (-0.11)	Schizophrenia (-0.36)	Eating disorders (-1.45)	Idiopathic IDD (-20.01)
Benin	33.33	Anxiety disorders (69.83)	Depressive disorders (29.68)	ASD (17.19)	Eating disorders (11.79)	Other mental disorders (0.70)	ADHD (0.64)	Bipolar disorder (-0.07)	Schizophrenia (-0.20)	Conduct disorder (-0.15)	Idiopathic IDD (-16.45)
Ghana	33.26	Anxiety disorders (82.07)	Depressive disorders (36.36)	Eating disorders (25.15)	ASD (16.39)	Schizophrenia (0.59)	ADHD (0.18)	Other mental disorders (0.01)	Bipolar disorder (-0.00)	Conduct disorder (-0.22)	Idiopathic IDD (-10.17)
Djibouti	32.15	Anxiety disorders (145.41)	ASD (20.06)	Depressive disorders (15.75)	Eating disorders (10.91)	ADHD (1.30)	Conduct disorder (1.15)	Other mental disorders (0.58)	Schizophrenia (0.15)	Bipolar disorder (0.12)	Idiopathic IDD (-11.15)
Rwanda	32.11	Anxiety disorders (68.36)	Depressive disorders (51.98)	ASD (22.22)	Eating disorders (2.54)	ADHD (0.45)	Conduct disorder (0.20)	Bipolar disorder (0.01)	Schizophrenia (0.00)	Other mental disorders (0.26)	Idiopathic IDD (5.38)
Micronesia	30.34	Anxiety disorders (67.91)	Depressive disorders (48.12)	ASD (24.57)	Eating disorders (8.30)	Schizophrenia (0.17)	ADHD (0.11)	Bipolar disorder (0.00)	Conduct disorder (0.02)	Other mental disorders (0.06)	Idiopathic IDD (8.75)
Samoa	30.25	Anxiety disorders (69.10)	Depressive disorders (47.38)	ASD (19.03)	Eating disorders (16.61)	Bipolar disorder (0.03)	Schizophrenia (0.10)	Other mental disorders (-0.01)	Conduct disorder (0.79)	ADHD (1.55)	Idiopathic IDD (3.01)
India	29.78	Anxiety disorders (123.49)	Eating disorders (52.52)	ADHD (26.37)	Depressive disorders (10.06)	ASD (10.06)	Schizophrenia (1.48)	Conduct disorder (0.90)	Bipolar disorder (-0.39)	Other mental disorders (-0.60)	Idiopathic IDD (23.85)
Solomon Islands	29.69	Anxiety disorders (62.27)	Depressive disorders (53.68)	ASD (17.99)	Eating disorders (3.48)	Bipolar disorder (0.03)	ADHD (0.10)	Conduct disorder (0.18)	Schizophrenia (-0.58)	Other mental disorders (0.80)	Idiopathic IDD (3.44)
Congo	29.31	Anxiety disorders (64.93)	Depressive disorders (29.86)	ASD (19.50)	Idiopathic IDD (8.33)	Eating disorders (0.99)	Other mental disorders (0.95)	Bipolar disorder (0.10)	ADHD (-0.14)	Schizophrenia (0.24)	Conduct disorder (0.52)
Vanuatu	28.53	Anxiety disorders (65.54)	Depressive disorders (46.89)	ASD (17.42)	Eating disorders (9.41)	Schizophrenia (0.03)	Bipolar disorder (0.05)	Conduct disorder (0.05)	ADHD (-0.12)	Other mental disorders (-1.20)	Idiopathic IDD (2.83)
Eswatini	28.51	Anxiety disorders (61.30)	Eating disorders (31.73)	ASD (17.43)	ADHD (16.86)	Schizophrenia (2.53)	ADHD (1.10)	Other mental disorders (1.02)	Conduct disorder (0.80)	Bipolar disorder (0.10)	Idiopathic IDD (2.15)
Nicaragua	28.36	Anxiety disorders (79.83)	ASD (19.75)	Depressive disorders (17.67)	Eating disorders (12.32)	ADHD (1.38)	Conduct disorder (0.93)	Schizophrenia (0.67)	Other mental disorders (-0.08)	Bipolar disorder (-0.11)	Idiopathic IDD (-13.97)
Bolivia	27.85	Anxiety disorders (64.46)	Eating disorders (28.31)	ASD (18.47)	Depressive disorders (13.26)	ADHD (0.83)	Schizophrenia (0.60)	Conduct disorder (0.56)	Other mental disorders (0.17)	Bipolar disorder (-0.08)	Idiopathic IDD (-21.61)
Papua New Guinea	26.95	Anxiety disorders (57.82)	Depressive disorders (47.07)	ASD (18.72)	Eating disorders (6.79)	Conduct disorder (0.23)	ADHD (0.05)	Other mental disorders (0.03)	Bipolar disorder (-0.00)	Schizophrenia (-0.19)	Idiopathic IDD (-4.28)
Nepal	26.89	Anxiety disorders (129.66)	Eating disorders (33.38)	Depressive disorders (14.60)	Conduct disorder (0.47)	Bipolar disorder (0.03)	Schizophrenia (0.11)	ADHD (-0.14)	Other mental disorders (0.87)	ASD (7.77)	Idiopathic IDD (18.94)
Tunisia	26.81	Depressive disorders (52.24)	Anxiety disorders (39.05)	ASD (29.70)	Eating disorders (28.73)	Conduct disorder (0.61)	Schizophrenia (0.08)	Bipolar disorder (0.07)	ADHD (0.07)	Other mental disorders (0.37)	Idiopathic IDD (13.75)
United Republic of Tanzania	26.62	Anxiety disorders (78.39)	Depressive disorders (32.81)	Eating disorders (25.25)	ASD (20.99)	ADHD (0.56)	Schizophrenia (0.50)	Conduct disorder (0.24)	Other mental disorders (0.06)	Bipolar disorder (0.03)	Idiopathic IDD (20.68)
Haiti	26.37	Anxiety disorders (82.76)	Depressive disorders (25.19)	ASD (17.56)	ADHD (1.18)	Conduct disorder (1.03)	Bipolar disorder (0.02)	Other mental disorders (0.33)	Schizophrenia (0.82)	Eating disorders (3.64)	Idiopathic IDD (13.79)
Pakistan	25.52	Anxiety disorders (82.24)	Depressive disorders (32.56)	Eating disorders (23.03)	Bipolar disorder (0.03)	Schizophrenia (0.24)	Other mental disorders (0.51)	Conduct disorder (0.59)	ADHD (1.03)	ASD (4.39)	Idiopathic IDD (12.02)
Lebanon	24.06	Depressive disorders (42.31)	Anxiety disorders (36.13)	ASD (30.57)	Eating disorders (11.72)	ADHD (1.74)	Conduct disorder (0.52)	Schizophrenia (0.11)	Other mental disorders (0.00)	Bipolar disorder (0.00)	Idiopathic IDD (10.27)
Myanmar	21.98	Eating disorders (65.07)	Anxiety disorders (64.84)	Depressive disorders (55.32)	ASD (33.37)	Schizophrenia (2.02)	Conduct disorder (0.28)	ADHD (0.06)	Bipolar disorder (0.03)	Other mental disorders (0.62)	Idiopathic IDD (31.57)
Tajikistan	22.79	Anxiety disorders (80.84)	Depressive disorders (30.59)	ASD (11.05)	Other mental disorders (0.68)	ADHD (0.60)	Conduct disorder (0.37)	Schizophrenia (0.00)	Bipolar disorder (-0.08)	Eating disorders (6.88)	Idiopathic IDD (10.33)
Jordan	22.44	Depressive disorders (44.97)	Anxiety disorders (34.81)	ASD (24.14)	Eating disorders (6.22)	Other mental disorders (0.90)	ADHD (0.72)	Schizophrenia (0.07)	Bipolar disorder (-0.16)	Conduct disorder (-0.28)	Idiopathic IDD (8.51)
Kenya	22.35	Anxiety disorders (65.56)	Depressive disorders (22.41)	ASD (15.64)	Eating disorders (13.88)	ADHD (2.14)	Schizophrenia (0.60)	Bipolar disorder (0.00)	Other mental disorders (-0.13)	Conduct disorder (-0.43)	Idiopathic IDD (8.66)
Angola	21.80	Anxiety disorders (46.49)	Depressive disorders (21.43)	Eating disorders (20.80)	ASD (14.61)	Schizophrenia (0.22)	Bipolar disorder (0.21)	Conduct disorder (0.10)	ADHD (-1.60)	Other mental disorders (1.67)	Idiopathic IDD (24.31)
Sri Lanka	21.21	Anxiety disorders (73.27)	Eating disorders (50.43)	Depressive disorders (35.32)	ASD (34.68)	ADHD (11.10)	Schizophrenia (1.36)	Bipolar disorder (0.50)	Conduct disorder (0.04)	Other mental disorders (0.97)	Idiopathic IDD (16.04)
Laos	20.80	Anxiety disorders (100.70)	Eating disorders (58.46)	Depressive disorders (29.01)	ASD (28.32)	Schizophrenia (2.60)	ADHD (1.46)	Other mental disorders (0.82)	Conduct disorder (0.74)	Bipolar disorder (0.05)	Idiopathic IDD (29.23)
Zimbabwe	20.76	Anxiety disorders (46.81)	Depressive disorders (23.11)	ASD (9.17)	Conduct disorder (0.21)	Bipolar disorder (0.12)	Schizophrenia (0.09)	Other mental disorders (0.32)	Schizophrenia (0.91)	Idiopathic IDD (6.32)	Eating disorders (7.86)
Egypt	20.05	Depressive disorders (35.94)	Eating disorders (34.51)	Anxiety disorders (31.95)	ASD (22.63)	ADHD (6.29)	Schizophrenia (0.65)	Other mental disorders (0.32)	Conduct disorder (0.14)	Bipolar disorder (0.06)	Idiopathic IDD (9.35)
Bangladesh	19.39	Anxiety disorders (49.55)	Eating disorders (49.02)	Depressive disorders (23.16)	Schizophrenia (0.08)	Bipolar disorder (0.11)	Other mental disorders (0.11)	ADHD (1.33)	Conduct disorder (1.27)	ASD (16.75)	Idiopathic IDD (32.62)
Philippines	18.81	Depressive disorders (44.43)	Anxiety disorders (42.21)	Eating disorders (28.75)	ASD (20.09)	Schizophrenia (1.22)	ADHD (0.89)	Conduct disorder (0.60)	Other mental disorders (0.01)	Bipolar disorder (0.00)	Idiopathic IDD (23.67)
Kyrgyzstan	18.38	Anxiety disorders (59.53)	Depressive disorders (31.63)	ASD (12.99)	Conduct disorder (0.50)	Other mental disorders (0.41)	ADHD (0.34)	Bipolar disorder (0.05)	Schizophrenia (0.21)	Eating disorders (4.57)	Idiopathic IDD (10.28)
Cambodia	18.22	Eating disorders (41.59)	Depressive disorders (41.42)	Anxiety disorders (39.14)	ASD (28.61)	Schizophrenia (2.45)	ADHD (2.01)	Other mental disorders (1.21)	Conduct disorder (0.96)	Bipolar disorder (0.07)	Idiopathic IDD (27.18)
Morocco	17.24	Depressive disorders (38.75)	ASD (32.10)	Eating disorders (23.05)	Anxiety disorders (21.40)	ADHD (1.16)	Conduct disorder (0.92)	Other mental disorders (0.28)	Schizophrenia (0.26)	Bipolar disorder (0.07)	Idiopathic IDD (13.57)
Bhutan	15.20	Eating disorders (61.01)	Anxiety disorders (52.12)	Depressive disorders (13.26)	Schizophrenia (0.54)	Bipolar disorder (0.03)	Other mental disorders (0.24)	ADHD (2.04)	Conduct disorder (1.31)	ASD (5.36)	Idiopathic IDD (13.16)
Timor-Leste	13.35	Anxiety disorders (43.15)	ASD (28.27)	Depressive disorders (23.34)	Eating disorders (22.41)	Schizophrenia (1.08)	Bipolar disorder (0.01)	Other mental disorders (0.66)	ADHD (1.11)	Conduct disorder (1.44)	Idiopathic IDD (18.83)
Viet Nam	12.91	Eating disorders (64.36)	Depressive disorders (36.12)	ASD (27.87)	Anxiety disorders (27.60)	Schizophrenia (1.51)	Other mental disorders (1.28)	Bipolar disorder (0.15)	ADHD (-3.87)	Conduct disorder (5.53)	Idiopathic IDD (33.10)
Uzbekistan	10.53	Anxiety disorders (31.05)	Eating disorders (20.18)	Depressive disorders (19.88)	ASD (10.15)	ADHD (0.72)	Conduct disorder (0.71)	Schizophrenia (0.44)	Other mental disorders (0.42)	Bipolar disorder (0.05)	Idiopathic IDD (12.25)

ADHD, attention-deficit/hyperactivity disorder; ASD, autism spectrum disorders; DALY, disability-adjusted life years; DPRK, Democratic People's Republic of Korea; Idiopathic IDD, idiopathic intellectual developmental disability; LIC, low-income country; LMIC, low-middle income country.

Figure 5. Estimated and forecasted prevalence of age-standardized mental disorder rate per 100,000 population through 2050.



LIC, low-income country; LMIC, low-middle income country.

Table 1. Age-standardized prevalence and DALYs per 100,000 population of mental disorders in LMICs and LICs across 76 countries in 1990, 2019, and 2023.

Country	Age-standardized prevalence per 100,000 population (95% UI)			Age-standardized DALYs per 100,000 population (95% UI)		
	1990	2019	2023	1990	2019	2023
LMICs	10,759.0 (9560.1 to 12,088.6)	11,503.3 (10,447.9 to 12,598.1)	13,929.3 (12,512.5 to 15,829.0)	1507.6 (1073.4 to 1897.9)	1665.0 (1221.7 to 2160.2)	2036.0 (1489.7 to 2739.4)
LICs	11,723.6 (10,577.7 to 12,987.5)	12,361.8 (11,164.2 to 13,499.1)	14,979.1 (13,512.9 to 16,770.7)	1713.5 (1205.2 to 2163.1)	1843.0 (1351.9 to 2402.0)	2255.6 (1627.9 to 3020.9)
Afghanistan	12,702.2 (11,574.0 to 14,067.1)	13,057.5 (11,946.6 to 14,177.9)	16,130.6 (14,692.3 to 17,821.2)	1775.3 (1265.8 to 2272.1)	1890.6 (1401.8 to 2436.3)	2365.2 (1720.1 to 3102.6)
Angola	14,240.7 (12,462.5 to 16,098.6)	14,282.3 (12,709.2 to 16,061.8)	17,344.4 (15,548.5 to 19,671.6)	2141.2 (1479.1 to 2797.6)	2169.2 (1542.0 to 2883.9)	2663.7 (1881.5 to 3625.5)
Bangladesh	11,522.9 (10,128.6 to 13,031.1)	11,208.5 (10,064.8 to 12,554.4)	13,757.5 (12,305.4 to 15,681.3)	1746.7 (1238.3 to 2267.3)	1758.1 (1275.2 to 2308.5)	2166.0 (1576.9 to 2921.4)
Benin	11,948.0 (10,660.0 to 13,249.7)	13,250.9 (11,748.0 to 14,699.5)	15,929.9 (13,968.9 to 18,195.8)	1694.0 (1204.5 to 2172.2)	1913.0 (1382.6 to 2520.7)	2307.7 (1668.3 to 3106.1)
Bhutan	10,388.1 (9363.9 to 11,790.0)	10,784.4 (9845.5 to 11,843.5)	11,966.7 (10,778.0 to 13,417.9)	1488.3 (1060.1 to 1896.7)	1564.8 (1147.4 to 2042.0)	1751.7 (1284.8 to 2336.3)
Bolivia (Plurinational State of)	14,211.2 (12,859.1 to 15,847.4)	14,421.4 (12,917.5 to 16,043.7)	18,169.0 (15,842.5 to 20,721.3)	1966.3 (1387.5 to 2585.0)	2003.9 (1437.3 to 2634.1)	2538.4 (1819.3 to 3427.5)
Burkina Faso	11,633.6 (10,434.5 to 12,880.0)	13,216.7 (11,753.0 to 14,628.1)	16,212.4 (14,327.3 to 18,432.3)	1668.4 (1189.7 to 2110.5)	1946.3 (1429.9 to 2552.8)	2399.7 (1746.1 to 3232.4)
Burundi	10,930.7 (9804.7 to 12,029.8)	11,365.7 (10,309.5 to 12,431.7)	13,707.7 (12,343.3 to 15,239.8)	1587.9 (1133.8 to 2027.8)	1660.6 (1209.2 to 2152.4)	2025.9 (1489.0 to 2700.0)
Cabo Verde	10,818.5 (9692.1 to 11,967.9)	12,177.2 (10,805.3 to 13,486.7)	15,469.5 (13,564.7 to 17,703.0)	1587.2 (1132.2 to 2000.6)	1786.3 (1304.4 to 2337.3)	2262.8 (1640.1 to 3041.8)
Cambodia	9029.4 (8032.3 to 10,137.1)	9382.1 (8477.6 to 10,376.1)	10,674.8 (9616.9 to 11,932.0)	1212.5 (861.4 to 1520.9)	1347.7 (978.3 to 1735.6)	1541.4 (1125.5 to 2037.3)
Cameroon	11,478.4 (10,297.1 to 12,719.1)	12,729.8 (11,308.2 to 14,110.7)	15,731.4 (13,883.2 to 17,920.3)	1638.8 (1155.5 to 2069.8)	1845.9 (1342.3 to 2422.8)	2294.9 (1651.2 to 3106.2)
Central African Republic	12,905.6 (11,345.8 to 14,486.5)	14,466.9 (12,811.6 to 16,331.4)	17,768.4 (15,913.5 to 20,120.2)	1885.9 (1311.3 to 2443.9)	2161.5 (1540.7 to 2874.0)	2666.0 (1890.4 to 3619.9)
Chad	11,975.4 (10,607.9 to 13,356.1)	13,963.1 (12,421.7 to 15,469.5)	17,231.2 (15,211.4 to 19,629.4)	1803.7 (1254.7 to 2300.7)	2092.2 (1509.5 to 2759.5)	2589.7 (1877.8 to 3536.5)
Comoros	10,799.2 (9674.2 to 11,985.1)	11,725.1 (10,618.9 to 12,914.0)	14,553.1 (13,115.7 to 16,434.9)	1600.9 (1135.7 to 2043.1)	1775.4 (1286.6 to 2316.8)	2200.5 (1594.8 to 2974.2)
Congo	12,721.3 (11,220.3 to 14,227.4)	13,544.0 (12,119.3 to 15,023.3)	16,450.1 (14,801.1 to 18,417.8)	1930.5 (1339.5 to 2513.6)	2089.7 (1487.9 to 2765.5)	2549.8 (1832.9 to 3460.6)
Côte d'Ivoire	11,041.8 (9852.4 to 12,244.2)	12,727.7 (11,267.7 to 14,136.0)	15,518.7 (13,681.2 to 17,756.8)	1572.3 (1102.9 to 1981.2)	1839.6 (1334.2 to 2401.4)	2244.6 (1620.6 to 3055.4)
Democratic People's Republic of Korea	10,014.0 (9099.9 to 11,036.7)	10,644.0 (9596.6 to 11,807.5)	12,048.2 (10,797.8 to 13,818.1)	1361.5 (976.4 to 1738.2)	1511.9 (1099.4 to 1952.4)	1729.5 (1262.6 to 2340.3)

Democratic Republic of the Congo	12,384.8 (10,868.4 to 13,935.2)	12,859.5 (11,392.0 to 14,500.8)	15,610.2 (13,986.1 to 17,809.3)	1858.2 (1295.6 to 2434.0)	1974.6 (1411.3 to 2633.0)	2426.4 (1719.3 to 3329.2)
Djibouti	10,135.5 (9151.9 to 11,186.2)	10,754.2 (9797.8 to 11,742.4)	13,394.3 (12,106.3 to 14,922.2)	1511.4 (1080.5 to 1906.9)	1581.7 (1146.6 to 2024.5)	1999.9 (1470.7 to 2664.7)
Egypt	13,242.0 (11,794.9 to 14,673.7)	13,475.2 (12,174.4 to 14,932.7)	15,897.4 (14,225.8 to 17,842.5)	1896.9 (1326.0 to 2432.2)	1991.3 (1424.8 to 2599.1)	2379.2 (1721.1 to 3196.4)
Eritrea	11,210.0 (10,060.2 to 12,386.9)	11,430.2 (10,389.3 to 12,497.4)	13,555.1 (12,214.8 to 15,049.6)	1626.8 (1163.0 to 2077.5)	1671.3 (1210.1 to 2161.3)	1993.9 (1473.4 to 2650.7)
Eswatini	11,104.6 (9866.2 to 12,266.3)	11,338.7 (10,191.4 to 12,523.3)	14,270.8 (12,666.2 to 16,308.8)	1634.7 (1146.9 to 2099.2)	1662.1 (1198.3 to 2169.6)	2123.4 (1518.3 to 2888.8)
Ethiopia	11,830.6 (10,567.3 to 13,000.7)	11,827.9 (10,780.6 to 12,954.5)	14,392.7 (13,012.0 to 16,099.7)	1794.6 (1286.0 to 2317.2)	1818.7 (1320.5 to 2377.7)	2245.2 (1662.4 to 2983.6)
Gambia	10,835.8 (9713.1 to 11,994.1)	12,191.7 (10,797.3 to 13,512.3)	15,765.6 (13,830.6 to 18,058.3)	1562.6 (1102.8 to 1963.9)	1761.3 (1289.8 to 2283.8)	2281.1 (1656.4 to 3079.1)
Ghana	10,927.6 (9776.5 to 12,134.1)	12,232.6 (11,014.3 to 13,520.8)	14,562.4 (12,993.3 to 16,498.8)	1630.7 (1154.7 to 2060.6)	1869.4 (1369.6 to 2440.0)	2240.7 (1616.4 to 3008.9)
Guinea	11,470.1 (10,256.2 to 12,700.2)	13,355.0 (11,810.6 to 14,846.7)	16,423.1 (14,452.5 to 18,788.0)	1635.2 (1150.9 to 2074.1)	1931.4 (1392.6 to 2541.0)	2377.7 (1720.4 to 3190.6)
Guinea-Bissau	10,781.9 (9678.1 to 11,935.5)	12,095.1 (10,745.5 to 13,400.4)	15,395.7 (13,521.7 to 17,586.0)	1538.8 (1086.5 to 1939.3)	1726.4 (1251.8 to 2266.9)	2222.2 (1608.7 to 2993.1)
Haiti	13,365.2 (12,138.3 to 14,668.7)	14,616.7 (13,112.0 to 16,110.4)	16,889.0 (15,257.5 to 18,947.0)	1876.9 (1342.3 to 2408.5)	2069.8 (1498.9 to 2729.5)	2435.0 (1760.4 to 3264.2)
Honduras	10,651.6 (9723.7 to 11,598.6)	11,717.0 (10,640.6 to 12,918.2)	14,420.6 (12,913.4 to 16,348.3)	1596.0 (1142.7 to 2012.1)	1747.4 (1270.0 to 2275.5)	2162.2 (1569.4 to 2893.8)
India	11,012.9 (9613.8 to 12,681.2)	11,735.9 (10,602.1 to 12,918.5)	14,292.2 (12,853.1 to 16,276.8)	1493.9 (1069.5 to 1898.1)	1646.3 (1202.1 to 2130.9)	2028.4 (1499.6 to 2704.0)
Jordan	12,338.2 (11,242.7 to 13,665.2)	12,763.5 (11,618.6 to 13,855.3)	15,106.3 (13,689.1 to 16,728.1)	1826.4 (1292.8 to 2341.4)	1949.7 (1432.1 to 2499.7)	2327.8 (1673.8 to 3069.5)
Kenya	10,326.3 (9240.7 to 11,413.4)	10,692.8 (9793.2 to 11,744.1)	12,634.0 (11,482.3 to 14,029.4)	1513.4 (1085.1 to 1931.8)	1587.4 (1156.4 to 2040.6)	1882.9 (1382.1 to 2488.6)
Kiribati	9659.5 (8429.3 to 11,116.9)	10,604.9 (9336.9 to 12,014.6)	12,760.8 (11,207.0 to 15,020.3)	1386.9 (953.9 to 1779.5)	1570.8 (1122.6 to 2088.2)	1911.2 (1360.4 to 2659.3)
Kyrgyzstan	9631.9 (8648.8 to 10,832.1)	9817.3 (8775.9 to 11,013.0)	11,402.0 (10,082.4 to 12,850.6)	1371.7 (970.7 to 1719.7)	1435.4 (1039.3 to 1863.0)	1694.1 (1210.3 to 2258.5)
Lao People's Democratic Republic	7815.4 (6940.9 to 8768.1)	8521.2 (7675.9 to 9503.8)	9440.7 (8444.5 to 10,621.7)	1068.0 (765.3 to 1330.7)	1239.2 (903.4 to 1587.4)	1378.3 (1000.4 to 1830.3)
Lebanon	14,328.6 (12,990.0 to 16,052.3)	14,355.0 (12,916.5 to 15,875.6)	17,776.5 (15,754.1 to 20,142.4)	2124.2 (1523.9 to 2730.7)	2206.8 (1612.0 to 2929.5)	2748.6 (2009.8 to 3717.2)
Lesotho	10,123.6 (9097.1 to 11,130.5)	10,814.2 (9660.4 to 12,003.4)	14,023.6 (12,264.0 to 16,017.0)	1455.5 (1028.9 to 1852.9)	1533.0 (1118.2 to 2011.2)	2013.0 (1456.5 to 2738.7)
Liberia	11,743.8 (10,507.5 to 13,015.0)	12,880.1 (11,425.0 to 14,252.7)	16,535.5 (14,489.7 to 18,957.3)	1669.9 (1189.8 to 2120.2)	1842.1 (1352.9 to 2419.9)	2371.0 (1734.0 to 3214.0)

Madagascar	10,479.7 (9457.8 to 11,509.7)	11,236.7 (10,211.8 to 12,286.8)	13,725.0 (12,364.4 to 15,270.8)	1515.4 (1084.8 to 1928.5)	1657.8 (1205.9 to 2127.4)	2052.7 (1493.8 to 2718.4)
Malawi	10,430.6 (9391.7 to 11,468.8)	11,248.7 (10,204.4 to 12,295.1)	13,946.1 (12,511.0 to 15,704.3)	1497.0 (1076.5 to 1894.4)	1646.9 (1196.4 to 2139.8)	2048.6 (1480.1 to 2741.9)
Mali	10,598.4 (9475.5 to 11,737.8)	12,170.5 (10,786.9 to 13,486.2)	15,604.8 (13,745.6 to 17,919.4)	1510.5 (1071.6 to 1896.9)	1750.4 (1274.0 to 2306.9)	2245.7 (1634.4 to 3054.5)
Mauritania	10,061.3 (9018.8 to 11,154.9)	10,870.3 (9739.5 to 12,008.8)	13,877.4 (12,269.7 to 15,888.8)	1467.7 (1035.0 to 1840.3)	1589.2 (1173.6 to 2048.3)	2036.4 (1472.1 to 2742.3)
Micronesia (Federated States of)	9403.6 (8260.8 to 10,734.3)	10,244.5 (9039.3 to 11,537.8)	12,257.0 (10,697.4 to 14,345.3)	1336.5 (926.1 to 1724.9)	1490.7 (1067.5 to 1954.3)	1797.4 (1280.0 to 2496.9)
Morocco	12,502.2 (11,423.6 to 13,797.2)	12,519.9 (11,496.3 to 13,461.6)	14,657.4 (13,389.6 to 16,136.0)	1826.7 (1300.2 to 2344.0)	1902.3 (1398.4 to 2447.7)	2249.0 (1646.5 to 2911.2)
Mozambique	12,443.2 (11,048.4 to 13,775.1)	12,483.7 (11,234.9 to 13,674.2)	15,030.8 (13,436.1 to 16,883.8)	1772.8 (1257.3 to 2274.4)	1777.1 (1298.4 to 2341.6)	2159.4 (1575.8 to 2885.4)
Myanmar	8228.7 (7339.2 to 9184.1)	8747.0 (7964.1 to 9628.2)	10,202.6 (9204.5 to 11,289.7)	1113.2 (801.1 to 1388.3)	1281.5 (931.0 to 1634.7)	1509.9 (1105.8 to 1981.1)
Nepal	10,050.6 (9053.7 to 11,284.0)	10,549.6 (9607.1 to 11,666.2)	12,753.1 (11,467.8 to 14,317.8)	1386.6 (1000.6 to 1758.2)	1491.5 (1103.7 to 1936.5)	1818.4 (1342.0 to 2396.4)
Nicaragua	11,406.1 (10,432.2 to 12,400.0)	11,947.8 (10,861.6 to 13,180.0)	14,640.4 (13,063.7 to 16,589.2)	1701.7 (1216.7 to 2192.8)	1766.2 (1284.7 to 2295.0)	2174.1 (1580.0 to 2908.3)
Niger	10,229.5 (9245.0 to 11,300.3)	11,879.8 (10,635.3 to 13,118.6)	15,002.1 (13,249.9 to 17,135.3)	1487.9 (1057.7 to 1867.8)	1737.7 (1277.7 to 2247.6)	2198.3 (1593.5 to 2963.3)
Nigeria	10,385.2 (9330.0 to 11,500.8)	12,446.2 (10,935.2 to 14,363.3)	15,236.6 (13,228.7 to 18,317.0)	1532.4 (1088.8 to 1947.9)	1865.1 (1369.2 to 2514.3)	2289.0 (1648.9 to 3146.5)
Pakistan	11,156.8 (10,006.9 to 12,613.1)	11,665.8 (10,610.9 to 12,836.7)	14,003.7 (12,626.8 to 15,685.9)	1629.7 (1168.6 to 2092.8)	1728.8 (1261.6 to 2260.4)	2107.9 (1547.7 to 2811.8)
Papua New Guinea	9561.0 (8383.2 to 10,931.2)	10,454.4 (9232.0 to 11,801.4)	12,137.4 (10,654.5 to 14,095.9)	1360.9 (938.9 to 1746.2)	1533.0 (1109.9 to 2016.3)	1794.8 (1274.4 to 2482.6)
Philippines	8515.8 (7621.2 to 9538.8)	8668.5 (7901.6 to 9502.7)	10,118.0 (9141.2 to 11,134.0)	1196.0 (856.0 to 1501.9)	1278.8 (936.8 to 1623.8)	1508.1 (1112.2 to 1990.8)
Rwanda	10,260.0 (9253.7 to 11,259.9)	11,358.5 (10,325.6 to 12,389.7)	14,016.0 (12,586.8 to 15,758.7)	1507.0 (1078.5 to 1930.0)	1670.3 (1211.4 to 2148.5)	2061.9 (1512.3 to 2774.6)
Samoa	9365.0 (8268.0 to 10,632.8)	10,202.4 (8984.3 to 11,514.4)	12,197.9 (10,622.2 to 14,264.1)	1346.6 (935.9 to 1726.8)	1500.8 (1085.9 to 1974.4)	1804.3 (1283.2 to 2503.5)
Sao Tome and Principe	10,866.2 (9735.2 to 12,023.6)	12,159.9 (10,802.5 to 13,446.3)	15,496.5 (13,604.7 to 17,767.1)	1585.5 (1127.7 to 1985.9)	1771.4 (1298.7 to 2326.7)	2254.1 (1634.4 to 3026.2)
Senegal	10,702.1 (9544.4 to 11,825.6)	11,823.8 (10,550.6 to 13,088.0)	14,710.3 (13,020.4 to 16,829.4)	1556.1 (1104.3 to 1963.2)	1733.5 (1273.2 to 2289.1)	2154.7 (1561.9 to 2911.5)
Sierra Leone	11,518.8 (10,341.6 to 12,779.1)	13,033.7 (11,519.8 to 14,452.4)	15,919.8 (14,005.7 to 18,199.0)	1635.7 (1155.0 to 2070.2)	1866.6 (1360.9 to 2450.8)	2292.1 (1674.1 to 3086.9)
Solomon Islands	9576.3 (8385.7 to 10,899.3)	10,452.3 (9216.0 to 11,846.5)	12,419.7 (10,885.9 to 14,463.4)	1376.5 (952.4 to 1758.6)	1537.2 (1108.3 to 2019.0)	1853.5 (1311.0 to 2583.3)

Somalia	10,943.7 (9847.3 to 12,046.4)	10,751.1 (9756.9 to 11,759.3)	12,995.8 (11,758.6 to 14,398.1)	1597.7 (1144.0 to 2049.3)	1589.4 (1155.3 to 2060.4)	1949.3 (1442.7 to 2571.3)
South Sudan	11,283.9 (10,164.0 to 12,423.1)	12,616.4 (11,407.5 to 13,807.4)	15,261.2 (13,692.5 to 17,166.1)	1624.4 (1167.1 to 2066.4)	1830.4 (1334.6 to 2412.1)	2220.6 (1610.8 to 2957.6)
Sri Lanka	8321.6 (7449.6 to 9273.8)	8961.2 (8163.9 to 9863.2)	10,086.2 (9203.5 to 11,158.3)	1120.3 (793.5 to 1391.7)	1255.1 (912.6 to 1595.8)	1434.5 (1051.4 to 1869.7)
Sudan	13,018.8 (11,850.0 to 14,550.6)	13,005.4 (11,880.5 to 14,162.1)	15,293.9 (13,845.7 to 16,849.9)	1888.2 (1312.7 to 2422.5)	1950.8 (1431.9 to 2516.5)	2336.8 (1679.5 to 3051.2)
Syrian Arab Republic	14,858.6 (13,186.1 to 16,622.7)	16,214.3 (14,595.0 to 18,157.2)	19,072.9 (17,071.7 to 21,439.5)	2304.2 (1572.9 to 2972.5)	2579.0 (1852.0 to 3450.3)	3064.1 (2174.1 to 4178.6)
Tajikistan	9850.1 (8803.3 to 11,091.4)	10,487.0 (9360.7 to 11,750.3)	12,095.0 (10,724.4 to 13,788.5)	1402.0 (995.6 to 1769.0)	1513.9 (1087.2 to 1979.6)	1775.2 (1249.9 to 2376.8)
Timor-Leste	8536.4 (7520.6 to 9621.6)	8634.1 (7779.6 to 9662.4)	9676.4 (8680.1 to 10,778.6)	1187.9 (845.0 to 1498.1)	1245.8 (908.9 to 1596.0)	1415.8 (1034.9 to 1867.6)
Togo	13,006.9 (11,273.0 to 15,400.4)	14,839.2 (12,708.5 to 17,542.2)	18,129.9 (15,578.8 to 22,080.0)	1888.6 (1294.7 to 2512.0)	2183.0 (1537.2 to 2968.0)	2677.6 (1899.4 to 3807.4)
Tunisia	13,378.8 (12,150.3 to 14,767.0)	13,968.9 (12,697.9 to 15,209.0)	16,966.2 (15,296.6 to 18,836.5)	1989.2 (1405.5 to 2560.2)	2169.9 (1594.2 to 2831.0)	2656.1 (1915.0 to 3533.1)
Uganda	11,047.0 (9914.8 to 12,182.1)	11,510.4 (10,392.9 to 12,608.6)	14,172.3 (12,472.1 to 15,920.1)	1586.9 (1134.3 to 2032.3)	1663.8 (1221.4 to 2155.7)	2062.8 (1505.2 to 2733.1)
United Republic of Tanzania	10,030.7 (9061.5 to 11,062.9)	10,522.0 (9590.3 to 11,532.4)	12,700.8 (11,519.1 to 14,040.1)	1452.8 (1050.4 to 1842.2)	1565.9 (1138.3 to 2021.5)	1915.5 (1412.6 to 2519.7)
Uzbekistan	9828.9 (8868.4 to 11,031.4)	9841.6 (8782.9 to 10,976.2)	10,863.7 (9656.4 to 12,182.7)	1396.2 (985.7 to 1763.5)	1434.9 (1035.4 to 1877.0)	1602.3 (1157.2 to 2117.3)
Vanuatu	9399.0 (8246.4 to 10,731.2)	10,308.0 (9106.5 to 11,675.7)	12,080.4 (10,539.4 to 14,076.0)	1338.1 (924.8 to 1731.8)	1511.8 (1083.3 to 1997.5)	1781.5 (1265.2 to 2459.8)
Viet Nam	7481.7 (6732.1 to 8320.6)	7669.1 (6959.3 to 8470.5)	8447.8 (7639.4 to 9366.6)	1074.2 (777.9 to 1339.5)	1172.6 (862.1 to 1480.3)	1302.6 (946.8 to 1684.3)
Yemen	12,676.9 (11,545.8 to 14,023.8)	12,731.5 (11,628.2 to 13,785.9)	14,684.8 (13,385.9 to 16,149.3)	1813.2 (1289.6 to 2319.1)	1918.3 (1416.7 to 2480.7)	2242.1 (1643.8 to 2911.9)
Zambia	10,790.3 (9680.2 to 11,887.9)	11,619.7 (10,522.4 to 12,707.4)	14,683.3 (13,169.6 to 16,568.3)	1557.9 (1109.3 to 1983.1)	1682.1 (1223.1 to 2199.3)	2139.5 (1542.8 to 2866.4)
Zimbabwe	11,257.6 (9951.7 to 12,456.6)	11,048.2 (9844.5 to 12,281.1)	13,594.7 (11,953.9 to 15,550.3)	1630.8 (1144.7 to 2095.5)	1605.4 (1155.9 to 2101.8)	1992.7 (1415.7 to 2724.3)

DALY, disability-adjusted life years; LIC, low-income country; LMIC, low-middle income country; UI, uncertainty interval.