

Est.
1841

YORK
ST JOHN
UNIVERSITY

Watson, Dean R., Hill, Andrew P. ORCID:
<https://orcid.org/0000-0001-6370-8901>, Madigan, Daniel J. ORCID:
<https://orcid.org/0000-0002-9937-1818> and Donachie, Tracy
ORCID: <https://orcid.org/0000-0001-5697-2974> (2023)
Effectiveness of an online Acceptance and Commitment Therapy
programme for perfectionism in soccer players. *Sport, Exercise,
and Performance Psychology*.

Downloaded from: <http://ray.yorks.ac.uk/id/eprint/8715/>

The version presented here may differ from the published version or version of record. If
you intend to cite from the work you are advised to consult the publisher's version:

<https://doi.org/10.1037/spy0000333>

Research at York St John (RaY) is an institutional repository. It supports the principles of
open access by making the research outputs of the University available in digital form.
Copyright of the items stored in RaY reside with the authors and/or other copyright
owners. Users may access full text items free of charge, and may download a copy for
private study or non-commercial research. For further reuse terms, see licence terms
governing individual outputs. [Institutional Repository Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at ray@yorks.ac.uk

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Watson, D. R., Hill, A. P., Madigan, D. J., & Donachie, T. C. (in press). Effectiveness of an online Acceptance and Commitment Therapy programme for perfectionism in soccer players: A randomized control trial. *Sport, Exercise, and Performance Psychology*. Accepted 26-09-2023 [Author Accepted Version].

Effectiveness of an Online Acceptance and Commitment Therapy Programme for
Perfectionism in Soccer Players: A Randomized Control Trial

Dean R. Watson¹, Andrew P. Hill^{2,3}, Daniel J. Madigan², & Tracy C. Donachie⁴

¹School of Psychology, University of Bolton, UK

²School of Science Technology and Health, York St. John University, UK

³Graduate Department of Kinesiology, University of Toronto, Canada

⁴School of Psychology, Newcastle University, UK

Author Note

Correspondence concerning this article should be addressed to Dean Watson, School of Psychology, University of Bolton, Deane Road, Bolton, BL3 5AB, UK.

E-mail: d.watson@bolton.ac.uk, Tel: (+44)1204 900600

26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

Abstract

There is currently limited understanding of how to reduce perfectionism in sport. With research outside of sport as impetus, in the current study we evaluated the effectiveness of an online ACT-based intervention for reducing perfectionism and improving pre-competition emotions in soccer players. Following a pre-registered protocol, eighty-one female soccer players (M age = 24.28 years, SD = 6.77) were randomly allocated to either an intervention group (n = 41) or a waitlist control group (n = 40). The intervention group had access to a set of online ACT-based modules for 8-weeks. Athletes completed measures of trait perfectionism, perfectionism cognitions, and pre-competition emotions pre-intervention and post-intervention. A 2 (group) x 2 (time) ANOVA revealed significant interaction effects for trait perfectionism, perfectionism cognitions, and pre-competition emotions. Following the intervention, the two groups displayed significant mean differences for trait perfectionism, perfectionism cognitions, and almost all pre-competition emotions. However, due to lower reliability of some instruments, findings regarding post-competition emotions were discounted. The findings suggest that online ACT-based interventions may be a viable and effective way to reduce perfectionism in soccer players (but not necessarily improving pre-competition emotions).

Keywords: practice, applied, health

50 **Effectiveness of an Online Acceptance and Commitment Therapy Programme for**
51 **Perfectionism in Soccer Players: A Randomized Control Trial**

52 Research suggests that athletes who are perfectionistic are more vulnerable to a range
53 of difficulties. In soccer academy players, for example, perfectionism has been implicated in
54 more negative pre-competition emotions and both higher burnout symptoms and higher
55 depressive symptoms (Donachie et al., 2019; Smith et al., 2018). However, we know very
56 little about effective interventions to reduce perfectionism in sport. The current study builds
57 on a small but growing body of work that has assessed the effectiveness of different types of
58 interventions to reduce perfectionism in athletes. We do so by evaluating the effectiveness of
59 a novel online Acceptance and Commitment Therapy (ACT)-based intervention in soccer
60 players. Our hope is to increase the evidence-base for researchers and practitioners working
61 with perfectionistic athletes and provide a better basis for working with perfectionistic
62 athletes in an applied setting.

63 **Trait perfectionism and perfectionism cognitions**

64 Perfectionism is a personality characteristic that includes traits, cognitions, and
65 presentational components. Athletes display different patterns of these components to create
66 complex profiles that exert an influence over their experiences in sport. The current study is
67 concerned with trait perfectionism and perfectionism cognitions. Trait perfectionism is
68 defined as a combination of unrealistically high standards and overly self-critical evaluations
69 (Frost et al., 1990). The two broad dimensions are normally labelled perfectionistic strivings
70 (PS) and perfectionistic concerns (PC) and are measured using different indicators or sub-
71 dimensions from different models (see Stoeber & Otto, 2006). Some of the typical indicators
72 are concerns over mistakes, doubts about performances, and negative reaction to
73 imperfections, as well as the very high, exceptionally high, and unrealistically high standards
74 for themselves and from others that people report they have when they are perfectionistic. To

75 understand the implications of being more perfectionistic in sport, researchers typically study
76 these sub-dimensions of perfectionism separately or in different combinations with one
77 another (see Hill & Madigan, 2017).

78 In addition to displaying general perfectionistic qualities, athletes who are
79 perfectionistic will also experience specific types of thoughts. These are called perfectionism
80 cognitions and are ruminative automatic thoughts and images that related to the need to be
81 perfect (Flett et al., 2018). According to Perfectionism Cognitions Theory (PCT; Flett et al.,
82 2018), perfectionism cognitions are the result of the way in which self-relevant information is
83 processed. In particular, how deep lying schemas pertaining to the “ideal self” create
84 sensitivity to notions of imperfection, dysfunctional attitudes, and irrational beliefs that make
85 people vulnerable to overthinking (e.g., worry) and cognitive interference (e.g., mind
86 wandering). Unlike trait perfectionism, perfectionism cognitions tend to be more state-like,
87 variable, and amenable to change (see Donachie & Hill, 2020). In studying perfectionism
88 cognitions, researchers record the frequency with which athletes report these types of
89 thoughts, often alongside any trait perfectionism they exhibit.

90 Most research in sport has focused on trait perfectionism and has done so by
91 comparing the correlates of PS and PC. In a meta-analysis of research in sport, PS was shown
92 to be complex and ambiguous, and related to a mix of outcomes (Hill et al., 2018). For
93 example, higher PS was related to higher positive affect and self-esteem, but also to higher
94 anxiety and fear of failure. There was also evidence that higher PS is related to better athlete
95 performance but this relationship, too, appears complex (e.g., Curran & Hill, 2018). In
96 contrast to PS, PC was shown to be consistently problematic for motivation and wellbeing.
97 For example, higher PC was related to higher external regulation, self-criticism, and
98 depressive symptoms. It was also unrelated to athlete performance (but in other work it seems
99 to have the potential to be related to lower performance via an interaction with PS; Lizmore

100 et al., 2019). As such, while the effects of PS are more contentious, there is consensus among
101 researchers that PC is problematic and therefore a valuable focus for intervention in sport.

102 Research examining perfectionism cognitions in sport is more limited, but findings
103 are indicative of some of the issues athletes can face as perfectionism cognitions become
104 more frequent. In one study, for example, more frequent perfectionism cognitions were
105 related to higher burnout symptoms and predicted burnout symptoms after taking into
106 account trait perfectionism in youth rugby players (Hill & Appleton, 2011). In two other
107 studies that are especially relevant here, perfectionism cognitions were found to predict more
108 negative pre-competition emotions in youth soccer players and mediate the relationship
109 between trait perfectionism and pre-competition emotions over time (Donachie et al, 2018;
110 Donachie et al., 2019). Evidence suggests, therefore, that efforts to support perfectionistic
111 athletes will need to include a focus on reducing perfectionism cognitions, as well as their
112 trait perfectionism.

113 **Reducing perfectionism inside and outside of sport**

114 To date, five studies have evaluated the effectiveness of interventions aimed at
115 reducing perfectionism in sport in athletes. Interventions have been delivered in different
116 sports (running, archery, golf, and soccer), using different types of interventions
117 (mindfulness-based, compassion-based, cognitive behavioral therapy [CBT]-based, and
118 psychological skills training [PST]), and using different designs (pretest-posttest, randomized
119 control trials [RCT], and single-subject multiple baseline). Generally, this research has
120 provided evidence that, to varying degrees, perfectionism in athletes can be reduced using
121 these interventions. For example, in one of the two studies using an RCT design, following a
122 one-week self-compassion-based intervention varsity athletes reported significantly lower
123 concerns over mistakes (Mosewich et al., 2013). In the only other study that used an RCT
124 design, too, following a seven-week CBT-based self-help intervention, soccer players

125 reported significantly lower self-oriented perfectionism (expecting yourself to be perfect),
126 socially-prescribed perfectionism (believing others expect you to be perfect), and
127 perfectionism cognitions (Donachie & Hill, 2020).

128 These studies are encouraging in regards to the potential to intervene and reduce
129 perfectionism in athletes. However, overall, research in sport lags behind other settings. We
130 continue to know very little about the effectiveness of different types and modalities of
131 intervention for perfectionism in sport; ultimately, what works (and to what degree) and what
132 does not work. In this regard, a recent study using a single-subject multiple baseline design is
133 illustrative of some of the issues sports psychologists might face when working with
134 perfectionism and how typical practice may not be effective. Specifically, Watson et al.
135 (2022) found that while PST appeared to help reduce some of the adverse effects of
136 perfectionism international basketballers reported (negative pre-competition emotions), there
137 was little evidence PST reduced their perfectionism cognitions. In addition, in research so far
138 on perfectionism, there has been a general reliance on traditional CBT-based interventions
139 with far fewer studies exploring other types of intervention (see Galloway et al., 2022). This
140 study addresses this limitation by examining, for the first time, the effectiveness of an online
141 ACT-based intervention to reduce perfectionism.

142 **Acceptance and Commitment Therapy and perfectionism**

143 ACT is a third wave form of Cognitive Behavioural Therapy with a distinctive
144 philosophical (Functional Contextualism) and theoretical (Relational Frame Theory) basis
145 (Hayes, 2004). One of its key features is that rather than seeking to change thoughts and
146 feelings (something you would expect to see from traditional CBT), ACT seeks to help
147 individuals change their relationship with these thoughts and feelings (Hayes, 2004). The
148 main aim of ACT is to increase psychological flexibility – the ability to be in the moment,
149 aware, and able to act on personal values (Doorley et al., 2020). Psychological flexibility is

150 made up of a mix of multiple, interlinked facets (“being present”, “opening-up”, and “doing
151 what matters”), and arises through core processes of change that are the typical focus of
152 applied interventions (Hayes et al., 2006; described in methods section). In support of its
153 general use, ACT has been found to be an effective approach in a range of settings and for
154 different outcomes including promoting mental health (e.g., wellbeing; Howell & Passmore,
155 2019).

156 ACT may also be especially useful when addressing perfectionism. In describing why
157 this is the case and the distinctive way in which ACT operates, Ong et al. (2019) note that
158 from an ACT perspective perfectionism is an avoidant response to unwanted inner
159 experiences and overregulation of rules. Moreover, within ACT, the unwanted inner
160 experiences and overregulation of rules are not considered to govern behaviours in and of
161 themselves. As such, both can be treated as separate and disarmed without need to change
162 their content. This is a notable difference from other CBT approaches that necessitate change
163 to underlying processes and may prove more difficult for perfectionism as irrationality
164 attitudes, beliefs and thoughts are so deeply ingrained (Hewitt et al., 2017). Perhaps, then, the
165 approach and practices of ACT may be a more realistic way of working with perfectionism
166 for athletes and offer achievable respite and relief from many of its unhelpful internal
167 experiences (e.g., self-criticism and images of failure).

168 Research using ACT-based interventions to reduce perfectionism outside of sport is
169 beginning to emerge. One study of especial note is provided by Ong et al. (2019). Using an
170 RCT design, they examined the effectiveness of a 10-week ACT-based intervention for
171 perfectionism. They found that, following the intervention, the ACT group reported lower
172 concerns over mistakes, and increased self-compassion and quality of life, in comparison to a
173 control group. Other more recent ACT-based interventions for perfectionism have also found
174 support for its use in reducing perfectionism and, at the same time, increasing resilience in

175 different clinical groups (Esmaeili et al., 2021). Overall, then, early indications are that ACT-
176 based interventions are promising for perfectionism. However, the utility of ACT-based
177 interventions has yet to test whether they are effective at reducing perfectionism inside of
178 sport.

179 In regards to the current study, there are two previous interventions inside of sport
180 that are noteworthy and included elements of ACT. Both studies used a 4-week long
181 mindfulness intervention – which is an aspect of ACT – to reduce athlete perfectionism. The
182 first of these studies found that parental expectations (something linked to the development of
183 perfectionism and sometimes used as an indicator of PC) and somatic anxiety (a negative
184 consequence of perfectionism) significantly reduced following the intervention (Kaufman et
185 al., 2009). In the second study, De Petrillo et al. (2009) found that personal standards,
186 parental criticism (again, something also linked to the development of perfectionism and
187 sometimes used as an indicator of PC), and worry (a negative consequence of perfectionism)
188 all significantly reduced following the intervention. These findings are tempered somewhat
189 by the lack of rigour in the designs of the two studies, with both using pretest-posttest
190 designs. However, alongside the research outside of sport, the findings are indicative of the
191 possible benefits of ACT-based interventions for athletes.

192 **The present study**

193 The present study aimed to assess the effectiveness of an online ACT-based
194 intervention for reducing perfectionism in soccer players. Based on previous research, we
195 hypothesized that the intervention group will report (H1) significantly lower trait
196 perfectionism (all indicators of PS and PC), (H2) significantly lower perfectionism
197 cognitions, and (H3) significantly lower negative pre-competition emotions (anxiety,
198 dejection, anger) and significantly higher positive pre-competition emotions (excitement,
199 happiness), than the control group following the online ACT-based intervention.

200 **Method**

201 **Participants**

202 Eighty-one female soccer players were recruited from multiple soccer clubs (M age =
203 24.28 years, $SD = 6.77$, range 18-44 years). They reported that they trained on average for
204 6.46 hours a week ($SD = 2.67$) and were from a range of backgrounds including White ($n =$
205 76), Black, African, Caribbean or Black British ($n = 3$), and mixed or multiple ethnic groups
206 ($n = 2$). Athletes ranged from recreational ($n = 15$), regional ($n = 35$), national ($n = 29$), and
207 international ($n = 2$) level. Recruitment took place during the season and all athletes were
208 training and playing competitively at the time of the study. Of the 81 athletes, 41 were
209 randomly allocated to the intervention group (M age = 26.00 years, $SD = 7.88$), and 40 were
210 allocated to the control group (M age = 22.53 years, $SD = 4.90$). For a description of the flow
211 of athletes from each stage of the study see Figure 1. We adhered to the CONSORT checklist
212 for reporting the randomized control trial (Shultz et al., 2010; supplementary materials, S1).

213 **Power Calculation**

214 Our minimum target sample size is based on an a priori power analysis. G.Power
215 (Faul et al., 2009) for sample size estimation for a two-tailed test, alpha (p) = .05, power =
216 .80, and an anticipated effect size of Cohen's $d = 0.75$, provided a target sample size of 58.
217 The anticipated effect size is based on Donachie and Hill (2020) who, following a
218 perfectionism intervention, found a difference between intervention and control groups
219 immediately following their intervention (time 2) of Cohen's $d = 0.75$ for PCI (the largest
220 effect observed at that time point). However, we aimed to recruit at least an additional 20% to
221 account for possible dropout (dropout was 13% in Donachie and Hill, 2020). Therefore, our
222 final target sample size was 70 athletes ($58 * 1.2$): intervention group $n = 35$ and control group
223 $n = 35$.

224 **Design and Procedure**

225 Following ethical approval from the research committee, athletes were recruited from
226 female soccer teams across the UK. We recruited females only because one of the authors
227 had connections and links in female sport. Recruitment was done by communicating with
228 gatekeepers and talking to coaches and players. The gatekeeper letter and participant
229 information sheet stated our desire to recruit female soccer players (aged 18+ years) who self-
230 identified as perfectionists and wanted to learn ways to manage their perfectionism
231 (Donachie & Hill, 2020). If athletes were interested in taking part, they accessed an online
232 survey that included information on the study, a consent form, and a questionnaire. Once
233 athletes had signed and agreed to take part in the study and had completed their initial
234 questionnaire, they were randomly assigned to either the intervention group or to a waitlist
235 control group using block randomization.

236 We used block randomization because it balances the allocation of athletes into the
237 intervention and control groups (Efird, 2011). Block randomization is useful when the entire
238 sample of the study is not yet recruited as it can help maintain equal allocation of participants
239 into the intervention and control groups (Matts & Lachin, 1988). In the present study, we had
240 three rounds of recruitment, each lasting for roughly two-weeks, and three blocks. Block
241 randomisation allowed us to ensure an approximately equal number of participants in the
242 intervention and control group though the recruitment period. During this process, block sizes
243 were determined by recruitment each round and researchers were not blind to group
244 allocation (rather than random block sizes or blinded allocation).

245 In designing the intervention, different options for delivery were considered. An
246 online approach was selected as a pragmatic and scalable means of delivering an intervention
247 over a short period of time, in multiple locations, to a large number of athletes. We were also
248 aware that there is evidence that online delivery can be just as effective as face-to-face
249 delivery for perfectionism interventions (see Suh et al., 2019). The intervention group had

250 immediate access to eight online ACT-based modules. The athletes accessed the modules via
251 an online platform. They were told to start with module one (an introduction to sport
252 psychology and ACT) but thereafter could complete the modules in any order and at their
253 own speed. Apart from module one, the modules were designed around the Hexaflex model
254 (Hayes et al., 2006). The modules included sessions on being present with a focus on how
255 each participant reacts to mistakes. There were also modules on opening-up which included
256 accepting thoughts and allowing thoughts to pass. Finally, there were modules on doing what
257 matters which included living towards one's values. The aims and content of each session for
258 the schedule of work is provided in the supplementary materials (supplementary materials,
259 S2).

260 Each module was developed, pre-recorded, and narrated by the lead author, who is a
261 HCPC registered practitioner psychologist and ACT practitioner. Each module included
262 worksheets and metaphors (athletes were asked to stop and start the pre-recorded video to
263 access these). With the exception of module one, each module started by asking the
264 participant to think about what they had learnt from the homework of the previous module.
265 Thereafter, each module explained the topic, outlined several key skills to support with a
266 particular aspect or dimension of perfectionism, and provided homework that the participant
267 was expected to complete between modules. Homework was then reviewed at the start of the
268 next module. Athletes in the intervention group were emailed at week four and six to check in
269 and find out if they had any questions or concerns.

270 After the control group completed the first questionnaire, they were emailed and told
271 that they would receive a further email when they can access the online modules. The waitlist
272 control group did not have access to the intervention during the 8-week block. Once the 8-
273 weeks had passed, both the intervention group and the control group completed the online
274 questionnaire for a second and final time. The control group was then given access to the

275 modules to complete at their leisure. There were no known or reported adverse effects from
276 the intervention.

277 **Intervention**

278 **Module 1 – Introduction to Sport Psychology and ACT.** All the athletes were
279 instructed to start with module 1 first. The module focussed on stigma, specifically helping
280 athletes overcome any stigma they may have had towards sport psychology. It is worth
281 mentioning that the athletes self-identified and self-enrolled for the intervention, so they may
282 not have typically high levels of stigma associated with perfectionism (Watson et al., 2021).
283 The module contained a large educational component, to help the athlete better understand
284 sport psychology and how ACT will help with their perfectionism. Athletes were then set
285 homework which was to set goals for what they wanted to achieve from the intervention.

286 **Module 2 – Contacting the Present Moment.** In this module, athletes focussed on
287 staying present, with a particular focus on being present in training and games. This module
288 linked with concerns over mistakes, which described how being overly concerned with
289 making mistakes leads to a loss in concentration. Athletes were educated on what being
290 present looks and feels like. This included several practical elements (e.g., ‘dropping the
291 anchor’). The homework from this session was a mindfulness tracker, which the athletes used
292 as a practice tool for being present.

293 **Module 3 – Mindfulness.** In this module, the athletes were tasked with controlling
294 their body and mind through breathing. This module provided support for the athletes in
295 overcoming a fear of failure, and reducing the stress and anxiety associated with this. Again,
296 athletes were educated on what mindfulness is, before being taken through practical
297 techniques (e.g., ‘spotting the pink elephant’). There were also several metaphors used
298 throughout the module (e.g., ‘leaves on a Stream’). The homework was a diary to log mindful
299 breathing and to notice difficult thoughts that they were experiencing.

300 **Module 4 – Acceptance.** In this module, the athletes were educated on how to accept
301 mistakes, as well as themselves. This module also focussed on how self-critical the athletes
302 were to themselves and others, providing support in reducing this self-criticism. The basis of
303 the module taught the athletes how to accept, which included the idea of struggling (i.e., not
304 accepting and continuing to wrestle with their thoughts) vs opening-up (i.e., accepting and
305 allowing thoughts to come and go). The homework for the module was to log the frequency
306 of negative experiences, and to assess whether the athletes were able to open-up and accept
307 them or not.

308 **Module 5 – Defusion.** The aim of the module was to help the athlete ‘unhook’ from
309 their thoughts. This included several practical techniques (e.g., ‘hands Infront of the face’).
310 This module also supported the athletes with dealing with doubt about themselves and their
311 abilities. To do so, they used metaphors (e.g., the sushi train) and desensitising techniques
312 (e.g., saying thoughts in different voices). The homework for this module was a getting
313 hooked diary. The athletes practiced desensitising certain thoughts they were having.

314 **Module 6 – Values.** The aim of this module was to help the athletes lead a values-led
315 life. This means focussing on who they are rather than who they think they need to be. To
316 further support this, the module linked together with reducing and managing personal
317 expectations. It was important to educate the athletes on the differences between values and
318 goals (a common mistake for many athletes). The athletes then explored their own values
319 using a life compass. In addition, the athletes explored how they might overcome
320 expectations, using values to do this. The homework for the module was for the athlete to
321 continue to explore how expectations from coaches and parents’ effect how they train and
322 compete. They were asked to assign their values to help reduce these expectations.

323 **Module 7 – Self.** In this module, the athletes were educated on their observer self.
324 That is the self that can observe, be aware, and be innately calm and tranquil. In comparison

325 to the thinking self, which is constantly problem solving, evaluating, and pre-occupied with
326 past or future events. This module was linked to overcoming negative reactions to
327 imperfections. To help the athletes with this module, several metaphors were used including
328 the chess board metaphor. Finally, the athletes wrote an obituary about themselves providing
329 a sense of how they want to be viewed by others. The homework for this session was a
330 reflection on the meaning of a picture. The picture was a person laid on the ground and
331 looking up at the clouds, which had emotions written on each one.

332 **Module 8 – Committed Action.** In this module, the athletes were supported in
333 maintaining any positive changes they may experience due to the intervention. This included
334 educational components of goal setting. The aim here was to set healthy and realistic goals.
335 Something that most athletes with higher levels of perfectionism struggle to do. Rather than
336 striving for perfection, the athletes were encouraged to seek healthy striving. The session also
337 included some what if planning, in preparation for any relapse. The homework for this
338 session was to create an action plan, to describe why the goals are meaningful to the athlete,
339 and what challenges they may be faced with over time.

340 **Transparency and Openness Statement**

341 We have cited any data, code, and methods, provided by others in this study. Data and
342 code used in the study are publicly available for institutional repository, as are all materials
343 (Watson et al., 2023). Further intervention materials can be accessed by contacting the
344 corresponding author. The design, hypotheses, and analysis plan for this study were pre-
345 registered and is publicly available (Watson et al., 2021). In regards to deviations from the
346 pre-registered study, we (1) added consideration of partial eta η^2 to interpret the size of the
347 interactions, (2) adhered to CONSORT guidelines (not originally stated in the pre-registration
348 document), and (3) provide ancillary analyses (as requested by reviewers).

349 **Measures**

350 **Trait Perfectionism.** To measure trait perfectionism, we used six subscales from
351 three measures of perfectionism in sport: the Sport Multidimensional Perfectionism Scale-2
352 (SMPS-2; Gotwals & Dunn, 2009), the Multidimensional Inventory of Perfectionism in Sport
353 (MIPS; Stoeber et al., 2007) and the Performance Perfectionism Scale-Sport (PPS-S; Hill et
354 al., 2016). Following the recommendations of Stoeber and Madigan (2016), to measure PS
355 we used (a) the SMPS-2 subscale capturing Personal Standards (7 items; e.g., “I have
356 extremely high goals for myself in my sport”), (b) the MIPS subscale capturing Striving for
357 Perfection (5 items; e.g., “I strive to be as perfect as possible”) and (c) the PPS-S subscale
358 capturing Self-Oriented Perfectionism (4 items; e.g., “I put pressure on myself to perform
359 perfectly”). To measure PC, we used (a) the SMPS-2 subscale capturing Concerns Over
360 Mistakes (8 items; e.g., “People will probably think less of me if I make mistakes in
361 competition”), (b) the MIPS subscale capturing Negative Reactions to Imperfection (5 items;
362 e.g., “I feel extremely stressed if everything does not go perfectly”) and (c) the PPS-S
363 subscale capturing Socially-Prescribed Perfectionism (4 items; e.g., “People always expect
364 more, no matter how well I perform”). The SMPS-2 and the MIPS had a response format of 1
365 (*strongly disagree*) to 5 (*strongly agree*) and for the PPS-S had a response format of 1
366 (*strongly disagree*) to 7 (*strongly agree*). All three instruments have previous evidence of
367 reliability and validity (e.g., factor structure, internal consistencies; Hill et al., 2016;
368 Madigan, 2016; Dunn et al., 2016). Finally, it has been previously reported that there is
369 adequate intra-class correlation (ICC), which determines the amount of variance between
370 variables, for PS (.81) and PC (.75) (Madigan et al., 2016).

371 **Perfectionism Cognitions.** To measure perfectionism cognitions, we used the
372 Perfectionism Cognitions Inventory–10 (PCI-10; Hill & Donachie, 2020). Athletes indicated
373 how frequently they experienced different perfectionistic thoughts on 10 items (e.g., ‘I should
374 be perfect’). Athletes are asked to score each item on a 5-point scale (0 = ‘not at all’ and 4 =

375 ‘all of the time’). The PCI-10 was developed by Hill and Donachie (2020) using athletes. It
376 has strong evidence to support its validity and reliability, including internal consistency and
377 (unidimensional) factor structure. In addition, it has acceptable ICC (.74) and is strongly
378 correlated with the longer version of the instrument ($r = .94$; Hill & Donachie, 2020).

379 **Pre-Competition Emotions.** To measure pre-competition emotions, we used the
380 Sport Emotion Questionnaire (SEQ; Jones et al., 2005). The SEQ measures five emotions
381 that are grouped into two higher order dimensions: negative emotions (anxiety, 5 items,
382 dejection, 5 items, and anger, 4 items) and positive emotions (happiness, 4 items and
383 excitement, 4 items). The SEQ is made up of 22 items. Athletes are asked to indicate how
384 they feel right now, at this moment to their upcoming sports competition on a 5-point scale (0
385 = ‘not at all’ and 4 = ‘extremely’). In support of the reliability and validity of the SEQ,
386 evidence has been provided in regards to factor structure and internal consistency (e.g.,
387 Arnold & Fletcher, 2015; Jones et al., 2005), as well acceptable ICC for anxiety (.72),
388 dejection (.60), anger (.53), happiness (.73), and excitement (.77) (Donachie & Hill, 2020).

389 **Adherence.** As part of the T2 assessment, athletes in the intervention group were
390 asked two additional questions: (1) How many hours did you spend on the modules
391 altogether? and (2) How many modules did you complete? This type of assessment has been
392 used previously (Pleva & Wade, 2007) and found to be a useful way of assessing intervention
393 effectiveness by correlating adherence with residual change scores (Donachie & Hill, 2020).

394 **Statistical Analyses**

395 All statistical analyses were performed with SPSS version 23.0 (Statistical Package
396 for Social Sciences; IBM, USA). As recommended by Galloway et al. (2022), we used
397 intention-to-treat analysis (ITT) (i.e., participant scores are carried forward from baseline if
398 they drop out), which meant that all 81 athletes were included in the statistical analyses. A 2
399 (group) x 2 (time) analysis of variance (ANOVA) was used followed by independent samples

400 t-tests. Partial η^2 statistics were used to determine the size of the interaction effects. A partial
401 $\eta^2 = .01$ signifying a small effect, a partial $\eta^2 = .06$ a medium effect and a partial $\eta^2 = .15$ a
402 large effect (Richardson, 2011). Cohen's d was used for between-group comparisons with
403 0.30, 0.50, and 0.80 denoting a small, medium, and large effect (Cohen, 1992).

404 **Results**

405 **Reliability of scores from instruments and preliminary analyses**

406 Prior to the primary analyses, internal reliabilities (Ω) and test-retest reliability (intra-
407 class correlations) were calculated for all instruments and both time points (see
408 supplementary materials, S3). Internal reliabilities and test-retest reliabilities were adequate
409 in most cases ($\Omega > .70$ and ICC $> .50$). However, there was also lower internal reliability for
410 all pre-competition emotions at T2 for the intervention group ($\Omega < .70$). We present findings
411 in full here but note caution for effects pertaining to these variables and when discussing
412 findings. It was also noteworthy that, based on the control group, ICCs indicated lower test-
413 retest reliability in some dimensions of perfectionism (negative reactions to imperfection and
414 perfectionism cognitions) and pre-competition emotions (happiness and excitement) (ICC
415 $< .50$). Again, this is important information in considering the findings. Prior to conducting
416 the primary analyses, we also inspected the distributions of the data via boxplots and z-
417 skewness. These were considered acceptable with a small number of outlier scores evident
418 for perfectionism cognitions and socially-prescribed perfectionism. Retaining these scores
419 were considered preferable to other strategies in context of an intervention study (e.g.,
420 removal or transformation).

421 **Assessment of intervention**

422 Main and interaction effects are presented in Table 1 and comparison of intervention
423 group and control group at T1 and T2 are presented in Table 2.

424 **Trait Perfectionism and Perfectionism Cognitions**

425 In regards to the group, time, and interaction effects, there was a statistically
426 significant group effect for athletes participating in the online ACT-based intervention group
427 for all dimensions and elements of perfectionism, except self-oriented perfectionism. There
428 was also a statistically significant time effect for self-oriented perfectionism, socially-
429 prescribed perfectionism, and perfectionism cognitions for those athletes in the online ACT-
430 based intervention group. Finally, there was an interaction effect (group x time) for all
431 dimensions of perfectionism except socially-prescribed perfectionism for those athletes in the
432 online ACT-based intervention group. In examining post-intervention differences, there was
433 a statistically significant mean difference between the intervention group and the control
434 group at T2 for all dimensions of perfectionism. In sum, athletes in the online ACT-based
435 intervention group clearly had more benefit in receiving the online ACT-based modules for
436 their perfectionism, than the athletes who did not receive anything. Effects typically exceeded
437 criteria for being large (Cohen's $d = 0.80$). This was not the case for self-oriented
438 perfectionism (medium-to-large effect) and socially-prescribed perfectionism (marginally
439 above a large effect) which were smaller.

440 **Pre-Competition Emotions**

441 In regards to the group, time, and interaction effects, there was a statistically
442 significant group effect for all pre-competition emotions for athletes participating in the
443 online ACT-based intervention group. There was also a statistically significant time effect for
444 anxiety, demonstrating the importance of the online ACT-based modules for athletes in the
445 intervention group. Finally, there was an interaction effect (group x time) for all pre-
446 competition emotions except excitement. Athletes who received the online ACT-based
447 intervention had more benefit for their pre-competition emotions. In examining post-
448 intervention differences, there was a statistically significant mean difference between the

449 athletes in the intervention group and the control group at T2 for all of the pre-competition
450 emotions. All effects exceeded criteria for being large (Cohen's $d = 0.80$).

451 **Ancillary analyses**

452 Unplanned ancillary analyses are provided in the supplementary materials
453 (supplementary materials, S4). Specifically, we provide a series of analysis of covariance
454 (ANCOVA) focusing on differences between intervention and control groups in each
455 dependent variable at T2 adjusted for the dependent variable at baseline (T1). These analyses
456 show statistically significant differences for all dependent variables. We note the possible
457 benefits of providing this type of analysis alongside non-adjusted analyses (e.g., De Boer et
458 al., 2015) but also that CONSORT guidelines stress the potential for this type of analysis to
459 bias the estimate of the treatment effect (Schultz et al., 2010).

460 **Adherence**

461 To further assess the link between the intervention and observed changes, we
462 examined whether the adherence measures (the number of hours spent on the modules and
463 the number of modules completed) were correlated to change in outcome variables (see Table
464 3). To do so, we conducted a regression analysis in which T2 scores were regressed on T1
465 scores and then correlated the resulting unstandardized residual scores with measures of
466 adherence. To conduct these analyses, we used completers in the intervention group only.
467 Results are reported in Table 3 and show that the number of hours athletes spent on the
468 modules was significantly correlated with reductions in their self-oriented perfectionism,
469 perfectionism cognitions, and anxiety over time. The number of modules the athletes
470 completed was also significantly correlated with reductions in their striving for perfection,
471 negative reactions to imperfection, perfectionism cognitions, anxiety, and anger over time.
472 On average the athletes spent 7.51 ($SD = 1.63$) hours on the modules and completed 6.00 (SD
473 $= 1.64$) modules in total.

474

Discussion

475

476

477

478

479

480

481

482

483

484

The present study aimed to assess the effectiveness of an online ACT-based intervention for reducing perfectionism and improving pre-competition emotions in soccer players. Based on previous research, we hypothesized that the intervention group will report (H1) significantly lower trait perfectionism (PS and PC), (H2) significantly lower perfectionism cognitions, and (H3) significantly lower negative pre-competition emotions (anxiety, dejection, anger) and significantly higher positive pre-competition emotions (excitement, happiness), than the control group following the online ACT-based intervention. Support was found for all hypotheses with the exception of one dimension of trait perfectionism (socially-prescribed perfectionism) and one pre-competition emotion (excitement).

485

Trait Perfectionism and Perfectionism Cognitions

486

487

488

489

490

491

492

493

494

495

496

497

Our findings suggest athletes can be supported in reducing their perfectionism using an online ACT-based intervention. This was the case when examining almost all indicators of PS and PC, barring socially-prescribed perfectionism. In terms of contextualising these findings, we note that other studies have found similar support for ACT outside of sport (Ong et al., 2019). Our findings suggest similar beneficial effects are evident for athletes. In addition, previous studies have also found support for the use of elements of ACT for reducing perfectionism in athletes; namely, mindfulness (Kaufman et al., 2009). Our findings are supportive in this regard, too, and suggest broader coverage of ACT techniques may also be effective. Finally, the two most rigorous intervention studies in sport so far found athletes reported lower perfectionism after CBT-based and self-compassion-based interventions (Donachie & Hill, 2020; Mosewich et al., 2013). Adopting a similar design, the current study extends these findings to an online ACT-based intervention.

498 In comparing the findings to the two previous studies in sport using rigorous designs,
499 we note a number of similarities and differences. Donachie and Hill (2020) found a
500 significant interaction effects (group by time) and improvements for socially-prescribed
501 perfectionism and self-oriented perfectionism with medium sized differences post
502 intervention (Cohen's $d = 0.29$). We found a significant interaction effect for self-oriented
503 perfectionism (but not socially-prescribed perfectionism) and larger effects for both (Cohen's
504 $d = 0.46$ and 0.87). As such, ACT appears somewhat more effective than CBT in reducing.
505 As such, the evidence suggests that both CBT- and ACT-based interventions appear to be
506 effective methods for athletes to improve aspects of trait perfectionism. Differences are less
507 clear in regards to socially-prescribed perfectionism. It may be that ACT is less effective in
508 addressing socially-prescribed perfectionism. However, due to differences between the
509 studies beyond the type of intervention, it is not possible to make such conclusions
510 confidently. To do so, future studies are required to directly compare the effects of equivalent
511 CBT-based and ACT-based interventions (and others) to better understand these differences.

512 Our findings are more consistent with those of Mosewich et al. (2013). They found a
513 significant interaction effect (group by time) and improvements for concern over mistakes (a
514 dimension of PC) and significant differences between groups immediately after the
515 intervention (and at follow-up). The size of their effects exceeded the criteria for being
516 considered large (Cohen's $d = 0.63$ and 0.78). Similarly, we found a significant interaction
517 effect for concern over mistakes and significant differences between groups immediately
518 after the intervention. The effect we observed was larger still (Cohen's $d = 1.06$). In this case,
519 it appears that a self-compassion-based intervention and ACT-based interventions yield
520 similar effects in regards to the dimensions of perfectionism they influence. Note, too, the
521 ACT intervention outside of sport by Ong et al. (2019) had an effect on concern over
522 mistakes as observed in the current study (Hedges' $g = 1.03$). The larger effects observed in

523 the current study when compared to Mosewich et al's study may reflect a range of factors
524 including differences between the two types of intervention (ACT versus self-compassion-
525 based), but also factors such as the longer length of the ACT interventions. Again, research
526 comparing the effectiveness of equivalent interventions is needed to explore these differences
527 further.

528 The effect of the intervention was largest for helping athletes reduce perfectionism
529 cognitions. This was also the case in Donachie and Hill (2020) who observed effects that
530 were nearly twice the size of the effect for any other dimension of perfectionism (Cohen's d
531 = 0.75 and 1.15). As they argued, it may be that as perfectionism cognitions are more state-
532 like, it is more amendable to change. In the current study, the effect for perfectionism
533 cognitions was exceptionally large (Cohen's $d = 2.17$). So it may be that ACT is also
534 especially effective at addressing perfectionism cognitions. A distinctive aspect of the online
535 ACT-based intervention was taking a step back from thoughts, allowing thoughts to pass by,
536 and to not engage with each individual thought. In this sense, athlete's may have come to
537 notice or acknowledge their perfectionistic thoughts less. Alternatively, by increasing
538 psychological flexibility, athletes may have learned to spend more time, cognitively, in the
539 present, rather than ruminating about the past – an important feature of perfectionism
540 cognitions. We offer a note of caution, however, in regard to this particular finding as our
541 assessment of the reliability of perfectionism cognitions scores over time suggests it
542 generally fluctuates more so than other aspects of perfectionism. This feature might also
543 explain the large effects.

544 In observing possible differences between ACT and other interventions for
545 perfectionism, we are mindful of evidence of differences for other outcomes, too (e.g.,
546 chronic pain; Ruiz, 2012). Whether our findings reflect general support for ACT or support
547 the especial use of ACT for perfectionism is still unclear. However, the notion of promoting

548 psychological flexibility appears to align well with many of the problems associated with
549 perfectionism which reflect a severe form of psychological rigidity (see Flett & Hewitt,
550 2023). In this sense, the approach may lend itself to more effective work with perfectionism
551 in athletes than others. However, direct evidence to support his possibility is needed.
552 Evidence of the particular value of ACT for perfectionism cognitions for athletes, though,
553 appears consistent with the underlying principles of the approach and is aligned with meta-
554 analytical work that has shown mindfulness-based interventions reduce more general
555 ruminative thoughts (e.g., Perestelo-Perez et al., 2017). In context of this other work, we
556 believe there is sufficient evidence to consider the use of ACT when working with
557 perfectionism in sport and appears to be an effective method by which athletes can reduce
558 their trait perfectionism and perfectionism cognitions.

559 **Pre-Competition Emotions**

560 In further support of intervention, along with perfectionism athletes reported
561 improvements in pre-competition emotions. However, internal reliability for measures of pre-
562 competitive emotions were not adequate at T2 in the intervention group ($\Omega < .70$). In some
563 cases, due to the very low internal reliability (dejection, happiness, and excitement), we
564 recommend discounting the findings. In the other cases, where internal reliability is
565 approaching acceptable levels for smaller instruments (anxiety and anger), we recommend
566 that these finding are interpreted with caution. It is unclear why internal reliabilities were
567 acceptable at T1 and not T2 in the intervention group. In this regard, it is noteworthy that the
568 scores remained reliable at T2 for the control group. As such it is possible that some items of
569 the scales were affected by the intervention but not others, for example. Regardless, in the
570 absence of this form of reliability, inferences regarding the effectiveness of the intervention
571 for the athletes pre-competition emotions are not advised.

572 Notwithstanding this caution, results pertaining to the more reliable scores for anxiety
573 and anger are consistent with the wider benefits of online ACT-based interventions. We note,
574 for example, that ACT has previously been shown to be effective in improving emotion
575 regulation of athletes (e.g., anger; Chang & Hwang, 2017). We also note that research
576 examining perfectionism and pre-competitive emotions over time in soccer players has
577 shown strong links between both trait aspects of perfectionism and perfectionism cognitions
578 with negative emotional experiences, anxiety, and anger, in particular (Donachie et al., 2019).
579 Therefore, our findings are also consistent with the notion that addressing perfectionism
580 could have additional benefits for athletes. Whether these effects are a direct consequence of
581 ACT or are an indirect consequence of reducing perfectionism would be an insightful avenue
582 for future research. Of course, so is revisiting these observed effects to secure more reliable
583 measurement.

584 **Practical Implications**

585 The present study offers several important practical implications for sport
586 psychologists, coaches, organisations, and athletes. The current study suggests that ACT may
587 be beneficial for athletes and may help them reduce their perfectionism. We therefore
588 recommend considering the merits of ACT as a type of intervention when working to reduce
589 perfectionism in athletes. It appears at least as effective as other interventions tested in sport
590 to date in regards to observed effects on perfectionism. ACT may also be useful more
591 generally and offer opportunities for athletes to become more psychologically flexible and
592 address some of the wider difficulties associated with perfectionism. This may or may not
593 include pre-competition emotions, but based on other research, could possibly include stress,
594 self-esteem, and depressive symptoms (Räsänen et al., 2016).

595 We also consider the findings to provide support for considering the use of online
596 delivery of interventions. Online interventions for perfectionism have shown to be largely

597 successful in previous research (see Suh et al., 2019). As such, we cautiously advocate for
598 practitioners to consider using online interventions as part of their work. Online interventions
599 can allow athletes greater flexibility, opportunity, and accessibility in engaging with
600 psychological support (Price et al., 2021). Online resources also provide a means of reaching
601 a large audience, supporting more athletes, and can be cost-effective. Provision of this kind is
602 likely achievable for most sports organisations, particularly if resources are shared or
603 provided in partnership with others. However, practitioners should be reminded that we are
604 waiting on more extensive evidence of the effectiveness of online interventions for
605 perfectionism in sport.

606 Finally, practitioners should also consider using or complementing their applied
607 practice with self-help style, or minimally guided, self-paced interventions to support
608 perfectionistic athletes. Self-help guides have found themselves to be an important source of
609 support for those high in perfectionism (Steele & Wade, 2008). This type of intervention may
610 help overcome some of the stigma or reluctance to seek out support that is related to
611 perfectionism (Watson et al., 2021). This type of work may therefore be especially beneficial
612 for perfectionistic athletes and an initial way of engaging and supporting them prior to
613 introducing more traditional ways of working. Some degree of monitoring and contact may be
614 required, though, and will likely enhance adherence and quality of these types of intervention
615 (Suh et al., 2019).

616 **Limitations and Future Directions**

617 The study provided novel and important findings. However, there are a number of
618 limitations. Firstly, as noted throughout, some of the instruments in the intervention group
619 showed less than adequate internal reliability. Therefore, findings relating to these variables
620 should be discounted or considered with caution. Secondly, the lack of blinding in the study
621 is a methodological weakness. While contact was minimal between experimenter and the

622 athletes, athletes knowing they were in an intervention study aimed at reducing perfectionism
623 may have created expectancy or desirability effects that impacted the findings. It is also the
624 case that we cannot guarantee that members of intervention group did not interact with
625 members of the control group providing at least some cross-contamination of effects.
626 Blinding is difficult in this context and a common limitation, but additional active control
627 groups would make for a more stringent test of the intervention and are needed in future
628 work. Thirdly, we did not include a follow-up phase beyond post-intervention. Therefore, the
629 degree to which the effects of the intervention are maintained over time is unknown. Some
630 effects may be lost or reduced (or even emerge) over time. Future research should consider
631 utilising one or more follow-up measurements. Fourthly, we did not take process measures to
632 identify mechanisms of change in the intervention. As such, while there is evidence that ACT
633 may be effective in reducing perfectionism, we do not know why. We presume it is an
634 increase in psychological flexibility. This will need to be measured in future studies, though,
635 to examine if this is the case (as Ong et al., 2019, did). Finally, although our adherence
636 measures provide some insight into engagement with the intervention, they are self-report
637 measures so closer and more objective tracking of adherence would be useful in future
638 research (e.g., system recorded hours), as would exploring participant experiences on the
639 intervention (e.g., social validation).

640 **Conclusion**

641 The present study was the first to examine the effectiveness of an online ACT-based
642 intervention for reducing perfectionism in soccer players. Discounting effects that included
643 measures with lower reliability, athletes reported significantly reduced trait perfectionism and
644 perfectionism cognitions following the intervention. As such, online ACT-based
645 interventions may therefore be an effective and viable option when seeking to support
646 athletes reduce their perfectionism.

References

- Arnold, R., & Fletcher, D. (2015). Confirmatory factor analysis of the Sport Emotion Questionnaire in organisational environments. *Journal of Sports Sciences*, 33(2), 169-179. <https://doi.org/10.1080/02640414.2014.955520>
- Chang, D., & Hwang, S. (2017). The development of anger management program based on acceptance and commitment therapy for youth taekwondo players. *Journal of Exercise Rehabilitation*, 13(2), 160-167. <https://doi.org/10.12965/jer.1732882.441>
- Cohen, J. (1992). Quantitative methods in psychology: A power primer. *Psychological Bulletin*, 112(1), 155-159. <https://doi.org/10.1037/0033-2909.112.1.155>
- Curran, T., & Hill, A. P. (2018). A test of perfectionistic vulnerability following competitive failure among college athletes. *Journal of Sport and Exercise Psychology*, 40(5), 269-279. <https://doi.org/10.1123/jsep.2018-0059>
- De Boer, M. R., Waterlander, W. E., Kuijper, L. D., Steenhuis, I. H., & Twisk, J. W. (2015). Testing for baseline differences in randomized controlled trials: an unhealthy research behavior that is hard to eradicate. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 1-8. <https://doi.org/10.1186/s12966-015-0162-z>
- De Petrillo, L. A., Kaufman, K. A., Glass, C. R., & Arnkoff, D. B. (2009). Mindfulness for long-distance runners: An open trial using Mindful Sport Performance Enhancement (MSPE). *Journal of Clinical Sport Psychology*, 3(4), 357-376. <https://doi.org/10.1123/jcsp.3.4.357>
- Donachie, T. C., & Hill, A. P. (2020). Helping soccer players help themselves: Effectiveness of a psychoeducational book in reducing perfectionism. *Journal of Applied Sport Psychology*, 34(3), 564-584. <https://doi.org/10.1080/10413200.2020.1819472>
- Donachie, T. C., Hill, A. P., & Hall, H. K. (2018). The relationship between multidimensional perfectionism and pre-competition emotions of youth footballers.

Psychology of Sport and Exercise, 37, 33-42.

<https://doi.org/10.1016/j.psychsport.2018.04.002>

Donachie, T. C., Hill, A. P., & Madigan, D. J. (2019). Perfectionism and precompetition emotions in youth footballers: A three-wave longitudinal test of the mediating role of perfectionistic cognitions. *Journal of Sport and Exercise Psychology*, 41(5), 309-319.

<https://doi.org/10.1123/jsep.2018-0317>

Doorley, J. D., Goodman, F. R., Kelso, K. C., & Kashdan, T. B. (2020). Psychological flexibility: What we know, what we do not know, and what we think we know. *Social and Personality Psychology Compass*, 14(12), 1-11. <https://doi.org/10.1111/spc3.12566>

Dunn, J. G. H., Gotwals, J. K., Dunn, J. C., Selzler, A.-M., Lizmore, M. R., Vaartstra, M., ... Gamache, V. E. (2016). A multi-sample investigation of the higher-order latent dimensionality of the Sport-Multidimensional Perfectionism Scale-2. *Psychology of Sport and Exercise*, 27, 150-156. <https://doi.org/10.1016/j.psychsport.2016.08.006>

Esmaeili, N., Asgari, P., Seraj Khorami, N., & Bakhtiarpour, S. (2021). Effectiveness of acceptance and commitment therapy on perfectionism and resilience in migraine patients. *International Archives of Health Sciences*, 8(3), 138-142.

https://doi.org/10.4103/iahs.iahs_115_20

Efird, J. (2011). Blocked randomization with randomly selected block sizes. *International Journal of Environmental Research and Public Health*, 8(1), 15-20.

<https://doi.org/10.3390/ijerph8010015>

Faul, F., Erdfelder, E., Buchner, A., & Lang, A. G. (2009). Statistical power analyses using G* Power 3.1: Tests for correlation and regression analyses. *Behavior Research Methods*, 41(4), 1149-1160. <https://doi.org/10.3758/BRM.41.4.1149>

- Frost, R. O., Marten, P., Lahart, C., & Rosenblate, R. (1990). The dimensions of perfectionism. *Cognitive Therapy and Research*, *14*(5), 449-468.
<https://doi.org/10.1007/BF01172967>
- Flett, G. L., & Hewitt, P. L. (2023). Reflections on the costs of rigid perfectionism and perfectionistic reactivity: The core significance of the failure to adapt in sports and in life. In A. P. Hill (2nd Eds.), *The psychology of perfectionism in sport, dance and exercise*. London: Routledge.
- Flett, G. L., Hewitt, P. L., Blankstein, K. R., & Gray, L. (1998). Psychological distress and the frequency of perfectionistic thinking. *Journal of Personality and Social Psychology*, *75*(5), 1363-1381. <https://doi.org/10.1037/0022-3514.75.5.1363>
- Flett, G.L., Hewitt, P.L., Nepon, T., & Besser, A. (2018). Perfectionism cognitions theory: The cognitive side of perfectionism. In J. Stoeber (Ed.), *The psychology of perfectionism: Theory, research and applications* (pp.89–110). New York, NY: Routledge.
- Galloway, R., Watson, H., Greene, D., Shafran, R., & Egan, S. J. (2022). The efficacy of randomised controlled trials of cognitive behaviour therapy for perfectionism: A systematic review and meta-analysis. *Cognitive Behaviour Therapy*, *51*(2), 170-184.
<https://doi.org/10.1080/16506073.2021.1952302>
- Gotwals, J. K., & Dunn, J. G. (2009). A multi-method multi-analytic approach to establishing internal construct validity evidence: The Sport Multidimensional Perfectionism Scale 2. *Measurement in Physical Education and Exercise Science*, *13*(2), 71-92.
<https://doi.org/10.1080/10913670902812663>
- Hayes, S. C. (2004). Acceptance and commitment therapy, relational frame theory, and the third wave of behavioral and cognitive therapies. *Behavior Therapy*, *35*(4), 639-665.
[https://doi.org/10.1016/S0005-7894\(04\)80013-3](https://doi.org/10.1016/S0005-7894(04)80013-3)

- Hayes, S. C., Luoma, J. B., Bond, F. W., Masuda, A., & Lillis, J. (2006). Acceptance and commitment therapy: Model, processes and outcomes. *Behaviour Research and Therapy*, *44*(1), 1-25. <https://doi.org/10.1016/j.brat.2005.06.006>
- Hill, A. P., & Appleton, P. R. (2011). The predictive ability of the frequency of perfectionistic cognitions, self-oriented perfectionism, and socially prescribed perfectionism in relation to symptoms of burnout in youth rugby players. *Journal of Sports Sciences*, *29*(7), 695-703 <https://doi.org/10.1080/02640414.2010.551216>
- Hill, A. P., Appleton, P. R., & Mallinson-Howard, S. H. (2016). Development and initial validation of the Performance Perfectionism Scale for Sport (PPS-S). *Journal of Psychoeducational Assessment*, *34*(7), 653-669. <https://doi.org/10.1177/0734282916651354>
- Hill, A. P., & Donachie, T. C. (2020). Not all perfectionism cognitions are multidimensional: evidence for the Perfectionism Cognitions Inventory-10. *Journal of Psychoeducational Assessment*, *38*(1), 15-25. <https://doi.org/10.1177/0734282919881075>
- Hill, A. P., Mallinson-Howard, S. H., & Jowett, G. E. (2018). Multidimensional perfectionism in sport: A meta-analytical review. *Sport, Exercise, and Performance Psychology*, *7*(3), 235-270. <https://doi.org/10.1037/spy0000125>
- Hill, A. P., & Madigan, D. J. (2017). A short review of perfectionism in sport, dance and exercise: Out with the old, in with the 2×2. *Current Opinion in Psychology*, *16*, 72-77. <https://doi.org/10.1016/j.copsy.2017.04.021>
- Howell, A. J., & Passmore, H. A. (2019). Acceptance and commitment training (ACT) as a positive psychological intervention: A systematic review and initial meta-analysis regarding ACT's role in well-being promotion among university students. *Journal of Happiness Studies*, *20*(6), 1995-2010. <https://doi.org/10.1007/s10902-018-0027-7>
- Jones, M. V., Lane, A. M., Bray, S. R., Uphill, M., & Catlin, J. (2005). Development and

- validation of the sport emotion questionnaire. *Journal of Sport and Exercise Psychology*, 27(4), 407-431. <https://doi.org/10.1123/jsep.27.4.407>
- Kaufman, K. A., Glass, C. R., & Arnkoff, D. B. (2009). Evaluation of mindful sport performance enhancement (MSPE): A new approach to promote flow in athletes. *Journal of Clinical Sport Psychology*, 3(4), 334-356. <https://doi.org/10.1123/jcsp.3.4.334>
- Lizmore, M. R., Dunn, J. G., Dunn, J. C., & Hill, A. P. (2019). Perfectionism and performance following failure in a competitive golf-putting task. *Psychology of Sport and Exercise*, 45, 101582. <https://doi.org/10.1016/j.psychsport.2019.101582>
- Madigan, D. J. (2016). Confirmatory factor analysis of the Multidimensional Inventory of Perfectionism in Sport. *Psychology of Sport and Exercise*, 26, 48-51. <https://doi.org/10.1016/j.psychsport.2016.06.003>
- Madigan, D. J., Stoeber, J., & Passfield, L. (2016). Motivation mediates the perfectionism–burnout relationship: A three-wave longitudinal study with junior athletes. *Journal of Sport and Exercise Psychology*, 38(4), 341-354. <https://doi.org/10.1123/jsep.2015-0238>
- Matts, J. P., & Lachin, J. M. (1988). Properties of permuted-block randomization in clinical trials. *Controlled Clinical Trials*, 9(4), 327-344.
- Mosewich, A. D., Crocker, P. R., Kowalski, K. C., & DeLongis, A. (2013). Applying self-compassion in sport: An intervention with women athletes. *Journal of Sport and Exercise Psychology*, 35(5), 514-524. <https://doi.org/10.1123/jsep.35.5.514>
- Ong, C. W., Lee, E. B., Krafft, J., Terry, C. L., Barrett, T. S., Levin, M. E., & Twohig, M. P. (2019). A randomized controlled trial of acceptance and commitment therapy for clinical perfectionism. *Journal of Obsessive-Compulsive and Related Disorders*, 22, 100444. <https://doi.org/10.1016/j.jocrd.2019.100444>

- Pleva, J., & Wade, T. D. (2007). Guided self-help versus pure self-help for perfectionism: A randomised controlled trial. *Behaviour Research and Therapy*, *45*(5), 849-861.
<https://doi.org/10.1016/j.brat.2006.08.009>
- Perestelo-Perez, L., Barraca, J., Penate, W., Rivero-Santana, A., & Alvarez-Perez, Y. (2017). Mindfulness-based interventions for the treatment of depressive rumination: Systematic review and meta-analysis. *International Journal of Clinical and Health Psychology*, *17*(3), 282-295. <https://doi.org/10.1016/j.ijchp.2017.07.004>
- Price, D., Wagstaff, C. R., & Thelwell, R. C. (2021). Opportunities and considerations of new media and technology in sport psychology service delivery. *Journal of Sport Psychology in Action*, *13*(1), 4-15. <https://doi.org/10.1080/21520704.2020.1846648>
- Räsänen, P., Lappalainen, P., Muotka, J., Tolvanen, A., & Lappalainen, R. (2016). An online guided ACT intervention for enhancing the psychological wellbeing of university students: A randomized controlled clinical trial. *Behaviour Research and Therapy*, *78*, 30-42. <https://doi.org/10.1016/j.brat.2016.01.001>
- Richardson, J. T. (2011). Eta squared and partial eta squared as measures of effect size in educational research. *Educational Research Review*, *6*(2), 135-147.
<https://doi.org/10.1016/j.edurev.2010.12.001>
- Ruiz, F. J. (2012). Acceptance and commitment therapy versus traditional cognitive behavioral therapy: A systematic review and meta-analysis of current empirical evidence. *International Journal of Psychology and Psychological Therapy*, *12*(3), 333-358.
- Schulz, K. F., Altman, D. G., & Moher, D. (2010). CONSORT 2010 statement: updated guidelines for reporting parallel group randomised trials. *Journal of Pharmacology and Pharmacotherapeutics*, *1*(2), 100-107. <https://doi.org/10.4103/0976-500X.72>

- Smith, E. P., Hill, A. P., & Hall, H. K. (2018). Perfectionism, burnout, and depression in youth soccer players: A longitudinal study. *Journal of Clinical Sport Psychology, 12*(2), 179-200. <https://doi.org/10.1123/jcsp.2017-0015>
- Steele, A. L., & Wade, T. D. (2008). A randomised trial investigating guided self-help to reduce perfectionism and its impact on bulimia nervosa: A pilot study. *Behaviour Research and Therapy, 46*(12), 1316-1323. <https://doi.org/10.1016/j.brat.2008.09.006>
- Stoeber, J., & Otto, K. (2006). Positive conceptions of perfectionism: Approaches, evidence, challenges. *Personality and Social Psychology Review, 10*(4), 295-319. https://doi.org/10.1207/s15327957pspr1004_2
- Stoeber, J., Otto, K., Pescheck, E., Becker, C., & Stoll, O. (2007). Perfectionism and competitive anxiety in athletes: Differentiating striving for perfection and negative reactions to imperfection. *Personality and Individual Differences, 42*(6), 959-969. <https://doi.org/10.1016/j.paid.2006.09.006>
- Stoeber, J., & Madigan, D. J. (2016). Measuring perfectionism in sport, dance, and exercise: Review, critique, recommendations. In A. P. Hill (1st Eds.), *The psychology of perfectionism in sport, dance and exercise* (pp. 31-56). London: Routledge.
- Suh, H., Sohn, H., Kim, T., & Lee, D. G. (2019). A review and meta-analysis of perfectionism interventions: Comparing face-to-face with online modalities. *Journal of Counseling Psychology, 66*(4), 473-486. <https://doi.org/10.1037/cou0000355>
- Watson, D. R., Hill, A. P., & Madigan, D. J. (2021). Perfectionism and attitudes toward sport psychology support and mental health support in athletes. *Journal of Clinical Sport Psychology, 17*(1), 11-26. <https://doi.org/10.1123/jcsp.2020-0052>
- Watson, D. R., Hill, A. P., & Madigan, D. J. (2022). Psychological skills training and perfectionistic athletes: A single-subject multiple baseline study. *Journal of Applied Sport Psychology, 1-30*. <https://doi.org/10.1080/10413200.2022.2137597>

Watson, D. R., Hill, A. P., Madigan, D. J., & Donachie, T. C. (2021). The effectiveness of an online Acceptance and Commitment Therapy-based sport psychology programme for managing perfectionistic thoughts and emotions in athletes. PsychArchives.

<https://doi.org/10.23668/psycharchives.5164>

Watson, D. R., Hill, A. P., Madigan, D. J., & Donachie, T. C. (2023). Effectiveness of an Online Acceptance and Commitment Therapy Programme for Perfectionism in Soccer Players: A Randomized Control Trial (Data, Code and Materials). York St John University. Dataset. <https://doi.org/10.25421/yorks.j.22293874>

Table 1*Main group, time, and interaction effects (group x time)*

Measure	Group effect	Partial η^2	Time effect	Partial η^2	Group*Time effect	Partial η^2
Perfectionistic Strivings						
PES	$F(1,79) = 15.89, p < .001$.17	$F(1,79) = 0.45, p = .505$.01	$F(1,79) = 12.37, p < .001$.14
SOP	$F(1,79) = 1.46, p = .230$.02	$F(1,79) = 33.82, p < .001$.30	$F(1,79) = 34.54, p < .001$.30
SP	$F(1,79) = 10.86, p < .001$.12	$F(1,79) = 0.95, p = .333$.01	$F(1,79) = 9.12, p = .003$.10
Perfectionistic Concerns						
CM	$F(1,79) = 12.06, p < .001$.13	$F(1,79) = 0.23, p = .633$.00	$F(1,79) = 5.67, p = .020$.07
SPP	$F(1,79) = 15.41, p < .001$.16	$F(1,79) = 6.29, p = .014$.07	$F(1,79) = 0.28, p = .602$.00
NR	$F(1,79) = 15.81, p < .001$.17	$F(1,79) = 0.02, p = .879$.00	$F(1,79) = 10.42, p = .002$.12
Perfectionism Cognitions						
PCI	$F(1,79) = 32.45, p < .001$.29	$F(1,79) = 5.52, p = .021$.07	$F(1,79) = 39.09, p < .001$.33
Pre-Competition Emotions						
Anxiety	$F(1,79) = 33.45, p < .001$.30	$F(1,79) = 47.86, p < .001$.38	$F(1,79) = 56.30, p < .001$.42
Dejection	$F(1,79) = 40.36, p < .001$.39	$F(1,79) = 0.91, p = .342$.01	$F(1,79) = 8.00, p = .006$.09
Anger	$F(1,79) = 40.40, p < .001$.34	$F(1,79) = 0.61, p = .438$.01	$F(1,79) = 7.77, p = .007$.09
Happiness	$F(1,79) = 51.82, p < .001$.40	$F(1,79) = 0.00, p = .980$.00	$F(1,79) = 4.17, p = .044$.05
Excitement	$F(1,79) = 40.95, p < .001$.34	$F(1,79) = 1.82, p = .181$.02	$F(1,79) = 0.38, p = .541$.01

Note. PES = personal standards, SOP = self-oriented perfectionism, SP = striving for perfection, CM = concerns over mistakes, SPP = socially-prescribed perfectionism, NR = negative reactions to imperfection, PCI = perfectionism cognitions.

Table 2*Analysis of simple effects on all measures between intervention and control group at each time point*

Measure	Time 1					Time 2				
	Intervention M (SD)	Control M (SD)	M difference	<i>P values</i>	<i>d</i>	Intervention M (SD)	Control M (SD)	M difference	<i>P values</i>	<i>d</i>
Perfectionistic Strivings										
PES	3.58 (0.85)	3.88 (0.78)	0.30	.103	0.37	3.23 (0.74)	4.12 (0.70)	0.89	<.001	1.24
SOP	5.51 (1.16)	5.58 (0.88)	0.07	.764	0.07	5.12 (1.12)	5.58 (0.85)	0.47	.037	0.46
SP	3.65 (0.92)	3.86 (0.76)	0.21	.263	0.25	3.28 (0.77)	4.05 (0.69)	0.77	<.001	1.05
Perfectionistic Concerns										
CM	3.50 (1.12)	3.83 (0.87)	0.33	.143	0.33	3.30 (0.82)	4.13 (0.75)	0.84	<.001	1.06
SPP	4.09 (1.59)	5.00 (1.45)	0.92	.009	0.60	4.43 (1.17)	5.53 (1.34)	1.10	<.001	0.87
NR	3.53 (0.95)	3.81 (0.85)	0.28	.168	0.31	3.19 (0.77)	4.13 (0.73)	0.94	<.001	1.25
Perfectionism Cognitions										
PCI	2.60 (0.98)	2.75 (0.86)	0.15	.480	0.16	1.66 (0.75)	3.17 (0.64)	1.51	<.001	2.17
Pre-Competition Emotions										
Anxiety	2.73 (0.90)	2.91 (0.88)	0.17	.384	0.20	1.25 (0.86)	2.97 (0.83)	1.71	<.001	2.04
Dejection	1.31 (1.24)	2.31 (1.17)	1.00	<.001	0.83	0.88 (0.59)	2.51 (1.11)	1.63	<.001	1.83
Anger	1.28 (1.29)	2.29 (1.19)	1.01	<.001	0.81	0.85 (0.64)	2.54 (1.17)	1.69	<.001	1.79
Happiness	2.46 (0.75)	1.74 (0.77)	0.72	<.001	0.95	2.65 (0.54)	1.54 (0.76)	1.10	<.001	1.68
Excitement	2.61 (0.76)	1.88 (0.76)	0.74	<.001	0.96	2.55 (0.49)	1.71 (0.61)	0.84	<.001	1.52

Note. PES = personal standards, SOP = self-oriented perfectionism, SP = striving for perfection, CM = concerns over mistakes, SPP = socially-prescribed perfectionism, NR = negative reactions to imperfection, PCI = perfectionism cognitions.


Intervention group (n = 41) and the control group (n = 40).

Table 3
Pearson's correlations of adherence with residual change

	Hours Spent on the Modules		Number of Modules Completed	
	<i>r</i>	<i>P values</i>	<i>r</i>	<i>P values</i>
Perfectionistic Strivings				
PES	-.027	.882	-.238	.182
SOP	.405	.019	.192	.284
SP	-.196	.274	-.373	.032
Perfectionistic Concerns				
CM	-.174	.331	-.343	.051
SPP	-.133	.459	-.130	.472
NR	-.210	.241	-.349	.047
Perfectionism Cognitions				
PCI	-.599	<.001	-.617	<.001
Pre-Competition Emotions				
Anxiety	-.363	.038	-.641	<.001
Dejection	-.024	.896	-.016	.932
Anger	-.283	.111	-.359	.040
Happiness	.133	.459	.265	.136
Excitement	-.033	.853	.227	.203

Note. PES = personal standards, CM = concerns over mistakes SOP = self-oriented perfectionism, SPP = socially-prescribed perfectionism, SP = striving for perfection, NR = negative reactions to imperfection, PCI = perfectionism cognitions. Sample size (n = 33) includes all completers from the intervention group.

Figure 1 CONSORT diagram representing the flow of athletes for each stage of the intervention



S1

CONSORT Checklist of information to include when reporting a randomised trial

Section/Topic	Item No	Checklist item	Reported on page No
Title and abstract			
	1a	Identification as a randomized trial in the title	1
	1b	Structured summary of trial design, methods, results, and conclusions	2
Introduction			
Background and objectives	2a	Scientific background and explanation of rationale	3
	2b	Specific objectives or hypotheses	8
Methods			
Trial design	3a	Description of trial design (such as parallel, factorial) including allocation ratio	8
	3b	Important changes to methods after trial commencement (such as eligibility criteria), with reasons	8
Participants	4a	Eligibility criteria for participants	9
	4b	Settings and locations where the data were collected	10
Interventions	5	The interventions for each group with sufficient details to allow replication, including how and when they were actually administered	10
Outcomes	6a	Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed	11-12
	6b	Any changes to trial outcomes after the trial commenced, with reasons	NA
Sample size	7a	How sample size was determined	9
	7b	When applicable, explanation of any interim analyses and stopping guidelines	13
Randomization:			
Sequence generation	8a	Method used to generate the random allocation sequence	9
	8b	Type of randomization; details of any restriction (such as blocking and block size)	9
Allocation concealment mechanism	9	Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned	9
Implementation	10	Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions	9

Blinding	11a	If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how	NA
	11b	If relevant, description of the similarity of interventions	NA
Statistical methods	12a	Statistical methods used to compare groups for primary and secondary outcomes	13
	12b	Methods for additional analyses, such as subgroup analyses and adjusted analyses	13
Results			
Participant flow (a diagram is strongly recommended)	13a	For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analyzed for the primary outcome	33
	13b	For each group, losses and exclusions after randomization, together with reasons	33
Recruitment	14a	Dates defining the periods of recruitment and follow-up	NA
	14b	Why the trial ended or was stopped	NA
Baseline data	15	A table showing baseline demographic and clinical characteristics for each group	31
Numbers analyzed	16	For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups	31
Outcomes and estimation	17a	For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)	30-31
	17b	For binary outcomes, presentation of both absolute and relative effect sizes is recommended	30-31
Ancillary analyses	18	Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory	NA
Harms	19	All important harms or unintended effects in each group	10
Discussion			
Limitations	20	Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses	19-20
Generalizability	21	Generalizability (external validity, applicability) of the trial findings	13-14
Interpretation	22	Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence	15-18
Other information			
Registration	23	Registration number and name of trial registry	NA
Protocol	24	Where the full trial protocol can be accessed, if available	10
Funding	25	Sources of funding and other support (such as supply of drugs), role of funders	NA

S2

Online ACT-based intervention plan and session overview

Module	ACT	Perfectionism	Aim	Module Components
1	Introduction to ACT	Stigma	Reduce stigma and provide overview of ACT	1.1 What is sport psychology? 1.2 Welcome to ACT 1.3 Goals of the programme
2	Contacting the present moment	Concerns Over Mistakes	Staying focused in competition/training	2.1 What is being present? 2.2 Contacting the present moment 2.3 Using senses (e.g., dropping anchor)
3	Mindfulness	Fear of Failure	To be able to control the body and mind	3.1 What is mindfulness? 3.2 Emptying the mind 3.3 Pink elephant
4	Acceptance	Self-Criticism	To be able to accept mistakes/the self	4.1 How do I accept? 4.2 Struggling vs opening up 4.3 Thoughts – emotions – actions
5	Defusion	Doubt About Actions	To disconnect thoughts	5.1 Removing doubt (e.g., hands Infront of face) 5.2 Being more compassionate to the self 5.3 Getting hooked
6	Values	Managing Expectations	Leading a values led life	6.1 Values vs goals 6.2 Exploring values 6.3 Overcoming expectations
7	Self	Negative Reactions to Imperfections	Increase awareness of the self	7.1 How do you want to be seen? 7.2 Overcoming imperfections 7.3 Obituary
8	Committed action	Healthy Striving	Setting realistic and healthy goals	8.1 Committing to the plan 8.2 What If planning 8.3 Overcoming FEAR

S3

Internal reliabilities and intra-class correlations

Measure	T1	T2	T1-T2	T1-T2		<i>F</i> (<i>df</i>)
	ω	ω	<i>r</i>	ICC	CI	
Control group						
PES	.92	.88	.68*	.64	.40, .80	5.08 (39, 39)***
CM	.94	.89	.60***	.56	.29, .74	3.87 (39, 39)***
SOP	.82	.84	.96***	.96	.93, .98	51.17 (39, 39)***
SPP	.91	.95	.63***	.60	.33, .77	4.42 (39, 39)***
SP	.87	.84	.58*	.57	.32, .74	3.75 (39, 39)***
NR	.90	.86	.48**	.45	.17, .66	2.83 (39, 39)***
PCI	.93	.90	.35*	.30	.01, .55	2.02 (39, 39)**
Anxiety	.91	.85	.78***	.78	.62, .88	7.96 (39, 39)***
Dejection	.95	.92	.79***	.78	.62, .88	8.51 (39, 39)***
Anger	.94	.93	.80***	.79	.62, .88	8.89 (39, 39)***
Happiness	.88	.86	.38*	.37	.08, .61	2.22 (39, 39)**
Excitement	.84	.70	.42**	.40	.11, .63	2.37 (39, 39)**
Intervention group						
PES	.84	.87	.40*	.36	.08, .60	2.28 (40, 40)**
CM	.93	.90	.32*	.31	.01, .56	1.89 (40, 40)*
SOP	.86	.84	.95***	.90	.36, .97	39.29 (40, 40)***
SPP	.86	.90	.11	.10	-.21, .39	1.23 (40, 40)
SP	.88	.84	.35*	.32	.04, .56	2.05 (40, 40)**
NR	.85	.84	.31*	.29	.00, .54	1.88 (40, 40)*
PCI	.93	.81†	.24	.15	-.08, .40	1.61 (40, 40)
Anxiety	.87	.62	.12	.05	-.08, .22	1.27 (40, 40)
Dejection	.94	.58	.28	.20	-.08, .47	1.56 (40, 40)
Anger	.94	.69	.17	.12	-.16, .40	1.30 (40, 40)
Happiness	.79	.53	.19	.17	-.13, .45	1.43 (40, 40)
Excitement	.81	.24†	.37*	.34	.04, .59	2.03 (40, 40)*

Note. ω = McDonald's Omega, ICC = intra-class correlation (two-way mixed effects, single measures, absolute definition), CI = confidence interval, PES = personal standards, CM = concerns over mistakes, SOP = self-oriented perfectionism, SPP = socially-prescribed perfectionism, SP = striving for perfection, NR = negative reactions to imperfection, PCI = perfectionism cognitions. † = Omega would not compute so Cronbach's alpha is provided.

* $p < .05$. ** $p < .01$. *** $p < .001$, two-tailed.

S4

Results of Analysis of Covariance (ANCOVA) for dependent variables

Measure	Intervention M	Control M	<i>F</i> (<i>df</i>)	<i>P</i> values
Perfectionistic Strivings				
T2 PES	3.30	4.05	29.05 (1,78)	<.001
T2 SOP	5.15	5.55	38.14 (1,78)	<.001
T2 SP	3.32	4.01	21.72 (1,78)	<.001
Perfectionistic Concerns				
T2 CM	3.35	4.08	20.65 (1,78)	<.001
T2 SPP	4.43	5.53	12.45 (1,78)	.004
T2 NR	3.23	4.08	29.46 (1,78)	<.001
Perfectionism Cognitions				
T2 PCI	1.68	3.15	97.11 (1,78)	<.001
Pre-Competition Emotions				
T2 Anxiety	1.29	2.93	92.70 (1,78)	<.001
T2 Dejection	1.09	2.30	47.59 (1,78)	<.001
T2 Anger	1.05	2.33	44.28 (1,78)	<.001
T2 Happiness	2.56	1.64	35.27 (1,78)	<.001
T2 Excitement	2.44	1.82	24.03 (1,78)	<.001

Note. PES = personal standards, CM = concerns over mistakes SOP = self-oriented perfectionism, SPP = socially-prescribed perfectionism, SP = striving for perfection, NR = negative reactions to imperfection, PCI = perfectionism cognitions.

Intervention group (n = 41) and the control group (n = 40). Time 1 variable is included as covariate with corresponding adjusted means displayed.