

Est.
1841

YORK
ST JOHN
UNIVERSITY

Bridge, Gemma, Jackson-Morris, Angela and Silva Monteiro, Luana (2024) Editorial: Added sugar consumption: economic and policy perspectives for improving public health. *Frontiers in Nutrition*, 11.

Downloaded from: <https://ray.yorks.ac.uk/id/eprint/9669/>

The version presented here may differ from the published version or version of record. If you intend to cite from the work you are advised to consult the publisher's version:

Research at York St John (RaY) is an institutional repository. It supports the principles of open access by making the research outputs of the University available in digital form. Copyright of the items stored in RaY reside with the authors and/or other copyright owners. Users may access full text items free of charge, and may download a copy for private study or non-commercial research. For further reuse terms, see licence terms governing individual outputs. [Institutional Repository Policy Statement](#)

RaY

Research at the University of York St John

For more information please contact RaY at ray@yorks.ac.uk



OPEN ACCESS

EDITED AND REVIEWED BY
Igor Pravst,
Institute of Nutrition, Slovenia

*CORRESPONDENCE
Gemma Bridge
✉ g.l.bridge@leeds.ac.uk

RECEIVED 31 January 2024
ACCEPTED 06 February 2024
PUBLISHED 23 February 2024

CITATION
Bridge G, Jackson-Morris A and Silva
Monteiro L (2024) Editorial: Added sugar
consumption: economic and policy
perspectives for improving public health.
Front. Nutr. 11:1379946.
doi: 10.3389/fnut.2024.1379946

COPYRIGHT
© 2024 Bridge, Jackson-Morris and Silva
Monteiro. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The
use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Editorial: Added sugar consumption: economic and policy perspectives for improving public health

Gemma Bridge^{1,2*}, Angela Jackson-Morris³ and
Luana Silva Monteiro⁴

¹School of Earth and Environment, University of Leeds, Leeds, United Kingdom, ²York Business School, York St John University, York, United Kingdom, ³RTI International, Durham, NC, United States, ⁴Instituto de Alimentação e Nutrição, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil

KEYWORDS

non-communicable diseases, NCDs, added sugar, public health, economic evidence, policy

Editorial on the Research Topic

[Added sugar consumption: economic and policy perspectives for improving public health](#)

Introduction

Since 1990, the number of global deaths attributable to non-communicable diseases (NCDs), such as cardiovascular disease, obesity, and diabetes has increased each year (1). According to the World Health Organization (WHO), as of 2023, every year over 41 million people die because of NCDs, equivalent to 74% of all global deaths (2). Many of these deaths occur before the age of 70, and 86% of these premature deaths occur in low- and middle-income countries (2). Unhealthy diets, high in fat, salt and free sugars, have been identified as a common risk factor for high burden NCDs such as diabetes (3), obesity (4), and dental caries (5). Free sugars are monosaccharides (single sugars) including glucose, fructose, and galactose, as well as disaccharides (double sugars) such as sucrose, lactose, maltose, and trehalose, added to foods and drinks by manufacturers, chefs or consumers (otherwise called added sugars), as well as sugars naturally present in honey syrups, fruit juices and fruit concentrates (6). Due to the health impacts of free sugars, nutritional guidelines recommend reducing their intake (7–9). Sugar found naturally in milk, whole fruit and vegetables does not count as free sugars.

Key issues and questions

Addressing excessive free sugar consumption is a public health concern with societal implications. NCDs significantly increase risk of premature mortality, exert pressure on health systems, incur high healthcare expenses, and result in diminished workforce productivity and increased absenteeism due to illness (10). There is also a correspondingly high economic burden on families, communities, and national economies (11). Some governments globally have begun to implement policies to reduce free sugar consumption

and mitigate adverse health and economic impacts (12). However, action lags behind the rapidly increasing NCD prevalence in most countries (13). Such policies aim to do this by restricting or eliminating exposure to major sources of free sugar, particularly among more vulnerable populations such as children and adolescents. Strategies include, for example, prohibiting vending machines in schools, taxation on high sugar foods and beverages such as candy and drinks sweetened with added sugar, encouraging or legislating to achieve product reformulation by manufacturers and caterers, regulating advertising and sponsorship in specific locations or specific population groups, and enforcing mandatory labeling (14).

Challenges to enacting and implementing effective policies to reduce free sugar consumption have been likened to parallel issues related to other major health-harming industries, such as tobacco, and gambling (15). These include libertarian concerns about limiting free trade and public choice, and concerns about possible negative impacts on economic growth (16, 17), and efforts by industry to influence policy decisions (18). Important issues and questions include identifying effective policy interventions and implementation strategies; the costs and benefits to countries of implementing policies to reduce free sugar consumption; impacts of sugar consumption and reduction policies on health equity and societal shifts to reduce sugar consumption patterns. Questions also arise regarding the role of industry in this area, for example in terms of their role in product reformulation; as well as any potential challenges that may arise in terms of policy influence.

Research Topic

The aim of this Research Topic was to generate articles to enhance knowledge about the impacts of high free sugar consumption on health and society and provide insights into policy and program options in different contexts. The five articles in this Research Topic explore current dietary intakes, health impacts, guidelines, product labeling, and public perceptions of sugar related taxation.

Themes covered

While it is widely accepted that reducing excess free sugar consumption is important to improving public health (19), the impact of reducing free sugar intake upon micronutrient intake is less well-understood. Basak Tukin et al. developed a food substitution model using data from 34,411 adults ≥ 20 y in the United States National Health and Nutrition Examination Survey, 2005–2018. They explored the impact on micronutrient intake when three servings of foods highest in free sugar and sodium were substituted with healthier alternatives. The authors found that replacing foods highest in added sugar led to more mean favorable micronutrient intake changes compared to replacing foods highest in sodium. However, cautioned that the composite nature of dishes containing multiple ingredients, means that food substitutions may result in both favorable and unfavorable micronutrient intake changes. Such

findings highlight the need for further research to investigate how to minimize free sugar consumption while maximizing micronutrient intake.

High consumption of free sugars has been associated with some cancers (20), and evidence suggests that sugar sweetened beverage (SSB) consumption could be a modifiable factor to reduce cancer risk (21). In their opinion piece, Eshaghian et al. explore existing evidence relating SSB consumption in relation to cancer incidence and mortality. The authors present evidence supporting the positive association between SSB consumption and overall cancer risk. They hypothesize that this relationship may be due to a range of factors, including the increase in inflammatory biomarkers, serum levels of insulin-like growth factor-I (IGF-I), advanced glycation end-products, and obesity, pointing to the need for further research to better elucidate this association and its mechanisms.

Sugar-sweetened beverages have also been identified as an important contributor to free sugar intake (22). To assist consumers to make informed drink choices, in 2015 Taiwan implemented a mandatory policy requiring clear sugar content labeling on hand-shaken tea drinks. Liu et al. conducted a content analysis to investigate the information shared on the labels of 1581 hand shaken tea drinks and explored the online marketing strategies employed for such drinks in northern Taiwan. The study found that 42 out of 60 brands had clear and informative labeling, yet many half sugar (60.2%) and low-sugar (13%) drinks exceeded 25 g of sugar per cup. The authors concluded that many manufacturers failed to abide by labeling regulations potentially leading consumers to unwittingly consume excessive amounts of free sugar.

Sugar-sweetened beverage taxation has emerged as a widespread policy tool, and is one of the leading strategies advocated by the WHO (23), however such a tax has not yet been introduced in China. To explore public attitudes regarding SSB taxation, Zhang et al. conducted an online questionnaire with 881 people living in China. The authors found that among respondents, average monthly expenditure on SSBs was 44.8 ± 45.3 Yuan (RMB) (6.95 ± 7.02 USD). Over half of respondents (54.6%) stated that they would support an SSB tax and were willing to pay on average 1.19 times more for SSBs if a tax were to be introduced. Zhang et al., noted that support for such a tax was greater amongst those with greater awareness of the possible benefits of SSB taxation. This study highlights the importance of increasing awareness of the impact of SSBs on health and the potential benefits of an SSB tax to enhance the acceptance of such a policy in China.

In the final opinion piece within the current Research Topic, Yan and Louie suggest that policies and guidelines to limit free sugar intake should only focus on specific products. The authors argue that blanket guidance across all food and drink products may result in unintended adverse health consequences, such as promoting consumption of highly processed, but low sugar foods, including cakes, rather than natural, minimally processed foods such as fruit (24). The authors propose that guidelines should be targeted, and communications about free sugars and health for the general public should be clear and practical for them to be understood and implemented.

This Research Topic of articles adds to the body of knowledge relating to excess free sugar consumption, highlighting impacts on

health and society, and provides further evidence relating to policy options, including SSB taxation, and mandatory labeling. The potential limitations of policies, and strategies to encourage wider adoption are also discussed. Nonetheless, there remain aspects of the topic that require further elucidation, including how to support people to make sustainable reductions in free sugar consumption, whether there are impact differentials between different parts of the population in different contexts. There are further policies, not explored in this Research Topic, that would benefit from research attention in different contexts, as well as research to indicate how public health experts can best explore and make the case for policies and programs with policymakers and the public. Finally, further work is needed to standardize the definition of added or free sugar so that studies can be more easily compared and understood.

Author contributions

GB: Conceptualization, Writing—original draft, Writing—review & editing. AJ-M: Conceptualization, Writing—original draft, Writing—review & editing. LS: Writing—review & editing.

References

- Shu J, Jin W. Prioritizing non-communicable diseases in the post-pandemic era based on a comprehensive analysis of the GBD 2019 from 1990 to 2019. *Sci Rep.* (2023) 13:13325. doi: 10.1038/s41598-023-40595-7
- WHO. *Non Communicable Diseases.* (2023). Available online at: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases> (accessed January 1, 2024).
- Malik VS, Popkin BM, Bray GA, Després JP, Willett WC, Hu FB. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care.* (2010) 33:2477–83. doi: 10.2337/dc10-1079
- Te Morenga L, Mallard S, Mann J. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *BMJ.* (2012) 346:e7492. doi: 10.1136/bmj.e7492
- Valenzuela M, Waterhouse B, Aggarwal VR, Bloor K, Doran T. Effect of sugar-sweetened beverages on oral health: a systematic review and meta-analysis. *Eur J Public Health.* (2020) 31:122–9. doi: 10.1093/eurpub/ckaa147
- WHO. *Guideline: Sugars Intake for Adults and Children.* (2015). Available online at: <https://www.who.int/publications/i/item/9789241549028> (accessed January 13, 2024).
- Muka T, Imo D, Jaspers L, Colpani V, Chaker L, van der Lee SJ, et al. The global impact of non-communicable diseases on healthcare spending and national income: a systematic review. *Eur J Epidemiol.* (2015) 30:251–77. doi: 10.1007/s10654-014-9984-2
- Herforth A, Arimond M, Álvarez-Sánchez C, Coates J, Christianson K, Muehlhoff E, et al. A global review of food-based dietary guidelines. *Adv Nutr.* (2019) 10:590–605. doi: 10.1093/advances/nmy130
- U.S. Department of Agriculture and U.S. Department of Health and Human Services. *Dietary Guidelines for Americans, 2020–2025.* 9th ed. (2020). Available online at: <https://www.dietaryguidelines.gov> (accessed February 10, 2024).
- Cámara M, Giner RM, González-Fandos E, López-García E, Mañes J, Portillo MP, et al. Food Based dietary guidelines around the world: a comparative analysis to update AESAN scientific committee dietary recommendations. *Nutrients.* (2021) 13:3131. doi: 10.3390/nu13093131
- Nugent R, Bertram MY, Jan S, Niessen LW, Sassi F, Jamison DT, et al. Investing in non-communicable disease prevention and management to advance the Sustainable Development Goals. *Lancet.* (2018) 391:2029–35. doi: 10.1016/S0140-6736(18)30667-6
- Popkin BM, Hawkes C. Sweetening of the global diet, particularly beverages: patterns, trends, and policy responses. *Lancet Diabetes Endocrinol.* (2016) 4:174–86. doi: 10.1016/S2213-8587(15)00419-2
- European Commission. *Health Promotion and Disease Prevention Knowledge Gateway.* (2021). Available online at: https://knowledge4policy.ec.europa.eu/health-promotion-knowledge-gateway/sugars-sweeteners-10_en (accessed January 13, 2024).
- World Cancer Research Fund. *Curbing Global Sugar Consumption - Effective Food Policy Actions to Help Promote Healthy Diets and Tackle Obesity.* (2015). Available online at: <https://www.wcrf.org/wp-content/uploads/2021/07/Curbing-global-sugar-consumption.pdf> (accessed January 28, 2024).
- The Lancet. Unravelling the commercial determinants of health. *Editorial.* (2023) 401: 1131. doi: 10.1016/S0140-6736(23)00590-1
- O'Sullivan T, Daniel E, Harris F. Media and the staging of policy controversy: obesity and the UK sugar tax. *Crit Policy Stud.* (2023) 17:599–618. doi: 10.1080/19460171.2023.2180401
- Snowdon C. *Sugar Taxes: A Briefing.* (2016). Available online at: <https://iea.org.uk/publications/sugar-taxes-a-briefing/> (accessed January 28, 2024).
- Tselengidis A, Östergren P-O. Lobbying against sugar taxation in the European Union: analysing the lobbying arguments and tactics of stakeholders in the food and drink industries. *Scand J Public Health.* (2019) 47:565–75. doi: 10.1177/1403494818787102
- Huang Y, Chen Z, Chen B, Li J, Yuan X, Li J, et al. Dietary sugar consumption and health: umbrella review. *BMJ.* (2023) 381:e071609. doi: 10.1136/bmj-2022-071609
- Debras C, Chazelas E, Srour B, Kesse-Guyot E, Julia C, Zelek L, et al. Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. *Am J Clin Nutr.* (2020) 112:1267–79. doi: 10.1093/ajcn/nqaa246
- Chazelas E, Srour B, Desmetz E, Kesse-Guyot E, Julia C, Deschamps V, et al. Sugary drink consumption and risk of cancer: results from NutriNet-Santé prospective cohort. *BMJ.* (2019) 366:l2408. doi: 10.1136/bmj.l2408
- Malik VS, Hu FB. The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases. *Nat Rev Endocrinol.* (2022) 18:205–18. doi: 10.1038/s41574-021-00627-6
- WHO. *WHO Calls on Countries to Tax SSBs to Save Lives.* (2022). Available online at: <https://www.who.int/news/item/13-12-2022-who-calls-on-countries-to-tax-sugar-sweetened-beverages-to-save-lives> (accessed January 13, 2024).
- Coyle DH, Dunford EK, Wu JH, Louie JC. The use of non-nutritive and low-calorie sweeteners in 19,915 local and imported pre-packaged foods in Hong Kong. *Nutrients.* (2021) 13:1861. doi: 10.3390/nu13061861

Funding

The author(s) declare that no financial support was received for the research, authorship, and/or publication of this article.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.